TWO SECTIONS JANUARY, 1936 SECTION 2

# S·A·E JOURNAL

## Index to Volumes 36 and 37

JANUARY-DECEMBER, 1935

Society of Automotive Engineers, Inc.
Twenty-Nine West Thirty-Ninth Street
New York City

# S. A. E. JOURNAL

## INDEX TO VOLUMES 36 AND 37, JANUARY-DECEMBER, 1935

Entries preceded by two letters refer to the general editorial section which has a separate series of page numbers for each issue.

Entries not preceded by such letters refer to the Transactions section which has consecutive page numbers throughout Volumes 36 and 37.

The following table indicates the pages contained in each monthly issue:

| | | |
|---|---|---|
| January Jn 1-40, 9-28 | May My 13-24, 165-200, 25-36 | September Se 13-32, 313-348 |
| February Fe 13-40, 41-76, 41-54 | June Je 13-20, 201-236, 21-28 | October Oc 13-24, 349-384, 25-36 |
| March Mr 13-16, 77-116, 17-40 | July Jl 17-32, 237-276, 33-74 | November No 385-424, 13-32 |
| April Ap 13-24, 117-164, 25-28 | August Ag 13-24, 277-312, 25-31 | December De 425-464, 13-40 |

(D) indicates discussion published; (N) indicates mention in general editorial section; (P) indicates paper published in full.

## Author Index


| Author | Title of Paper | Page |
|---|---|---|
| Abbott, E. J. | Surface Finish, and How It Can Be Measured and Specified | (N) Fe 31, 39 (P) 112 (N) Mr 28 |
| Alden, C. R. | Design and Development of Fuel Injection Apparatus for High Speed Engines | (N) Fe 21, 36 (N) Mr 22 |
| Alden, R. C., G. G. Oberfell and H. M. Trimble | The Trend of Volatility of Motor Fuels | (N) Jl 56 |
| Allee, H. D. | Quill Bearings—Past, Present and Future | (N) Ag 24 |
| Almen, J. O. and Earl Pierce | Gas-Tank Leaks | (N) Jn 14 |
| Altman, Peter | Sales and Technical Problems of Private-Commercial Airplanes | (N) Fe 21, 36 (N) Mr 22 |
| Anderson, R. J. | Machineability, Engineering Properties and Applications of Electric Furnace Cast Iron | (N) Je 22 (N) Jl 67 (N) Oc 35 |
| Anthony, C. T. | Diesel Fleet Operation and Maintenance Problems | (N) De 34 |
| Atwood, J. L. and J. H. Kindelberger | A Designer-Manufacturer Viewpoint of Transport-Aircraft Needs | (N) Fe 22, 37 (N) Mr 24 (P) 224 |
| Bailey, E. L. | Application of Induction Heating in Automobile Production | (N) Oc 15, 36 (P) 422 |
| Baldeschwieler, E. L., G. M. Maverick and J. E. Neudeck | Deposits in White Metal Carburetors | (P) Oc 17 |
| Ballard, J. H. and N. A. Moore | How the Design of Some Motor Parts Can Influence Piston-Ring Performance | (N) My 22, 28 |
| Ballard, J. H., S. Nixon and N. A. Moore | Piston Rings: Factors Contributing to Their Normal and Abnormal Wear | (N) Jn 10, 23 |
| Barber, E. M. and Neil MacCoull | Vapor-Lock Traits of Cars and Their Limitations on Gasoline Volatility | (N) Jl 56 (P) 237 (D) 365 |
| Barish, Thomas | Precision Manufacture in Quantity Production | (N) De 28 |
| Barnard, D. P. and J. O. Eisinger | A Forgotten Property of Gasoline | (N) Jl 55 (P) 293 (D) 365 |
| Bartholomew, Earl | Fuels for Today's and Tomorrow's Engines | (N) No 26 |
| Baum, C. L. | Advertising and Business | (N) My 36 |
| Beardsley, Guy E., Jr. | An Automatic Power and Mixture Control for Aircraft Engines | (N) Je 13, 20 (P) 301 |
| Becker, C. F. | Factors Affecting Gasoline Consumption in Automotive Vehicles | (N) Ag 24 |
| Becker, C. F. | Gasoline Knock-Testing | (N) De 36 |
| Beckwith, E. Q. and W. Z. Friend | Propane and Butane as Motor Fuels | (P) 36 |
| Beecroft, David | Influence of Brakes and Skids on Safety and Motor-Vehicle Operation | (N) Ap 24 |
| Berlin, H. R. | Controlling Noise | (N) Fe 14, 34 |
| Bierbaum, C. H. | Bearing Metals Brought Up-to-date | (N) Jn 16 |
| Bingham, Jerry | Some Fundamentals of Dies and Stampings | (N) Jn 15 |
| Blackwood, A. J. | The Performance of Engines at Low Operating Temperatures | (N) Jn 12, 24 (P) 70 |
| Blanchard, Harold F. | A Discussion of 1935 Cars | (N) Je 20, 23 |
| Blanchard, Harold F. | Preview of 1936 Cars | (N) No 24 |
| Bockius, Chris and J. Harold Hunt | Brake Drum and Lining Development | (N) Fe 38 (N) Mr 25 (P) 250 |
| Boelter, L. M. K. | Relation of Headlamp Construction to Headlamp Roadway-Performance | (N) My 29 |

| Author | Title of Paper | Page |
|---|---|---|
| Bonta, Frank N. | An Analysis of Automobile Steering Geometry | (N) No 26 |
| Boyd, T. A. | Research and the Motor Car | (N) No 14, 25 (N) De 40 |
| Boyd, T. A., John M. Campbell and Wheeler G. Lovell | The Trends in Engine Design as Influenced by Fuel Volatility | (N) Jl 56 (P) 307 (D) 365 |
| Bramberry, Harry M. | Piston-Ring Problems of Diesel Engines | (N) Je 22 |
| Brede, O. M. | Service Problems | (N) De 13, 29, 39 |
| Brettell, Clinton | Fleet Maintenance and Repair | (N) De 13 |
| Britton, Roy F. | Taxation and Regulation as Applied to Highway Transportation | (N) Jn 21 |
| Brown, Lowell H. and Erving R. Gurney | Technical and Economic Phases of Railroad Automotive Development | (N) Mr 36 |
| Brown, R. W. and H. C. Dickinson | Criteria Are Set for Riding Comfort Research; New Instruments Made | (P) Ag 20 |
| Browne, Kenneth A. | Aircraft Spark-Ignition Versus Compression-Ignition Engines | (N) Jl 48, 59 (P) 342 |
| Brownell, Walter T. | New Plane Developments for the Private Flyer | (N) My 36 |
| Bruce, Clarence S. | Engineering Features of 1935 Automobiles | (N) Fe 43 |
| Bull, Arthur W. | Rubber and Its Uses in Transportation | (N) My 21 |
| Burnett, R. S. | The Standards Road to Profits | (N) De 37 |
| Burwell, Arthur W. | A New Idea in Lubrication | (N) Mr 36 (N) My 20 |
| Bushnell, Sherman W. | Automotive Oil | (N) Fe 41 (N) My 19 |
| Calingaert, George, S. D. Heron and F. J. Dykstra | The Electrolytic Cleaning of Exhaust Valves | (P) De 19 |
| Camp, Roy H. | The Supercharger—"What It Is" | (N) My 19 |
| Campbell, J. F. | Fuel Injection as Applied to Aircraft Engines | (N) Fe 18, 35 (N) Mr 20 (P) 77 |
| Campbell, John M., Wheeler G. Lovell and T. A. Boyd | The Trends in Engine Design as Influenced by Fuel Volatility | (N) Jl 56 (P) 307 (D) 365 |
| Campbell, Kenneth | Evaluation of Variables Influencing Air Cooling of Engines | (N) Jl 48, 59 (P) 401 |
| Caton, J. J. | Engineering Research | (N) My 35 |
| Chase, Herbert | Pertinent Pokes at Contented Engineers | (N) Mr 36 |
| Churchill, H. E., W. S. James and F. E. Ullery | "Sky Hooks" for Automobiles | (N) Jl 52, 61 (P) 313 |
| Churchill, W. W. | Fleet Maintenance | (N) My 20, 35 |
| Clark, George L. | The Modern Science of X-Ray of Metals | (N) De 30 |
| Clark, Malcolm | Why Use Welding? | (N) Jn 15 |
| Clinton, G. E. | Problems of Industry in Using the Highways | (N) Jn 22 |
| Cole, J. S. | Modern Engines and Their Fuels | (N) Jl 68 |
| Connor, Kirke W. | Surface and Shape Characteristics of Cylinder Bores | (N) Jn 9, 23 (P) 95 |
| Cosford, E. J. | Diesel and Otto Cycle Differences | (N) Je 19, 23 (P) 341 |
| Cosford, E. J. | High-Speed Diesel Engine Application to Road-Transport Vehicles | (N) Je 19, 23 (P) 341 |
| Cox, J. R. | A Quick Trip to the Machine Tool Exhibit | (N) Oc 13 |
| Cram, Ralph L. | Measurement of Airplane Landing Speed | (N) Jn 16 (P) 205 |
| Crane, E. V. | Sheet Metal Blanking and Deep-Drawing Dies and Their Correlation | (N) Ap 22 |
| Creson, W. K. | Steering Safely | (N) Jn 17 (N) My 18 |
| Croll, P. R. and L. E. DuBey | How to Finish a Truck | (N) Fe 15, 33 (N) Mr 17 |
| Damon, Ralph | Manufacturing Transport Planes | (N) Je 24 |
| Debbink, Henry S. | Some Factors Influencing Gasoline and Oil Consumption | (N) Jn 20 |
| DeForest, A. V. | Surface Integrity and Dynamic Strength | (N) Fe 31, 39 (N) Mr 28 |
| DeJuhasz, K. J. | Analysis of Surges in Fuel Injection Pipes | (N) Jl 53, 61 |
| DeLaunay, John B. | Transportation and Other Problems in India | (N) Jn 14 |
| Dennis, Fred L. | How We May Make Our Highways More Safe | (N) Oc 32 (N) No 24 |
| Dennison, E. S. | A Rational Basis for Comparing Diesel-Engine Performances | (N) Fe 21, 36 (N) Mr 21 (P) 210 |
| DeSmet, Edgard C. | The Practical Side of Planography | (N) Fe 18, 35 |
| Dick, Burns | Hydraulic Brake Actuation | (N) Fe 29, 38 (N) Mr 25 |
| Dickerson, Jack | Tuning of Motors for Correction | (N) De 30 |


**Abbreviations Used:**

Months of the Year

| | | | |
|---|---|---|---|
| January, Jn | April, Ap | July, Jl | October, Oc |
| February, Fe | May, My | August, Ag | November, No |
| March, Mr | June, Je | September, Se | December, De |

**(D) indicates discussion published; (N) indicates mention in general editorial section; (P) indicates paper published in full.**

| Author | Title of Paper | Page |
|---|---|---|
| Dickinson, H. C. | Safety Engineering | (N) De 30 |
| Dickinson, H. C. and R. W. Brown | Criteria Are Set for Riding Comfort Research; New Instruments Made | (P) Ag 20 |
| Dix, E. H. Jr. | New Aluminum Alloys—The Result of Depression Research | (N) Fe 43 |
| Donohoo, D. C. | Carbon Monoxide Gases | (N) De 30 |
| Dorris, G. P. | History of Gasoline and Diesel Engines | (N) Jl 68 |
| Drake, Harley W. | New Features of the 1936 Automobiles | (N) De 29 |
| Drake, Harley W. | Safety in Industry | (N) No 26 |
| DuBey, L. E. and P. R. Croll | How to Finish a Truck | (N) Fe 15, 33 (N) Mr 17 |
| Dunbar, Howard W. | 1934 Developments in Cam and Cylindrical Grinding | (N) Fe 31, 39 (N) Mr 28 |
| Dykstra, F. J., S. D. Heron and George Calingaert | The Electrolytic Cleaning of Exhaust Valves | (P) De 19 |
| Eastman, Joseph B. | Mechanical Progress in Transportation | (N) Jl 28, 64 |
| Eastman, Joseph B. | Motor Carrier Act | (N) De 13 |
| Eisinger, J. O. and D. P. Barnard | A Forgotten Property of Gasoline | (N) Jl 55 (P) 293 (D) 365 |
| Elden, H. E. | Passenger-Car Seat-Cushions of Cellular Rubber | (N) Jl 55, 62 (P) 267 |
| Elden, H. E. | Properties of Cellular Rubber for Passenger-Car Cushions | (N) Jl 55, 62 (P) 267 |
| Elliott, Frank R. | Automobile Racing History Marks Design and Fuel Progress | (N) Jn 30 (P) My 13 |
| Ensign, P. W. | Butane Application and Performance in Automotive Service | (N) De 32 |
| Evans, R. D. | Properties of Tires Affecting Riding, Steering and Handling | (N) Fe 19, 35 (N) Mr 20 (P) 41 |
| Fageol, F. R. | Bus Trends and Design | (N) Je 26 |
| Fales, Dean A. | What's New in the New Models | (N) De 29 |
| Faragher, Paul V. | Non-Ferrous Metal Specifications Get Thorough Revision | (P) Se 21 |
| Fassler, P. W. | Modern Resistance Welding in the Automobile Industry | (N) Fe 31, 39 (N) Mr 28 (P) 69 |
| Faulkner, Fred L. | Vehicle Design from a Maintenance and Operating Standpoint | (N) Fe 16, 33 (N) Mr 18 (P) 117 |
| Feragen, A. W. | Performance Standards for Motor-Vehicle Safety-Inspection | (N) Jn 17 |
| Ferrier, Alan | Winter Operation of Aero Engines | (N) Fe 17, 34 (N) Mr 19 (P) 137 |
| Fetters, A. H. and J. C. | Streamlined, Diesel-Powered Rail Trains | (N) Fe 43 |
| Fetters, J. C. and A. H. | Streamlined, Diesel-Powered Rail Trains | (N) Fe 43 |
| Field, Hugh W. and Merrill J. Fowle | Economics of Gasoline Volatility from the Refinery Viewpoint | (N) Jl 55 (P) 361 |
| Fielder, R. E. | The Modern Steel Motorcoach | (N) Je 19, 23 |
| Finn, A. N. | Safety Glass for Glazing Automobiles | (N) Ap 21 |
| Fischer, Hans | Diesel Engine Application to Trucks, Tractors and Buses | (N) Jn 24 (N) Fe 43 |
| Fischer, Hans | The Combustion of High-Speed, High-Efficiency Diesel Engines | (N) Jn 11 |
| Fishleigh, Walter T. | What Price Progress? | (N) De 28 |
| Fowle, Merrill J. and Hugh W. Field | Economics of Gasoline Volatility from the Refining Viewpoint | (N) Jl 55 (P) 361 |
| Frehse, A. W. | Some Thoughts on Present-Day Automobile Transmissions | (N) No 18 (N) De 40 |
| Friend, W. Z. and E. Q. Beckwith | Propane and Butane as Motor Fuels | (P) 36 |
| Fullmer, Irvin H. | Fundamentals of Mechanical Dimensional Control | (N) Fe 43 |
| Gagg, R. F. | Current Problems in Airline Engines | (N) Jn 14, 21 (P) 50 |
| Gebhardt, W. A. | A Study of the Efficiencies of Overdrive Units Used in Passenger Cars | (N) My 22, 28 |
| Geisse, John H. | Activities of the Aeronautical Development Section of the Department of Commerce | (N) No 24 |
| Geisse, John H. | Air Transport Needs of the Private Owner | (N) Fe 21, 37 (N) Mr 22 (P) 199 |
| Geisse, John H. | Air Transportation Equipment for the Private Owner | (N) Fe 22, 37 (N) Mr 22 (P) 199 |
| Geisse, John H. | The Development Program of the Bureau of Air Commerce | (N) Jn 16 |
| Geniesse, J. C. | Fuel and Oil Economy for the Operator | (N) Jn 20 (P) 22 |
| Gerwe, William J. | Lubrication as It Affects Safety in Automobiles | (N) Mr 37 |

| Author | Title of Paper | Page |
|---|---|---|
| Gilligan, F. P. | New S.A.E. Steel Data Embody Wide Engineering Significance | (P) Ap 13 |
| Greene, Carl F. | Aircraft Structural Design and Its Influence on Other Engineering Design | (N) Je 19 |
| Gregory, Alfred T. | Cylinder Events Studied in the Logarithmic Diagram | (N) Fe 20, 35 (N) Mr 21 (P) 191 |
| Griswold, W. R. | Stresses in Connecting-Rods and Bearings | (N) Jl 51, 60 |
| Gruse, William A. | Gasoline | (N) Fe 42 |
| Gurney, Erving R. and Lowell H. Brown | Technical and Economic Phases of Railroad Automotive Development | (N) Mr 36 |
| Hale, J. E. | When Is a Truck Tire Overloaded? | (N) No 13 (N) De 40 |
| Hann, William Edward | Inventions—Past and Present; Sound and Ridiculous | (N) Je 13 |
| Hardy, F. I. | Economical Application of Rates for Freight by Motor Trucks | (N) Jn 21 |
| Hardy, F. I. | Efficient Operation of Motor Trucks | (N) De 30 |
| Hartsock, Guy | Large Dies and Stampings | (N) Jn 15 |
| Hedgeland, M. C. and S. O. White | Methods of Finishing Transmission Gears | (N) Oc 15, 36 |
| Heldt, P. M. | Porsche Torsion-Bar Suspension | (N) Jn 16 |
| Hendrickson, N. E. | Spring Suspension Developments | (N) De 28 |
| Heron, S. D. | The Influence of Engine Oils on Aircraft-Engine Performance | (N) Fe 17, 34 (N) Mr 19 (P) 201 |
| Heron, S. D., George Calingaert and F. J. Dykstra | The Electrolytic Cleaning of Exhaust Valves | (P) De 19 |
| Herrington, A. W. | Late Developments in Military Combat Vehicles and Tanks | (N) No 24 |
| Herrington, A. W. | Review of the Paris and London Shows | (N) Mr 36 |
| Hill, J. R. | New Developments in Winter Motor Oils | (N) Jn 16 |
| Hoffman, Paul G. | The Automobile—Carefully Made and Carelessly Used | (N) Ap 22 |
| Holzapfel, George L. | The Future of Butane as a Motor Fuel | (N) Je 20, 22 |
| Hopkins, H. H. | Cooling System Service and Anti-Freezing Materials | (N) Jn 16 |
| Horine, Merrill C. | Does Maintenance Pay? | (N) Mr 37 |
| Horine, Merrill C. | Motor-Truck Transportation—Its Development and Future Possibilities | (N) Jn 14 (N) My 18 |
| Hukill, Henry D. | Vacuum Power Brakes | (N) Ap 22 (N) Je 18 |
| Hunt, J. Harold and Chris Bockius | Brake Drum and Lining Development | (N) Fe 38 (N) Mr 25 (P) 250 |
| Hunt, John H. | Scientific Developments in the Automobile Industry | (N) Je 26 |
| Jacoby, E. R. | Motor Fuel of the Future | (N) Ap 22 |
| James, W. S., H. E. Churchill and F. E. Ullery | "Sky Hooks" for Automobiles | (N) Jl 52, 61 (P) 313 |
| Janeway, R. N. | Humanized Automotive Engineering | (N) My 35 |
| Jardine, R. S. and Robert Jardine | Designing Valves and Related Parts for Maximum Service | (N) Jn 11, 24 (P) 268 |
| Jardine, Robert and R. S. Jardine | Designing Valves and Related Parts for Maximum Service | (N) Jn 11, 24 (P) 268 |
| Jensen, Gustav Boerge | Art in Industry | (N) Ap 21 |
| Johnson, Stephen Jr. | Air Brakes | (N) Ap 22 |
| Jordan, Louis | Elements as Alloying Agents in Steel | (N) Ap 21 |
| Jorgensen, C. H. | Fuel Volatility and Cold Starting | (N) Jl 56 (P) 411 |
| Jorgensen, C. H. | What Price Dynamite? | (N) Jl 56 (P) 411 |
| Kelley, T. R. | The Operation and Engineering Problems of the Injection Engine | (N) No 26 (N) De 13, 39 |
| Kemper, Carlton and Donald H. Wood | N.A.C.A. Study of Radial Air-Cooled Engine Cowling and Cooling | (N) Jl 47, 59 (P) 441 |
| Kindelberger, J. H. and J. L. Atwood | A Designer-Manufacturer Viewpoint of Transport-Aircraft Needs | (N) Fe 22, 37 (N) Mr 24 (P) 224 |
| Kirsten, F. K. | Streamlining Design | (N) De 28 |
| Knight, Jack | Night Flying—Then, and Now | (N) My 34 |
| Knudsen, W. S. | Basic Principles in Management-Labor Relationships | (N) Je 13 |
| Larsen, Agnew E. | The Future of the Autogiro for the Private Flyer | (N) My 22, 36 |
| Larson, C. M. | The Realm of Extreme-Pressure Lubricants | (N) Jn 19 |


**Abbreviations Used:**

Months of the Year

| | | | |
|---|---|---|---|
| January, Jn | April, Ap | July, Jl | October, Oc |
| February, Fe | May, My | August, Ag | November, No |
| March, Mr | June, Je | September, Se | December, De |

(D) indicates discussion published; (N) indicates mention in general editorial section; (P) indicates paper published in full.

| Author | Title of Paper | Page |
|---|---|---|
| Lauer, A. R. | Elements of Safe Driving | (N) No 29 |
| Leeds, Norman Jr. | Design and Maintenance Problems on Heavy-Duty Brakes | (N) My 20, 29 (P) 419 |
| Leslie, John C. | Practical Gasoline and Oil Problems in Trans-Pacific Flying Operations | (N) De 33 |
| Little, Thomas J. Jr. | Processes Involved in the Manufacture of Electric Cast Iron | (N) My 29 |
| Littlewood, William | Airline Engineering and Maintenance | (N) Ap 24 |
| Littlewood, William | Modern Transport Flying | (N) Je 24 |
| Littlewood, William | Operating Requirements for Transport Airplanes | (N) Fe 22, 37 (N) Mr 24 |
| Lott, E. P. | Air Transport Operations | (N) Jn 22 |
| Lovell, Wheeler G., John M. Campbell and T. A. Boyd | The Trends in Engine Design as Influenced by Fuel Volatility | (N) Jl 56 (P) 307 (D) 365 |
| MacCoull, Neil and E. M. Barber | Vapor-Lock Traits of Cars and Their Limitations on Gasoline Volatility | (N) Jl 56 (P) 237 (D) 365 |
| MacCoul, Neil and G. T. Stanton | Engine Knock Measured by Electro-Acoustical Instruments | (N) Jl 51, 60 |
| MacDonald, A. F. | How to Cut Maintenance Costs | (N) Ap 22 |
| Majewski, B. L. | Experiences With the Code | (N) Mr 37 |
| Mann, Robert W. | Speedy Trail and Road Building | (N) Mr 37 |
| Markham, H. B. | Motor-Vehicle Taxation Continues to Increase | (N) Jn 21 (P) 35 |
| Markham, H. B. | The Trend in Taxation and Regulation of Highway Transportation | (N) Jn 21 (P) 35 |
| Marsden, W. S. | Precision Motor Tune-Up | (N) Jn 16 |
| Martin, E. G. | The Quantitative Spectro-Chemical Analysis | (N) Je 24 |
| Martland, R. W. Jr. | How Car Manufacturers Can Cooperate with the Commercial Fleet Operators | (N) My 19 |
| Marvin, James S. | Manufacturers' Part in the Advancement of Motor Transport | (N) Jn 22 |
| Maverick, G. M. | Summary of Replies to Questionnaire of S.A.E. Subcommittee on Oiliness | (N) Fe 28, 37 (N) Mr 24 |
| Maverick, G. M., E. L. Baldeschwieler and J. E. Neudeck | Deposits in White Metal Carburetors | (P) Oc 17 |
| Mayo, Roy E. | Interesting Phases of Diesel Fuel-Ignition Equipment | (N) No 25 |
| McDonald, A. F. | Maintenance and Cutting Maintenance Costs | (N) My 19 |
| McLaughlin, E. J. | A Study of the Comparative Values of the Different Methods of Automotive Valve Reconditioning | (N) Jl 68 (N) Ag 27 (N) Oc 35 |
| McQuaid, H. W. | Some Factors Affecting the Performance of Tractor Gears | (N) No 16 (N) De 40 |
| Merriman, M. E. | Bringing the Italian Sky Down to Earth | (N) Jl 48, 59 |
| Miller, Benjamin F. | Modern Military Motorization | (N) Jn 16 |
| Minter, Clarke C. | Flame Movement and Pressure Development in Gasoline Engines | (N) Fe 29, 38 (N) Mr 26 (P) 89 (D) 159 |
| Mitchell, N. | High-Speed Compression-Ignition Engines for Motor-Vehicles | (P) 17 |
| Moore, N. A. and J. H. Ballard | How the Design of Some Motor Parts Can Influence Piston-Ring Performance | (N) My 22, 28 |
| Moore, N. A., J. H. Ballard and S. Nixon | Piston Rings: Factors Contributing to Their Normal and Abnormal Wear | (N) Jn 10, 23 |
| Morse, Howard | Voltage Regulator | (N) My 36 |
| Mougey, H. C. | Report of Subcommittee of S.A.E. Lubricants Division on Effect of Lubricants on Bearing Metals | (N) Fe 28, 38 (N) Mr 24 |
| Muntz, Peter | Diesel Engine Design and Manufacture | (N) Mr 37 |
| Murphy, Moyes J. | Diesel Engines of High Output | (N) De 29 |
| Neely, F. R. | Federal Regulation of Aeronautics by the Bureau of Air Commerce | (N) Jn 23 |
| Neely, G. L. | Extreme-Pressure Lubricants Testing | (N) De 37 |
| Neudeck, J. E., E. L. Baldeschwieler and G. M. Maverick | Deposits in White Metal Carburetors | (P) Oc 17 |
| Nisley, Maj. Harold A. | Modern Military Mechanization | (N) Jn 16 |
| Nixon, S., J. H. Ballard and N. A. Moore | Piston Rings: Factors Contributing to Their Normal and Abnormal Wear | (N) Jn 10, 23 |
| Nohavec, Fred R. | Air Conditioning as Applied to Internal Combustion Engines | (N) Jn 10, 23 |
| Noll, C. R. | Oil | (N) Fe 42 |
| Norris, R. F. | Acoustics of the Airplane | (N) My 34 |
| Notvest, R. [illegible] | Production Problems in the Use of X-Ray | (N) De 30 |

| Author | Title of Paper | Page |
|---|---|---|
| Nutt, Arthur | A Discussion of Military and Commercial Aircraft-Engine Design and Operating Problems | (N) Je 24 |
| Nutt, Arthur | Comparison of American and Foreign Aviation Engines | (N) Ap 21 |
| Nutt, Arthur | Development of Engines for Private Airplanes | (N) No 24 |
| Nutt, Arthur | Progress Report of C.F.R. Aviation Gasoline Detonation Subcommittee | (N) Fe 34 (N) Mr 19 |
| Oberfell, G. G., R. C. Alden and H. M. Trimble | The Trend of Volatility of Motor Fuels | (N) Jl 56 |
| Oldfield, Lee | New Models and New Tendencies | (N) Mr 36 |
| Orr, G. V. | The Automobile Today and Management Relationships | (N) Fe 41 |
| Orr, J. M. | An Analysis of Accident Control in Fleet Operation | (P) 23 |
| Orr, J. M. | Procurement of Materials | (N) Fe 42 |
| Parkinson, J. S. | Materials and Technique in the Quieting of Automobiles | (N) Oc 36 |
| Peters, M. F. | An Investigation of Mica Spark-Plugs | (N) Fe 18 |
| Pierce, Earl and J. O. Almen | Gas-Tank Leaks | (N) Jn 14 |
| Pile, J. Howard | Major New Car Changes and the Outlook for 1935 | (N) Mr 37 |
| Platt, Maurice | What European Car Designers Are Doing Today | (P) 425 |
| Preble, T. L. | Choosing Make of Truck | (N) Fe 15, 33 (N) Mr 17 (P) 179 |
| Preble, T. L. | How to Buy a Truck | (N) Fe 15, 33 (N) Mr 17 (P) 179 |
| Preble, T. L. | Principles of Fleet Operation | (N) Ap 21 (N) Je 18 (P) 300 |
| Preble, T. L. | Status of a Transportation Executive | (N) Ap 21 (N) Je 18 (P) 300 |
| Price, Nathan C. | Past and Present Developments in Single Valve Diesel Engines | (N) No 25 |
| Probst, Karl K. | Transverse Leaf, Independent Springing | (N) Jn 19 (N) Fe 20, 35 (N) Mr 20 |
| Probst, Karl K. and John H. Shoemaker | Independent Springing with Leaf Springs | (N) Jn 16 |
| Rassweiler, Gerald M. and Lloyd Withrow | Flame Temperatures Vary with Knock and Combustion-Chamber Position | (N) Fe 29, 38 (N) Mr 26 (P) 125 (D) 200, 383 |
| Reed, James | Our Accident-Prevention Methods | (N) My 20, 29 |
| Reid, Elliott G. | Farewell to the Horseless Carriage | (N) Fe 19, 35 (N) Mr. 20 (P) 180 |
| Reid, Elliott G. | Some Flying Problems | (N) Je 19, 22 |
| Reinhart, Howard A. | High Output Engines and Fuels | (N) My 21, 33 |
| Rendel, T. B. | Diesel-Fuel Development | (N) Jl 68 |
| Rendel, T. B. | Knock-Testing of Diesel Fuels | (N) De 35 |
| Rendel, T. B. | Progress Report of Volunteer Group for C.I. Fuel Research | (N) Fe 36 (N) Mr 22 (P) 206 |
| Rhines, T. B., J. M. Shoemaker and H. H. Sargent, Jr. | Further Progress in Controlled Cooling of Radial Aircraft Engines | (N) Jl 47, 59 (P) 349 |
| Riblet, Robert M. and Ernest Wooler | Application of Anti-Friction Bearings in the Automotive Industry | (N) No 24 |
| Robertson, D. D. | Factors Controlling the Performance of Pistons and Piston-Rings | (N) Je 20, 24 (N) Oc 31, 33 (P) 370 |
| Rockefeller, W. C. | The Future of Air Transport | (N) Jl 67 |
| Rodgers, T. V. | Operation of the Code in the Trucking Industry | (N) Jn 21 (N) De 21 |
| Rodgers, Ted B. | What's Happening in the Automotive Industry | (N) Jn 13 |
| Roos, D. G. | Building More Airships Advocated | (N) My 29 |
| Rosendahl, C. E. | Valves for Internal-Combustion Engines and Their Related Parts | (N) Jn 14 (N) My 18 |
| Sampson, P. J. | Further Progress in Controlled Cooling of Radial Aircraft Engines | (N) Jl 47, 59 (P) 349 |
| Sargent, H. H., Jr., J. M. Shoemaker and T. B. Rhines | Engineering Uses of Rubber | (N) Fe 16, 34 (N) Mr 19 (P) 164 |
| Saurer, Curt | Rubber Body Parts | (N) Fe 16, 34 (N) Mr 19 (P) 164 |
| Saurer, Curt | Mechanical Safety of the Average Motor-Vehicle | (N) Fe 41 |
| Savage, J. Verne | The Economical Loading and Operation of Motor Trucks | (N) No 14 (N) De 40 |
| Scaife, A. J. | | |


**Abbreviations Used:**

Months of the Year

| | | | |
|---|---|---|---|
| January, Jn | April, Ap | July, Jl | October, Oc |
| February, Fe | May, My | August, Ag | November, No |
| March, Mr | June, Je | September, Se | December, De |

(D) indicates discussion published; (N) indicates mention in general editorial section; (P) indicates paper published in full.

| Author | Title of Paper | Page |
|---|---|---|
| Schlesman, C. H. | The Lubrication Requirements of Automotive Worm Gearing (N) Fe 28, 39 (N) Mr 27 (P) | 147 |
| Schoenrock, Otto R. | Recent Tractor Transmissions and Their Trend (N) No 18 (N) De | 40 |
| Schon, Pierre | Economical Operation of Motor Trucks (N) Ap 21 (N) My | 21 |
| Schumacher, Lieut. Comm. T. L. | Chemical Warfare (N) Je 20, | 22 |
| Schwarz, S. C. | Reclaimed Oils (N) Fe | 41 |
| Shanley, James J. | Motor Vehicle Inspection (N) De 13, | 39 |
| Shaw, S. B. | Automotive Fleet Maintenance Problems on the Pacific Coast (N) De | 34 |
| Shoemaker, J. M., T. B. Rhines and H. H. Sargent, Jr. | Further Progress in Controlled Cooling of Radial Aircraft Engines (N) Jl 47, 59 (P) | 349 |
| Shoemaker, John H. and Karl K. Probst | Independent Springing with Leaf Springs (N) Jn | 16 |
| Sikorsky, I. I. | Design Problems and Methods for Large Flying Boats (N) Jl 50, 60 (P) | 247 |
| Sloan, W. J. | Planning and Administering Highway Systems for Greatest Usefulness (N) Jn | 22 |
| Sneed, John | Mechanical Mind Reading (Transmissions) (N) Jl 52, 61 (P) | 449 |
| Sparrow, S. W. | New Developments in Engine Bearings (N) My | 34 |
| Sparrow, S. W. | Problems in the Development of a High-Speed Engine (N) My 34 (P) | 58 |
| Spencer, D. Porter | Electric Cast-Iron (N) Je 22 (N) Jl 67 (N) Oc 35 (P) | 360 |
| Sperry, E. A. Jr. | Resumé of Research on Oiliness, Conducted on the Sperry-Cammen Adher-O-Scope (N) Fe 37 (N) Mr | 24 |
| Sporn, Philip | Major Problems in the Electric Light and Power Industry (N) Fe | 14 |
| Spring, F. S. | Are We Giving the Average Private Operator the Airplane Most Suitable to His Needs? (N) Fe 21, 36 (N) Mr | 22 |
| Spruance, F. P. | Rustproofing and Paint-Adherence Technique Analyzed (N) Oc 16, 36 (P) | 459 |
| Stanton, G. T. and Neil MacCoull | Engine Knock Measured by Electro-Acoustical Instruments (N) Jl | 51, 60 |
| Stout, William B. | Aircraft Design (N) Jl | 68 |
| Stout, William B. | Engineer's Role in Transport Progress (N) No | 26 |
| Stout, William B. | Romance of Research (N) No 24, | 26 |
| Stout, William B. | The Possibilities of the Automobile (N) Jn 18 (N) My | 32 |
| Stout, William B. | Where Do We Go From Here? (N) Oc 13 (N) No | 26 |
| Sweigert, R. L. | Thermodynamic Note Discussing Rassweiler-Withrow Paper (P) | 383 |
| Taub, Alex | Is There a Santa Claus? (N) No | 26 |
| Taylor, C. Fayette | An Analysis of Critical Stresses in Aircraft-Engine Parts (N) Je 13 (N) Ag 24 (P) | 412 |
| Taylor, Clarence P. | Fitting the Highway to Traffic (N) Jn | 20 |
| Teetor, Macy O. and Ralph R. Teetor | The Relation of Piston Rings and Cylinders to Engine Performance (N) Jn 16 (N) No | 25 |
| Teetor, Ralph R. and Macy O. | The Relation of Piston Rings and Cylinders to Engine Performance (N) Jn 16 (N) No | 25 |
| Thomas, Charles C. | Design and Construction of the Kelvinator (N) Fe | 44 |
| Tiffany, B. F. | Chemistry of Refrigerants (N) Fe | 44 |
| Tolles, Harry Newman | Human Engineering (N) Je | 26 |
| Toonder, C. L. | Engineering Aspects of Air Conditioning (N) Fe | 44 |
| Treiber, O. D. | Diesel Engines in Transportation (N) Jl 49, 60 (N) No 26 (P) | 378 |
| Trimble, H. M., G. G. Oberfell and R. C Alden | The Trend of Volatility of Motor Fuels (N) Jl | 56 |
| Truscott, Starr | History and Development of Seaplanes (N) Mr | 37 |
| Truscott, Starr | The Work of the N.A.C.A. Tank (N) Jl 50, | 60 |
| Ullery, F. E., W. S. James and H. E. Churchill | "Sky Hooks" for Automobiles (N) Jl 52, 61 (P) | 313 |
| Upton, Prof. George Burr | Essentials of Riding Comfort (N) My | 35 |
| Van Deventer, F. M. | Carbon Monoxide in Moving Vehicles (N) Ap 21 (N) My 21 (P) | 322 |
| Veal, C. B. | C.F.R. Committee Report on 1934 Detonation Road Tests (N) Fe 28, 39 (N) Mr 27 (P) 165 (D) | 215 |
| Veal, C. B. | Cooperation the Keystone of S.A.E. Research (N) De | 37 |
| Wait, Louis | Aircraft Instruments and Their Uses (N) Jn | 16 |
| Warner, Edward P. | Chances for Engineers Bettered by FAC Aviation Ideas (P) Mr | 13 |
| Warner, John A. C. | Automotive Engineering Conquers the World (N) No 24, | 26 |

| Author | Title of Paper | Page |
|---|---|---|
| Warner, John A. C. | History of S.A.E. Activities | (N) Jn 13 (N) My 30 |
| Warner, John A. C. | Ten S.A.E. Powerplants | (N) My 33 |
| Weber, Robert | Structural Characteristics of High Carbon Tool Steels | (N) Ap 22 |
| Weiger, J. A. | Resistance Welding in the Automotive Industry | (N) Oc 36 |
| Welty, G. D. | Light-Alloy Employment in Modern Transportation | (N) My 29 |
| West, C. L. | The Practical and Economic Application of Special Atmospheres in the Heat Treatment and Brazing of Metals | (N) My 35 (N) Je 18 |
| Wheeler, John W. | Coordinating Highway and Automotive Developments | (N) Jn 17 |
| White, S. O. | Present-Day Automobile Transmissions | (N) No 18 |
| White, S. O. and M. C. Hedgeland | Methods of Finishing Transmission Gears | (N) Oc 15, 36 |
| Whitney, Ernest G. | High-Speed C-I Engine Performance; Three Types of Combustion Chamber | (N) Jl 53, 62 (P) 328 |
| Widney, S. Ward | Spring, Tire and Shock Absorber Testing Developments | (N) De 13, 39 |
| Williams, Espy W. H. | Automatic Control of Road Speed to Curb the Mounting Death Toll | (N) De 29 |
| Wilson, Charles E. | Engineering vs. Boondoggling | (N) De 28 |
| Wilson, R. E. | Recent Developments in the Manufacture of Motor Oils | (N) Jn 17 |
| Wiman, Charles Deere | Agriculture and the Automotive Development | (N) Jl 28, 54, 56, 62 (P) 246 (P) Ag 13 |
| Wiman, Charles Deere | Automotive Development Changes Agricultural Picture | (N) Jl 28, 54, 56, 62 (P) 246 (P) Ag 13 |
| Wiman, Charles Deere | Mechanization Lifts Average Living Standards | (N) Jl 28, 54, 56, 62 (P) 246 (P) Ag 13 |
| Winchester, J. F. | Operation and Maintenance | (N) My 22, 34 |
| Winchester, J. F. | What the Eastern Hemisphere Really Looks Like | (N) Ap 22 |
| Winkler, A. E. | Forced Induction | (N) Fe 43 |
| Wise, W. F. | Single Point Boring of Cylinders and Diamond Turning of Pistons | (N) Fe 31, 39 (N) Mr 28 |
| Withrow, Lloyd and Gerald M. Rassweiler | Flame Temperatures Vary with Knock and with Combustion-Chamber Position | (N) Fe 29, 38 (N) Mr 26 (P) 125 (D) 200, 383 |
| Wittek, H. L. | Canadian Diesel-Engine Usage | (N) Jl 54, 62 (P) 276 (P) Se 13 |
| Wittek, H. L. | Diesels on Canadian Roads | (N) Jl 54, 62 (P) 276 (P) Se 13 |
| Wolf, Austin M. | Harmful Effects of State-Legislation Trends on Motor Transport | (N) Jl 28, 32, 46 (P) 249 (P) 277 |
| Wolf, Austin M. | Marked Advances Shown in Designs of 1935 Automobiles | (P) 1 |
| Wolf, Austin M. | Refinements and Super-Styling in the 1936 Models | (N) De 13, 29 (P) 385 |
| Wolf, Austin M. | What Is the Destination for Motor Transportation? | (N) Jl 28, 32, 46 (P) 249 (P) 277 |
| Wood, Donald H. and Carlton Kemper | N.A.C.A. Study of Radial Air-Cooled Engine Cowling and Cooling | (N) Jl 47, 59 (P) 441 |
| Wooler, Ernest and Robert M. Riblet | Application of Anti-Friction Bearings in the Automotive Industry | (N) No 25 |
| Wright, P. A. | This Business of Aviation | (N) My 34 |


# Discusser Index


| Discusser | Page | Discusser | Page | Discusser | Page |
|---|---|---|---|---|---|
| Brooks, Donald B. | 215 | Hutchinson, Roland V. | 158 | Rassweiler, Gerald M. | 136 |
| Caldwell, Frank R. | 136 | Janeway, Robert N. | 163 | Reid, Elliot G. | 190 |
| Campbell, J. M. | 222 | Klemperer, Wolfgang | 189 | Rendel, T. B. | 365 |
| Dickinson, H. C. | 197 | Lewis, Bernard | 133 | Steele, Sydney | 136, 200 |
| Fezandie, Eugene | 198 | Lichty, L. C. | 198 | Sweigert, R. L. | 383 |
| Freyermuth, G. H. | 341, 369 | Marvin, Charles F., Jr. | 136 | Taub, Alex | 159 |
| Griffith, Leigh M. | 348 | Moodie, T. Edward | 189 | Way, Gilbert | 300, 365 |
| Hebl, L. E. | 220 | Oberfell, G. G. | 368 | White, S. O. | 458 |
| Hershey, A. E. | 135 | Paton, R. F. | 135 | Whitney, Ernest G. | 341 |
| Hurley, W. B. | 424 | Pinkel, Benjamin | 411 | Withrow, Lloyd | 136 |


**Abbreviations Used:**

Months of the Year

| | | | |
|---|---|---|---|
| January, Jn | April, Ap | July, Jl | October, Oc |
| February, Fe | May, My | August, Ag | November, No |
| March, Mr | June, Je | September, Se | December, De |

(D) indicates discussion published; (N) indicates mention in general editorial section; (P) indicates paper published in full.

# Subject Index


PAGE

## A

Accelerometers, Riding-Quality Measurement Ag 21, Ag 22

**Accidents and Accident Prevention**
- Aircraft
  - Carburetor as cause **Mr 20**
  - Causes analyzed 200
  - Commercial vs. private Fe 37
  - Pilot training factor 200
- Automobile
  - AN ANALYSIS OF ACCIDENT CONTROL IN FLEET OPERATION 23
  - Causes analyzed 25, 26, 32, Jn 17, Jn 20; Fe 38, Fe 41; Mr 36; Ap 21; My 21; Jl 17, Jl 55; 322; Oc 32; No 29; De 15, De 30, De 39
  - Cost of **24**
  - Design factors
    - Brakes 32; Fe 38, Fe 41; De 16
    - Carbon monoxide 34; Ap 21; My 21; 322, 323, 325
    - Combustion efficiency 325, 326
    - Driver seat location Jl 55, Jl 62
    - Glass, safety Ap 21
    - Headlighting 32, 34; Fe 41
    - Importance of 25, 32; Fe 41; Mr 36; De 15, De 39
    - Lubrication Mr 37
    - Steering system 32, Jn 17, Jn 20; Fe 41; Jl 17
    - Tires De 16
    - Visibility Jl 55
    - Wheel Alignment **Fe 41**
  - Driver responsibility 25, 26, 35; Oc 32; No 29; De 30
  - Motorcoach compared with 24, 28; 288; De 21
  - Motor-truck compared with 24, 28; 288; De 21
  - Operating conditions affecting 29
  - Preventives
    - Driver testing 25, 27, 30
    - Inspections 33; De 13, De 15, De 39
    - Legislation 25, 30; De 13, De 15, De 39
  - Radio factor No 29
  - Road factor **25, 26, Jn 17**
  - Speed factor Mr 36; De 15
  - Statistics 23, 26, 28; 288
  - Taxicab 28
  - Traffic control factor Fe 41
- Motorcoach
  - Automobile compared with 24, 28; 288; De 21
  - Causes analyzed 30, 33; My 20; Jl 55, Jl 62; 326
  - Cost of 24; My 20
  - Design factors
    - Driver seat location Jl 55, Jl 62
    - Tires 33
  - Operating conditions affecting 29
  - Preventives, driver selection 30, 31
  - Statistics 288
- Motor-truck
  - Automobile compared with 24, 28; 288; De 21
  - Causes analyzed 32, 33, 34; 286
  - Cost of **24, 32**
  - Design factors
    - Cab 34
    - Carbon monoxide 34; 326, 327
    - Importance of 32; My 20
    - Tires 33
  - Driver responsibility 34
  - Operating conditions affecting 29
  - Preventives, driver selection 24, 27, 31; My 20
  - Speed factor 34
  - Statistics 32; My 20; 288
- S.A.E. efforts against Ap 22; My 34

**Air Cleaners**
- Design requirements Jn 10, Jn 24
- Diesel engine use of Je 23
- Efficiency Jn 10, Jn 24
- Engine wear reduced by Je 20, Je 23; 376
- Installation Jn 10
- Oil type Jn 10, Jn 24
- Progress **5; 390**
- S.A.E. research suggested Jn 11
- Usage extent Jn 10, Jn 24

**Aircraft Design and Construction**
- AIR TRANSPORTATION EQUIPMENT FOR THE PRIVATE OWNER Fe 21, Fe 37; Mr 22; 199
- DESIGN PROBLEMS AND METHODS FOR LARGE FLYING BOATS 247, Jl 50, Jl 60
- DESIGNER-MANUFACTURER VIEWPOINT OF TRANSPORT-AIRCRAFT NEEDS Fe 22, Fe 37; Mr 24; 224

PAGE

**Aircraft Design and Construction (Continued)**
- Airworthiness requirements 248
- Altitude effects
  - Cabin ventilation Fe 37; 233
  - Propeller requirements 234
- Aluminum used in Fe 37, Fe 44; 234
- Autogiro, private flying in My 22
- Automobile compared with Jn 18; My 33; 385
- Automotive industry cooperation with Fe 22; Mr 24
- Biplane, usage extent Fe 21, Fe 36; 233
- Cabin
  - Comfort facilities 228, 231
  - Design requirements 225, 231
  - Heating Fe 28; Mr 24; 226, 228
  - Lighting 228
  - Maintenance requirements 231
  - Noise prevention
    - Sound absorption and insulation **226, 228**
    - Structure 227, 228
  - Seats 225
  - Sleepers **Fe 22**
  - Ventilating system Fe 37; 226, 228, 233
- Cockpit
  - Design requirements 229, 231
  - Instrument board 229, 231
  - Maintenance requirements **231**
- Commercial Fe 21, Fe 22, Fe 36, Fe 37; Mr 24; 224, 232
- Controls
  - Automatic, need for Fe 22
  - Maintenance requirements **231**
  - Number 229
- Design requirements Fe 21, Fe 22, Fe 36, Fe 37; Mr 22, Mr 24; 199; Je 19, 224, 232
- Engine mounting, rear, autogiro My 22
- Fittings 236
- Flying boat
  - Airplane compared with 248
  - Airworthiness requirements 248, Jl 50
  - Cabin 248, Jl 50
  - Hull design 249, Jl 51, Jl 60
  - Merits My 29
  - Progress 247, 249, Jl 50
  - Size trends 248, 249, Jl 50, Jl 60
  - Weight **247**
- Fuselage structure 234
- Future predicted Fe 22; 236
- Landing gear
  - Maintenance requirements 230
  - Retractable
    - Merits 233
    - Operating mechanism Mr 24; 236
  - Structural design 236
  - Three point merits Fe 27; 200
- Lighter-than-air merits My 29
- Maintenance requirements 229, 230
- Makes
  - Boeing 232
  - Curtiss 232
  - Douglas Fe 37; 224, 225, 230, 233
  - Fokker **232**
  - Lockheed 181
  - Martin 226
  - Sikorsky 247, Jl 50, Jl 60
  - Stout 200
  - Verville-Sperry **181**
  - Waldo Waterman No 24
  - Weick 200
- Metal
  - Merits Fe 37; 234
  - Production 230, 234
  - Stresses 234
- Monoplane, usage extent Fe 21, Fe 36
- Motorcoach contribution to Jn 18
- Multi-engine types Fe 22; Mr 24
- Navy Oc 27
- Noise reduction
  - Absorption and insulation materials 56; 227, 228
  - Cabin structure 227, 228
  - Progress Jn 14; 56
  - Weight relation to 227, 228
- Patents Mr 15
- Privately-owned
  - Autogiro My 22

PAGE

**Aircraft Design and Construction (Concluded)**
- Bureau of Air Commerce — My 36
- Design requirements — Fe 21, Fe 36; Mr 22; My 22, 199
- Production
  - Cost — Jn 16; Fe 22; Mr 22; 199; 230
  - Metal
    - Assembly — 234
    - Riveting — 230, 232, 234
    - Welding — 234
- Progress — 181; 232, 236, Je 24; 342
- Propeller
  - Altitude effects — 234
  - Disc area, take-off affected by — Fe 22; Mr 24
  - Makes, Hamilton Standard — 248
  - Variable-pitch
    - Ceiling affected by — 232
    - Commercial requirement for — 232, 234
    - Flying boat use of — 248, 249
    - Progress — 342
    - Take-off affected by — 232
- Seaplane float and hull design — Mr 37
- Size
  - Airplane and flying boat compared — 248
  - Trends — Fe 22; Mr 24
- Structural requirements — Je 19
- Tailless — No 24
- Testing, wind tunnel — 225
- Weight, noise reduction relation to — 227, 228
- Wings
  - Cantilever
    - Structural design — 235
    - Usage extent — Fe 37; 233
  - Flaps
    - Braking assisted by — Fe 22; Mr 24
    - Landing speed affected by — 233
    - Lift affected by — 233
  - Metal-clad, aluminum used in — Fe 37; 234
- Vibration insulation — 226

(See also Accidents and Accident Prevention, Aircraft; Aircraft Operation and Performance; Aviation; Engines, Aircraft; and Instruments, Aircraft)

**Aircraft Operation and Performance**
- Altitude effects
  - Drag — 233
  - Flight length — Jl 67
  - Physiological — 233; 249, Jl 50, Jl 67
  - Speed — 233
  - Stratospheric advantages — Fe 37; 233
- Autogiro take-off — Jl 67
- Automobile compared with — Fe 19, Fe 35; 181, 187
- Automobile, competition with — Jn 20
- Braking, wing flap effects — Fe 22; Mr 24
- Ceiling, propeller effects — 232
- Climb, direct-injection effects — 85
- Cost — Fe 22, Fe 36; Mr 22; 248
- Drag
  - Altitude effects — 233
  - Automobile compared with — Fe 19, Fe 35; 181, 187
  - Speed relation to — 181
  - Trends — 342
- Flight range
  - Altitude effects — Jl 67
  - Airplane and flying boat compared — 248
- Flying boat
  - Altitude effects — 249, Jl 50, Jl 60
  - Cost — 248
  - Flight range — 247, 248, Jl 50
  - Payload — 247, 248
  - Speed — 247, 248, Jl 50
  - Testing — Jl 51, Jl 60
  - Wing Loading — 247, 248, 249
- Ice formation — Mr 20; Je 19, Je 22
- Maintenance
  - Cost — Fe 22, Fe 36
  - Time element — Fe 22; 229, 230
- Makes
  - Bellanca — 139
  - Boeing — 78
  - Douglas — 78; 404
  - Fairchild — 404, 409

PAGE

**Aircraft Operation and Performance (Concluded)**
- Handley Page — 138
- Martin — 343
- Sikorsky — 247
- Vought — 352, 356, 358, 359
- Noise
  - Exhaust — 227, 228
  - Propeller, tip speed relation to — 227, 228
- Pilot training
  - Accident factor — 200
  - Cost — Fe 22; 199
- Power requirements, speed relation to — 181
- Privately-owned
  - Cost — Fe 36; Mr 22
  - Design requirements — Fe 21, Fe 36; Mr 22; 199
  - Owners classified — Mr 22
- Propellers
  - Cooling affected by — Jl 47, Jl 48; 355; 448
  - Noise, tip speed relation to — 227, 228
  - Speed, landing, affected by — Jl 51
  - Speed, noise affected by — 227, 228
- Radio maintenance requirements — 231
- Speed
  - Airplane and flying boat compared — 248
  - Altitude effects — 233
  - Cowling flap angle effects — 352
  - Cylinder head temperatures affected by — 352, 353
  - Direct-injection effects — 85
  - Drag relation to — 181
  - Landing
    - Propeller effects — Jl 51
    - Testing — Jn 16; 205
    - Wing flap effects — 233
  - Power requirements affected by — 181
  - Propeller effects — Jl 51
  - Testing — Jn 16; 205
  - Trends — Mr 24; 232
  - Wind effects — Je 19
  - Wing flap effects — 233
- Spinning research — Jl 67
- Stresses, metal — 234
- Take-off, propeller effects
  - Disc area — Fe 22; Mr 24
  - Variable-pitch — 232
- Testing
  - MEASUREMENT OF AIRPLANE LANDING SPEED — Jn 16; 205
  - Flying boat hulls — Jl 51, Jl 60
  - Speed, landing — Jn 16; 205
  - Wind tunnel — Jl 67
- Wind effects — Je 19, Je 22
- Wings
  - Lift, flap effects — 233
  - Loads
    - Flying boat — 247, 248, 249
    - Trends — 233

(See also Accidents and Accident Prevention, Aircraft; Aircraft Design and Construction; Aviation; Engines, Aircraft; and Instruments, Aircraft)

**Aluminum and Aluminum Alloys**
- Aircraft use of — Fe 37, Fe 44; 234
- Alclad — Fe 44
- Body use, motorcoach — 16; My 35
- Brake use of — 394
- Connecting-rods, Diesel engine — 276; Se 14
- Corrosion resistance — Fe 44
- Crankcases — 427
- Cylinder heads — 1; 60; 221; 386; 427, 430
- Physical properties
  - Endurance, factors affecting — 415, 417
  - Tensile strength — 417
- Pistons
  - Merits — 65; Je 24; 372, 377
  - Progress — 3; 371; 385, 387
- Progress — Fe 43
- Standardization — Se 21, Se 22
- Steel compared with — 417
- Welding — 234

American Association of State Highway Officials — 285, 286, 288
American Society for Metals — No 19
American Society for Testing Materials — No 19


**Abbreviations Used:**

| | | | |
|---|---|---|---|
| January, Jn | April, Ap | July, Jl | October, Oc |
| February, Fe | May, My | August, Ag | November, No |
| March, Mr | June, Je | September, Se | December, De |

PAGE

American Society of Agricultural Engineers Jn 9
American Society of Mechanical Engineers Fe 36; Mr 23; 206
American Standards Association Fe 47, Fe 52; Mr 30, Mr 31; Ag 18; Oc 36; No 19
American Trucking Association Jl 46; 279, 282, 289

**Army**
- Aviation
  - Expansion program Mr 13, Mr 16
  - Fuel-injection research Fe 18, Fe 35; 77, Mr 20
  - Oil testing Fe 17; Mr 19; 204
- Chemical warfare Je 20, Je 22
- Motor-truck progress Jn 16; No 24
- Tank progress Jn 16; No 24

**Automobile Design and Construction**
- FAREWELL TO THE HORSELESS CARRIAGE Fe 19, Fe 35; Mr 21; 180
- MARKED ADVANCES SHOWN IN DESIGNS OF 1935 AUTOMOBILES 1
- REFINEMENTS AND SUPER-STYLING IN THE 1936 MODELS 385; De 18
- WHAT EUROPEAN CAR DESIGNERS ARE DOING TODAY 425
- Aircraft compared with Jn 18; My 33; 385
- Aircraft, cooperation with Fe 22; Mr 24
- Body and chassis unit construction 385; 433, De 21
- Engine mounting, rear
  - History Jn 13
  - Stability Mr 21; 190
  - Streamlining merits Fe 35; Mr 21; 184, 187, 189, 190
- Equipment progress 398; 440
- History 277
- Improvements desired No 25
- Light car, usage extent Jn 18
- Lubricating system progress 399
- Makes
  - Adler 431, 438
  - Alvis 425, 426, 431, 436, 438
  - Auburn 8, 9, 10, 11, 13, 15, 16; Je 23; Se 27; 385, 391, 395, 400
  - Audi 431, 438
  - Austin 425, 433, 436, 437, 438, 439, 440
  - Austro Daimler 434
  - Auto Union 431
  - B.M.W. 431, 434, 437
  - B.S.A. 431, 435, 438
  - Bugatti 431, 437, 439
  - Buick 1, 7, 10, 11, 12; Se 27; 385, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400
  - Burney 316
  - Cadillac 1, 10; Se 27; 385, 391, 392, 393, 394, 395, 396 397, 398, 399, 400
  - Chenard and Walcker 426, 436, 437 438
  - Chevrolet 7, 9, 10, 12, 13, 14, 15, 16; Se 27; 385, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400
  - Chrysler 7, 8, 9, 10, 11, 12, 13, 14, 15; Fe 41; Se 27; Oc 16; 392, 394, 395, 397, 398, 399, 400
  - Citroen 425, 426, 431, 433, 436, 438, 440
  - Cord 385, 392, 393, 394, 395, 396, 397, 398, 399, 400; De 18
  - Cottin Desgouttes 430
  - Crossley 435
  - D.K.W. 431, 438
  - Daimler 432, 433, 435, 438
  - De Soto 7, 8, 9, 10, 11, 12, 13, 14, 15; Se 27; 392, 395, 398, 399, 400
  - Delage 425, 433, 436
  - Dodge 7, 8, 9, 10, 11, 13, 14, 16; Se 27; 392, 395, 396, 398
  - Duesenberg 16
  - Fiat 425, 426, 430, 434
  - Ford 7, 9, 10, 12, 13, 15; Fe 43; Ap 22; Se 28; 391, 392, 395, 397, 399, 400; 434, 436, 438, 440
  - Graham 1; Se 28; 395
  - Hanomag 437
  - Hansa 431, 434
  - Hillman 425, 431, 432, 433, 434, 436, 438, 440
  - Hispano Suiza 431, 438
  - Horch 431, 438
  - Hotchkiss 426, 436
  - Hudson 7, 8, 9, 10, 11, 13, 14, 15; Se 28; 385, 391, 392, 394, 395, 396, 397, 398, 399, 400
  - Humber 425, 431, 432, 436, 438
  - Hupmobile 9, 10, 11, 15; Se 28; 392, 399, 400
  - La Licorne 436
  - La Salle 10, 15; 385, 391, 393, 395, 398,399
  - Lafayette 9, 10, 15; 395
  - Lagonda 438
  - Lancaster 433, 435, 438
  - Lancia Mr 36
  - Lincoln 1, 10, 14; Se 28; 395; De 18
  - M. G. 431

**Automobile Design and Construction (Concluded)** PAGE
- Maybach 430, 436, 439
- Mercedes Benz 426, 430, 434, 436, 438
- Morris 425, 426, 433, 434, 436, 438, 439, 440
- Nash 8, 10; 392, 394, 395, 396, 398, 399, 400
- Oldsmobile 7, 8, 9, 10, 11, 12, 13, 14, 15, 16; Se 28; 393, 394, 396, 397, 398, 399, 400
- Opel 425, 426, 430, 436
- Packard 1, 7, 8, 9, 10, 11, 12, 13, 14, 15, 34; Je 23; Se 28; 391, 392, 394, 395, 396,398, 400
- Peugeot 425, 426, 431, 436, 439
- Pierce Arrow 10; Se 28; 392, 395, 398
- Plymouth 7, 8, 9, 10, 11, 13, 14, 16; Se 27; 392, 395, 396, 397, 398, 399
- Pontiac 9, 10, 12, 13, 14, 15, 16; Se 28; 391, 392, 394, 395, 398, 399, 400
- Praga 431, 434
- Renault 425, 426, 431, 433, 436, 437, 439, 440
- Reo 10, 13; Se 28; 395, 397, 398, 400
- Riley 435, 440
- Rolls Royce 425, 426, 431, 436, 438
- Rosengart 438
- Rover 437, 438
- Salmson 425, 436
- Siddeley 433, 434, 435, 437
- Singer 431, 435, 436, 440
- Sizaire 430
- Skoda 434
- Standard 425, 434, 436, 438, 439, 440
- Stout Scarab Jl 55; 385, No 24, No 26; De 21
- Studebaker 8, 9, 10, 11, 13, 14, 15; Je 23; Se 28; 385, 392, 394, 395, 396, 398, 399
- Talbot 433, 435, 436, 437, 438
- Tatra 434, 437, 439
- Terraplane 7, 8, 9, 10, 11, 13, 14; 391, 392, 394, 395, 396, 398, 399, 400
- Unic 436
- Vauxhall 425, 430, 431, 436, 438, 440
- Voisin 436
- Wanderer 431
- Willys Se 28
- Wolseley 425, 439

Models, reduction in number of 385
Progress 1, Jn 18; Fe 43; Mr 36; Je 20, Je 23; 385, No 24; 425, De 18, De 29
Propeller shafts, progress 392
Racing influence on Jn 20; My 13, My 16
Radio, progress in 13; 399; 440
Reliability, trends in 309
Rubber used in Fe 16, Fe 34; My 26; 399
Selling points 24; Fe 19; Mr 21; 190
Size, trends in 426, De 18
Specifications, foreign 426
Streamlining
- Airflow affected by De 28
- Appearance Jn 18
- Bibliography 189
- Design fundamentals Fe 35; Mr 21; 184, 187, 190
- Merits Jn 18; No 26
- Power requirements affected by Fe 35; 188
- Progress 425, De 18
- Public's reaction to Fe 19; Mr 21; 190
- Racing car Ap 21
- Rear end importance De 28
- Rear engine adaptation to Fe 35; Mr 21; 184, 187, 189, 190
- Testing Mr 21; 185, 189, 190
- Wind resistance affected by Mr 21; 184, 186, 187, 190

Stress analysis My 33
Testing, streamlining Mr 21; 185, 189, 190
Tire wear affected by 48, 49
Weight
- Brake requirements affected by 265; 419
- Spring, suspension, independent wheel, effects Jn 19
- Trends 308; 385, 386
- Unsprung, spring, suspension effects Fe 20, Fe 35

Weight distribution
- Trends 10
- Steering affected by Mr 36

(See also Accidents and Accident Prevention, Automobile; Automobile Operation and Performance; Axles; Bodies; Brakes; Clutches; Engine Design and Construction; Finishes; Frames; Gears; Generators; Governors; Headlighting; Legislation; Motorcoach Design and Construction; Motor-Truck Design and Construction; Production; Racing; Riding-Qualities; Shock-Absorbers; Springs, Suspension; Steering Systems; Tires and Rims; Transmission; Universal Joints and Wheels)

PAGE

**Automobile Operation and Performance**
- CARBON MONOXIDE IN MOVING VEHICLES — Ap 21; My 21; 322
- Acceleration
  - Engine speed effects — 60
  - Gasoline volatility effects — Jl 57; 297
  - Intake manifold temperature effects — Jl 57, 297
  - Power required for — 294
  - Testing — 293
- Aircraft compared with — Fe 19, Fe 35; 181, 187
- Aircraft competition with — Jn 20
- Carbon monoxide
  - Causes — Ap 21; My 21; 324, 326, 327
  - Driver affected by — Ap 21; My 21; 322, 326, 327
  - Extent — My 21; 323, 326, 327
- Driver, carbon monoxide effect on — Ap 21; My 21; 322, 326, 327
- Extent of — Jn 20; 281
- Grade climbing, power required for — 294
- Inertia moment determination — Jl 52; 315, 321
- Lubrication data form, standard — Mr 33
- Maintenance
  - Equipment and methods — May 36
  - Inspection
    - Code — No 21
    - Legal requirement for — Fe 41; My 21; Ag 18, Ag 19; 327; No 24; De 13, De 15, De 30, De 39
  - Mechanics' organization — Mr 31
  - Value of — Mr 37
- Makes
  - Chevrolet — Jl 57
  - Chrysler — My 16, My 28
  - Nash — 152, 156, 158
- Noise
  - Body effects, steel — 399
  - Criteria, decibel scale — Oc 36
  - Fundamentals of — Fe 34; Oc 36
- Power requirements
  - Acceleration effects — 294
  - Grade climbing effects — 294
  - Rolling resistance effects — 181
  - Speed effects — Fe 35; 181, 182, 183, 188
  - Streamlining effects — Fe 35; 188
  - Wind resistance effects — 181, 182, 187
- Public attitude toward — Jn 21
- Radio, tire interference with — 395
- Railroad, competition with — Jl 46; 281
- Rolling resistance
  - Power requirements affected by — 181
  - Speed effects — 181
- Skidding, tire tread design effects — 10
- Speed
  - Fuel-feeding temperatures affected by — 241
  - Legal restrictions on — 277
  - Power requirements affected by — Fe 35; 181, 182, 183, 188
  - Rolling resistance affected by — 181
  - Steering affected by — 44, 47
  - Tire wear affected by — 49
  - Trends — 5, 6; My 16; 308; 385, 386
  - Wind resistance affected by — Fe 19; Mr 21; 180, 181, 182
- Stability, rear-engine mounting effects — Mr 21; 190
- Testing
  - Acceleration — 293
  - Inertia moment — Jl 52; 315, 321
- Wind resistance
  - Aircraft compared with — Fe 19, Fe 35; 181, 187
  - Power requirements affected by — 181, 182, 187
  - Speed effects — Fe 19; Mr 21; 180, 181, 182
  - Streamlining effects — Mr 21; 184, 186, 187, 190

(See also Accidents and Accident Prevention, Automobile; Automobile Design and Construction; Axles; Bodies; Brakes; Clutches; Engine Operation and Performance; Finishes; Foreign Design and Operation; Frames; Gears; Generators; Governors; Headlighting; Legislation; Lubricants and Lubrication; Motorcoach Operation and Performance; Motor-Truck Operation and Performance; Racing; Riding-Qualities; Shock-Absorbers; Springs; Suspension; Steering-Systems; Tires and Rims; Transmissions; Universal Joints and Wheels)

**Automotive Industry**
- Aircraft industry, cooperation with — Fe 22; Mr 24
- Employment increased by — Jl 17, Jl 30

PAGE

**Automotive Industry (Concluded)**
- Investment in — 22
- National Recovery Administration — 25, Jn 21; Ap 14; My 19; Jl 46; 279, 284
- Production statistics, foreign — 426
- Railroad usage by — 285
- Salesmen, operators' cooperation with — Fe 15, Fe 16, Fe 33; Mr 18; 179

**Aviation**
- Air mail, savings through — Jl 28, Jl 60
- Army
  - Expansion program — Mr 13, Mr 16
  - Research — Fe 17, Fe 18, Fe 35; 77, Mr 19, Mr 20; 204
- Automotive industry cooperation with — Fe 22; Mr 24
- Commercial
  - Aircraft design requirements — Fe 21, Fe 22, Fe 36, Fe 37; Mr 24; 224, 232
  - Altitude effects — Jl 67
  - Canadian — Fe 17, Fe 34; 137
  - Control methods — Jn 22
  - Engine design requirements — Jn 14, Jn 21; 50
  - Flying boat use — 247, Jl 50
  - Fuel cost importance — Jl 48; 342
  - Mileage — 342
  - Passengers carried — 342
  - Progress — Jn 14, Jn 22
  - Rates — 342
  - South American — Jl 60
- Federal Aviation Commission Report — Mr 13
- Foreign and domestic compared — Mr 13
- Manly Memorial Medal — Fe 13, Fe 15, Fe 52; Jl 68
- Patents — Mr 15
- Radio progress — 236
- Research, Government — Fe 17, Fe 18, Fe 35; Mr 13, Mr 16, 77; Mr 19, Mr 20; Jl 48, Jl 59, Jl 67; 204; 441
- Trans-oceanic
  - Engine design requirements — 50
  - Flying boat use — 247, 248
- Wright Brothers Medal — Fe 13, Fe 15, Fe 52; Jl 68

(See also Accidents and Accident Prevention, Aircraft; Aircraft Design and Construction; Aircraft Operation and Performance; Engines, Aircraft and Instruments, Aircraft)

**Axles**
- Front
  - Motor-truck, steering knuckle diameter — 121, 122
  - Progress — 395
- Motorcoach, rear-engine effects — 9
- Motor-truck
  - Front, steering-knuckle diameter — 121, 122
  - Rear
    - Lubrication requirements — Fe 28, Fe 39; Mr 27; 147
    - Progress — 393
    - Service point standardization — Oc 33
    - Tube diameter — 121, 122
- Rear
  - LUBRICATION REQUIREMENTS OF AUTOMOTIVE WORM GEARING — Fe 28, Fe 39; Mr 27; 147
  - Corrosion
    - Lubricant effects — 147, 148, 157
    - Testing — 153
  - Differential mounting, suspension effects — Jn 19
  - Fatigue
    - Lubricant type effects — 148, 155
    - Mechanical factors affecting — 154
    - Testing — 154
  - Load carrying ability, lubricant effects — 147, 148, 152
  - Lubricants and lubrication
    - Channeling tendency — 149
    - Compound lubricant merits — Fe 28; 147, 148, 150, 152, 156, 157, 158
    - Extreme-pressure lubricants — Fe 29; Mr 27; 147, 148, 150, 155, 156, 157, 158
    - Greases — 147, 148, 150, 158
    - Load carrying ability affected by — 147, 148, 152
    - Lubricant requirements — Fe 28, Fe 39; 147, 149
    - Lubricant stability — Fe 29; 147, 148, 149, 157, 158
    - Oil types compared — Fe 28, Fe 29; 147, 148, 149, 152, 155, 156, 157
    - Temperature, power losses affected by — 152
    - Testing — Fe 29; 147, 149, 151, 158


**Abbreviations Used:**

January, Jn — April, Ap — July, Jl — October, Oc
February, Fe — May, My — August, Ag — November, No
March, Mr — June, Je — September, Se — December, De

PAGE

**Axles (Concluded)**
- Viscosity requirements 149, 152
- Wear affected by 147, 148, 156
- Motorcoach, rear engine effects 9
- Motor-truck
  - Lubrication requirements 147
  - Progress 393
  - Service point standardization Oc 33
  - Tube diameter 121, 122
- Power loss
  - Lubricant type effects Mr 27; 147, 148, 152, 158
  - Temperature effects 152
  - Testing 151
- Progress 8; 392; 437
- Reduction gears, worm
  - Fatigue 148, 154, 155
  - Lubrication Fe 29; Mr 27; 147
  - Testing 154
- Reduction ratio
  - Dual 8; My 22, My 28
  - Trends 8
- Springs, suspension, independent-wheel, effects Jn 19
- Testing
  - Corrosion 153
  - Fatigue 154
  - Gear wear 152, 158
  - Power loss 151
- Tube diameter, motor-truck 121, 122
- Wear
  - Lubricant type effects 147, 148, 156
  - Testing 152, 158

B

**Batteries**
- Capacity rating 117
- Motor-truck requirements Fe 16, Fe 33; 118, 119
- Progress 6, Jn 14
- Size, engine displacement relation to 118
- Starting requirements Fe 16, Fe 33; 118, 119
- Temperature effects, low 71

**Bearings**
- Axle, lubrication 147, 149
- Ball and roller
  - Cageless, production and usage Ag 24
  - Standardization No 20
  - Usage extent No 25
- Clutch, needle 7
- Corrosion, lubricant effects on 147, 148, 157
- Engine
  - Aircraft, failure causes 202, 204
  - Bond Jl 51
  - Clearance 68
  - Diesel
    - Failure prevention 19, 20
    - Life Jl 49, Jl 54
    - Metals 19; Jl 49
  - Failure
    - Oil temperature cause 202, 204
    - Prevention 19, 20
    - Shell effects 68
  - Oil groove design and location 68; 377
  - Shell
    - Failure relation to 68
    - Thickness, optimum My 34
  - Stresses Jl 51, Jl 60
  - Testing, stresses Jl 51, Jl 60
- Friction, lubricant effects on 53
- Lubrication
  - Axle requirements 147, 149
  - Compound oil merits Fe 28, Fe 38, 53; Mr 25; 148, 150
  - Extreme-pressure lubricant merits 147, 148, 157
  - Friction affected by 53
  - Grease merits 147, 148
  - Metals affected by Fe 28, Fe 38; Mr 25
  - Oil groove design and location 68; 377
  - Oil oiliness, compound Fe 28, Fe 38
  - Oil pressure, clearance effects 68
  - Oil types compared 147, 148
  - Oil viscosity requirements Fe 28, 53; Mr 24
  - Temperature effects Mr 24, Mr 25; 202, 204
- Metals
  - Babbitt
    - Diesel engine use Jl 49
    - Merits My 34
  - Bronze, Diesel engine use 19; Jl 49
  - Cadmium
    - Diesel engine use Jl 49

PAGE

**Bearings (Concluded)**
- Lubricant effects on Mr 25
- Usage extent Jl 49; 388
- Copper-lead
  - Diesel engine use Jl 49
  - Lubricant effects on Fe 28, Fe 38; Mr 25
  - Merits 68; My 34
  - Usage extent 3; Jl 49
- Lubricant effects on, compound Fe 28, Fe 38; Mr 25
- Progress Jn 16
- Standardization Se 21, Se 22
- Needle, usage extent 7, 8, 12; 392, 396, 397
- Springs, suspension, needle 12
- Steering-system, needle 12
- Temperature effects on Mr 24, Mr 25; 202, 204
- Testing 153, 158; Jl 51, Jl 60
- Transmission, needle 392
- Universal-joint, needle 8; 392
- Wear, testing 153, 158

**Bibliography**
- Engine, aircraft, Diesel 340
- Streamlining 189

**Blowers**
(See Superchargers and Supercharging)

**Bodies**
- Aluminum, motorcoach 16; My 35
- Carbon monoxide in
  - Extent My 21; 323, 326, 327
  - Factors affecting My 21; 323, 326, 327
- Chassis unit construction with 385; 433, De 21
- Convertible, usage extent 399; 425
- Design principles Fe 18, Fe 35
- Doors, progress 400
- Fenders
  - Progress 13, 14; 399
  - Rubber Fe 16; 164
- Foreign and domestic compared Mr 36
- Heating
  - Exhaust manifold system merits 325, 326
  - Progress 399
- Hoods, progress 14; 399
- Instrument panels, progress 13, 15; 398; 440
- Motorcoach
  - Aluminum 16; My 35
  - Progress 16
- Noise
  - Reduction
    - Insulation progress 15; 399, 400
    - Rubber 164
  - Steel body effects 389
- Planography applied to Fe 18, Fe 35
- Progress 13; Mr 36; 399; 438
- Radiator progress 13; 389; 438
- Rubber used in Fe 16; 164; 267, Jl 55, Jl 62
- Running boards, rubber 164
- Seats
  - PROPERTIES OF CELLULAR RUBBER FOR PASSENGER-CAR CUSHIONS 267, Jl 55, Jl 62
  - Cushions, rubber Fe 16; 164; 267, Jl 55, Jl 62
  - Location Jl 55, Jl 62; 320
  - Progress 15; 400
- Steel
  - Noise affected by 389
  - Usage extent 14; 400; 440
- Upholstery
  - Progress 15; 400
  - Testing Jn 17
- Ventilation, progress 14; 385, 399
- Visibility, improvement needed Je 20, Je 23
- Windshields, progress 14; 399

**Boosters**
(See Superchargers and Supercharging)

Brake Lining Manufacturers Association No 29

**Brakes**
- BRAKE DRUM AND LINING DEVELOPMENT Fe 29, Fe 38; Mr 25; 250
- DESIGN AND MAINTENANCE PROBLEMS ON HEAVY-DUTY BRAKES My 20; 419
- Air, progress Ap 22
- Aircraft
  - Maintenance design requirements 230
  - Wing flap assistance to Fe 22; Mr 24
- Aluminum used in 394
- Braking area
  - Motor-truck 121, 122
  - Vehicle weight relation to 419
- Braking effort distribution Fe 29, Fe 38; 393

PAGE

**Brakes (Continued)**
- Condition of — No 19
- Controls, progress — 394
- Dragging, testing — 259
- Drums
  - Cast iron — 262, 263; 420; 438
  - Composite — 263, 265
  - Cooling
    - Cooling area increase — 265
    - Testing — 259
    - Wheel effects — Mr 26
  - Cost, metals compared — 263, 264, 265
  - Distortion
    - Design and material effects — 264
    - Temperature effects — 264
    - Testing — 260
  - Durability
    - Metal effects — 263, 264
    - Testing — 260
    - Vehicle weight relation to — 265
  - Fading, testing — 260
  - Friction affected by — 266
  - Hardness requirements — 265
  - Motorcoach and motor-truck — 263; 420
  - Production — 263
  - Progress — 9; 394
  - Rigidity requirements — 265
  - Stamped — 263, 264, 265
  - Steel — 9; 262, 263; 438
  - Temperatures in — 264
  - Testing — Fe 38; 254, 259
  - Weight requirements — 265
- Durability
  - Metal effects — 263, 264
  - Testing — 260, 262
  - Vehicle weight relation to — 419
- Equalization, progress — 9
- Fading, testing — 259, 260, 261, 262
- Hill holder — 385, 394
- Hydraulic
  - Adjustment — Fe 29; Mr 25
  - Merits — Fe 29
  - Progress — 393
  - Temperature effects on — Fe 29; Mr 25
  - Usage extent — 385, 393; 438
- Lining
  - Area, vehicle weight relation to — 419
  - Compressibility requirements — Mr 25, Mr 26
  - Durability
    - Temperature effects — 420
    - Testing — 262
  - Fading, testing — 259, 262
  - Friction coefficient
    - Drum metal effects — 266
    - Lining material effects — Mr 25; 266
    - Temperature effects — 420
    - Testing — 266
    - Water effects — Mr 26
  - Motorcoach and motor-truck requirements — 419
  - Pedal pressure relation to — 259, 262
  - Progress — 394
  - Stopping distance affected by — 258, 262
  - Temperature
    - Friction affected by — 420
    - Self-energization effects on — Fe 29
  - Testing — Fe 38; 250, 256, 262, 266
  - Types described — 263
  - Woven, usage extent — Je 22
- Makes
  - BK — Je 18
  - Girling — 438
- Motorcoach
  - Design — My 20; 419
  - Drums — 263; 420
  - Lining — 420
  - Power actuation — 420
  - Shoes — 420
- Motor-truck
  - Braking area — 121, 122
  - Design — My 20; 419
  - Drums — 263; 420

PAGE

**Brakes (Concluded)**
- Lining — 420
- Power actuation — 420
- Shoes — 420
- Vacuum — Ap 22

Pedal pressure, stopping distance relation to — 259, 261, 262

Power actuation
- Motorcoach and motor-truck — 420
- Progress — 9

Progress — 9; Fe 38; 250; 393; 438

Proportionate — 438

Self-energizing
- Degree desirable — Fe 29; Mr 25
- Lining temperature affected by — Fe 29
- Usage extent — 438

Stopping distance, pedal pressure relation to — 259, 261, 262

Temperature effects
- Drum distortion — 264
- Hydraulic — Fe 29; Mr 25
- Lining — Fe 29; 420

Testing — 250

Tire wear affected by — 48

Vacuum
- Design described — Ap 22; Je 18
- Motor-truck — Ap 22

Vehicle design factors affecting — Fe 29; Mr 26; 250

Water effects
- Lining friction coefficient — Mr 26
- Testing — 261, 262

Bureau of Air Commerce — Jn 23; My 36

Bureau of Public Roads — 286, 287

Bureau of Standards — Ag 22

**Bus**
(See Motorcoach)

**C**

**Camshafts**
- Cast iron — 2
- Production, grinding — Fe 31, Fe 39; Mr 28

**Carbureters and Carburetion**
- DEPOSITS IN WHITE METAL CARBURETERS — Oc 17
- Accelerating jet adjustment — 313
- Air-fuel mixture ratio
  - Cylinder corrosion affected by — 76
  - Exhaust-gas analysis as criterion of — 22; Fe 42; Ag 24
  - Factors affecting — Jl 56
  - Fuel consumption affected by — 22; Ag 24
  - Load effects — 22
  - Oil sludge formation affected by — 73
  - Optimum — 22, Jn 20
- Aircraft
  - AN AUTOMATIC POWER AND MIXTURE CONTROL FOR AIRCRAFT ENGINES — Je 13, Je 20; 301
  - Air-fuel mixture ratio
    - Adjustment methods — Ag 13, 301
    - Altitude effects — 301, 302
    - Control, automatic — Je 14, Je 20; 302; 345
    - Efficiency, thermal, affected by — 343, 344
    - Fuel consumption affected by — 56; 84
    - Ice formation affected by — 57
    - Power effects — 84; 302
    - Speed effects — 301, 302
    - Testing — 56
  - Air temperature
    - Cooling affected by — 401, 405, 407; 445
    - Ice formation affected by — 57; 142
  - Direct injection compared with — Fe 18; 77, 81, 85, 86, 87
  - Ice formation
    - Accident cause — Mr 20
    - Air-fuel mixture ratio effects — 57
    - Air preheating as preventive — 57; 142
  - Jet size, starting requirements — 142
  - Makes, Stromberg — 304
  - Starting requirements — 142
- Butane
  - Air-fuel mixture ratio requirements — Je 20, Je 22; De 32, De 33
  - Design described — De 32
- Choke
  - Automatic
    - Fuel volatility effects — Jl 57, Jl 58; 309; 368
    - Merits — Jl 56


**Abbreviations Used:**

| | | | |
|---|---|---|---|
| January, Jn | April, Ap | July, Jl | October, Oc |
| February, Fe | May, My | August, Ag | November, No |
| March, Mr | June, Je | September, Se | December, De |

PAGE

**Carbureters and Carburetion (Concluded)**
- Progress 5; 390
- Usage extent Jl 56; 309
- Fuel volatility effects Jl 57, Jl 58; 309; 368; 385, 390
- Die cast, deposits in Oc 17
- Direct injection compared with Fe 18; 77, 81, 85, 86, 87
- Downdraft
  - Progress 389
  - Usage extent 311; 427, 429
- Multiple, usage extent 427, 428
- Progress 5; 389
- Silencers, progress 5
- Temperature
  - Control, merits of Jl 56
  - Data on 241, 242
- Testing 56
- Vapor handling capacity 243
- Vapor lock
  - Design factors 238, 245
  - Types 237, 244; Jl 56
  - Vapor handling capacity relation to 243
- Water, corrosion cause Oc 18

**Clutches**
- Area, motor-truck 121, 122
- Automatic
  - Fluid coupling 435, 452
  - Usage extent 7; 435, 436, 437
- Makes
  - Borg and Beck 7; 391
  - Long 7; 391
- Motor-truck, area 121, 122
- Pedal pressure, trends 7
- Progress 7; 391
- Springs, progress 7
- Ventilation 7

**Collisions**
(See Accidents and Accident Prevention)

**Connecting-Rods**
- Aluminum 276; Se 14
- Balance 3
- Diesel engine 276; Se 14
- Failure, design factors 67
- Progress 3; 385, 388
- Stresses
  - Causes Jl 51
  - Testing Jl 51, Jl 60
- Testing, stresses Jl 51, Jl 60

**Cooperative Fuel-Research**
- Compression Ignition Volunteer Group Fe 21, Fe 36; Mr 22; 206; De 36
- Detonation testing
  - C. F. R. Committee Report on 1934 Detonation Road Tests Fe 28, Fe 39; Mr 27; 165; 215
  - Aviation gasoline Fe 18, Fe 34, Fe 46; Mr 19, Mr 34; Ag 19; No. 19
  - Improvements desired Mr 31; 177; De 36
  - Laboratory Tests Fe 34, Fe 39; Mr 28, Mr 30, Mr 31; 165, 169, 170, 177; Je 16; 217; Jl 51; De 36
  - Road tests Fe 28, Fe 39, Fe 44, Fe 46; Mr 27, Mr 28, Mr 30, Mr 31; 165, 177, 178; 215
- Progress Fe 46
- Vapor lock research Fe 46; No 20

**Corrosion and Corrosion Prevention**
- Rustproofing and Paint-Adherence Technique Analyzed Se 16, Se 36; 459
- Aluminum Fe 44
- Chromate treatment Se 16, Se 36; Oc 16, Oc 36; 462
- Cleaning 459
- Cylinders
  - Finish as preventive Jn 9; 98
  - Wear caused by Jn 9, Jn 10; 74, 76; 97
- Induction heating 424
- Oxalate process 462
- Zinc phosphate coating 460

**Crankcases**
- Aluminum, usage extent 427
- Progress 4; 388
- Ventilation
  - Oil sludge formation affected by 73, 74
  - Progress 4; 388

**Crankshafts**
- Balance
  - Balancer, harmonic, used for 3
  - Counterweighting 3, 4
- Diesel 276; Se 14
- Hardened 276; Se 14
- Progress 3

PAGE

**Crankshafts (Concluded)**
- Vibration
  - Dampers, rotating and oscillating compared 67
  - Speeds, critical 67

**Cylinders**
- Surface and Shape Characteristics of Cylinder Bores Jn 9, Jn 23; 95
- Aircraft, air-cooled
  - Temperature
    - Air temperature effects 52
    - Data on 202; Jl 47, Jl 48; 352; 404, 405, 406, 407; 444
    - Fuel consumption affected by 344
    - Fuel effects on 88
    - Oil viscosity effects 139, 143, 144
    - Spark plug effects 54
  - Valve seat angle 271
  - Wear, oil viscosity effects Fe 17, Fe 18; Mr 19, Mr 20
- Combustion chamber design
  - Combustion flame propagation affected by Fe 30, Fe 38; 89, 91; Mr 27; 159, 164
  - Diesel types compared Jl 53; Se 18, 329
  - Engine roughness affected by Fe 30, Fe 38; 89, 90, 92; 159
  - L-head merits 273
  - Overhead-valve merits 273
  - Pressure-time curves for 93, Mr 27; 159, 163
  - Progress 1; 385, 386
  - Size 90
  - Spark plug location 89, 91, 92; 160
  - Valve-in-head merits My 15
  - Volume distribution Fe 30, Fe 38; 91, Mr 27; 159, 164
- Corrosion
  - Air-fuel mixture ratio effects 76
  - Finish as preventive Jn 9; 98
  - Wear caused by Jn 9, Jn 10; 74, 76; 97
- Cracking, temperature effects 63
- Diesel
  - Combustion chamber design
    - Combustion affected by Jl 50; 380
    - Displacer-piston type merits Jl 53; 337
    - Divided vs. single 18, 20, 21
    - Pro-combustion type merits Jl 50, Jl 53; Se 18, 329
    - Quiescent type merits Jl 53; 332
  - Finish
    - Honing equipment and methods 103, 110
    - Requirements Je 22
    - Running-in time affected by Jn 10; 99
  - Liners, distortion preventive 106
  - Temperatures 192, 196
  - Wear
    - Prevention 19, 20
    - Rate 96
- Distortion
  - Causes analyzed 105, 108
  - Finish effects 106, 108
  - Head strain effects 106, 108
  - Production effects Jn 23; 105, 108
  - Shapes produced 106, 108
  - Temperature effects 105
  - Testing 105
- Finish
  - Boring
    - Honing compared with 112
    - Single-point Fe 31, Fe 39
  - Corrosion preventive Jn 9; 98
  - Diesel requirements Je 22
  - Distortion affected by 106, 108
  - Honing
    - Boring compared with 112
    - Equipment and methods 101, 110
    - Reaming compared with Jn 10; 99, 100, 106, 111
    - Usage extent Jn 10, Jn 23; 100
  - Lubricating oil consumption affected by Jn 10; 100, 105
  - Maintenance equipment and methods Jn 23; 107, 110; Oc 32
  - Reaming, honing compared with Jn 10; 99, 100, 106, 111
  - Roughness measurement 99, 111, 112
  - Running-in time affected by Jn 10; 99
  - Testing Jn 23; 98, 111, 112
  - Wear affected by Jn 10, Jn 23; Fe 31; 65; 98; Mr 28; 430
- Hardness, wear factor 95
- Heads
  - Aircraft, temperatures 139, 143, 144
  - Aluminum 1; 60; 221; 386; 427, 430
  - Cast iron 1
  - Copper 2
  - Detachable, merits Jn 11; 275
  - Strains 106, 108
  - Valve life affected by 272, 273, 275

PAGE

**Cylinders (Concluded)**
- Liners
  - Distortion preventive 106
  - Usage extent 430
- Maintenance equipment and methods Jn 23; 107, 110; Oc 32
- Ports, exhaust, valves affected by Jn 11, Jn 24; 273, 274, 276
- Production
  - Assembly Jn 23; 105, 108; 272, 273, 274
  - Cleaning 272, 273, 274
- Progress 1, 2; 387
- Sleeves, progress 2
- Temperature
  - Aircraft, air-cooled 52; 202; Jl 47, Jl 48; 352; 404, 405, 406, 407; 444
  - Diesel 192, 196
  - Distortion affected by 105
  - Jacket-water temperature effects 75
  - Load effects 75
  - Testing Fe 35; Mr 21; 192, 198
  - Wear affected by 97
- Testing Jn 23; Fe 35; 98, 105, 111, 112; Mr 21; 192, 198
- Valve seats
  - Angle 2; 271; 387
  - Cooling requirements 272, 274, 275
  - Inserts
    - Cast iron 271, 273
    - Design requirements 271
    - Steel Jn 11, Jn 24; 271, 275, 276
  - Steel Jn 11, Jn 14, Jn 24; My 18; 270, 271, 275, 276
  - Width 272, 275
- Warpage 107
- Wear
  - Causes analyzed Jn 9, Jn 23, Jn 24; Fe 31, 74; 95
  - Corrosion effects Jn 9, Jn 10; 74, 76; 97
  - Finish as preventive Jn 10, Jn 23; Fe 31, 65; 98; Mr 28; 430
  - Fuel effects 76
  - Hardness effects 95
  - Oil filter effects 76
  - Oil viscosity effects Jn 12; Fe 17, Fe 18, 74, 76; Mr 19, Mr 20
  - Piston ring effects 97; Oc 33; 430
  - Rate Jn 24; 75; 96; 430
  - Starting effects Jn 12; 74, 75, 76
  - Temperature effects Jn 12, Jn 24; 74; 97; 430
  - Warming up effects Jn 12; 75, 76

D

**Delivery-Cars**
(See Motor-Trucks)

Department of Commerce Aeronautical Development Section No 24

**Detonation**
- Atmospheric effects
  - Humidity 175
  - Temperature 221
- Engine affected by
  - Heat loss Fe 31, Fe 38; 129, 134
  - Pistons affected by 55
  - Power 129, 134
- Engine factors
  - Air-fuel mixture ratio Mr 27; 222
  - Air-fuel mixture temperature Je 16; 299
  - Combustion-chamber design 1; Fe 42; Jl 51
  - Combustion radiation 129, 135; 200
  - Combustion temperature Fe 38; Mr 26; 129, 135
  - Compression ratio 169
  - Cooling Fe 42
  - Cooperative Fuel-Research engine Jl 51
  - Cylinder-head material 60; 221
  - Diesel engine 330, 331, 332, 337
  - Engines compared Mr 27; 174, 175; 215, 222
  - Excitation lag 134
  - Gas vibration 129, 134
  - Importance of Fe 42; My 33
  - Pressure rise Mr 26; 127, 129, 132, 136
  - Severity factor Mr 27; 173; 217, 220, 222
  - Spark timing 169, 177
  - Speed Mr 27; 222
- Fuel factors
  - Aviation gasoline Jl 49; 344, 345
  - Benzol 169, 170; 219
  - Butane 37; De 32, De 33
  - Cracking Jl 52

PAGE

**Detonation (Concluded)**
- Octane number requirements, current engine 175
- Octane number, prevalent 6
- Propane 37
- Sensitivity factor Mr 27; 173, 174; 219, 222
- Vapor pressure Jl 57
- Volatility 168, 170; Jl 58
- Road condition effects 170; 221
- Suppressers
  - Benzol, racing engine use of My 16
  - Tetraethyl lead
    - Aircraft engine, use of 55
    - Carbon deposits affected by Oc 17, Oc 20
    - Combustion processes May 33
    - Cylinder temperatures affected by 88
    - Fuel consumption affected by 88
    - Power affected by 88
    - Racing engine use of My 16
- Testing
  - Aviation gasoline
    - Cooperative Fuel-Research method Fe 18, Fe 34, Fe 46; Mr 19, Mr 34; Ag 19; No 19
    - Engine and laboratory correlation Fe 34; Ag 19
  - Cooperative Fuel-Research method
    - Aviation gasoline Fe 18, Fe 34, Fe 46; Mr 19, Mr 34; Ag 19; No 19
    - Laboratory Fe 34, Fe 39; Mr 28, Mr 30, Mr 31; 165, 169, 170, 177; Je 16, 217; Jl 51; De 36
    - Road Fe 28, Fe 39, Fe 44, Fe 46; Mr 27, Mr 28, Mr 30, Mr 31; 165, 177, 178; 215
  - Detonation meter 168, 170; Jl 51, Jl 60
  - Knock intensity effect 176
  - Improvements desired Mr 31; 177; De 36
  - Laboratory, Cooperative Fuel-Research
    - Accuracy 217
    - Air-fuel mixture temperature effects Je 16
    - Engine design and characteristics Je 17; Jl 51
    - Improvements desired Mr 31; 177; De 36
    - Reproducibility checking Fe 39; 165
    - Road test correlation with Fe 39; Mr 28, Mr 30; 169, 170
  - Reference fuels Mr 27, Mr 31; 168, 170; 222; Jl 51, Jl 52; De 36
  - Road, Cooperative Fuel-Research
    - C. F. R. Committee Report on 1934 Detonation Road Tests Fe 28, Fe 39; Mr 27; 165; 215
    - Cross country procedure 168, 170; 221
    - Improvements desired Mr 31; 178
    - Laboratory test correlation with Fe 39; Mr 28, Mr 30; 169, 170
    - Level road procedure 167, 170; 221
    - Material 166
    - Object Fe 39, Fe 46; 166
    - Personnel 166
    - Procedure Fe 44; 167, 169, 178
    - Reproducibility checking Mr 31
  - Vehicle speed relation to 176

E

**Economics**
- Automotive Development Changes Agricultural Picture Ag 13
- Budget, average family Jl 28, 246, Jl 54; Ag 13
- Employment
  - Automotive industry's effect on Jl 17, Jl 39
  - Farm mechanization effect on Jl 28, 246, Jl 54, Jl 62; Ag 13
- National Recovery Administration 25, Jn 21; Ap 14; My 19; Jl 46, 279, 284
- Progress Jn 18
- Scarcity theory Je 13

**Engine Design and Construction**
- Marked Advances Shown in Designs of 1935 Automobiles 1
- Problems in the Development of a High-Speed Engine 58
- Refinements and Super-Styling in the 1936 Models 385; De 18
- Trends in Engine Design as Influenced by Fuel Volatility Jl 56; 307; 365
- What European Car Designers Are Doing Today 425
- Aircraft engine, influence on Jn 18
- Aluminum used in 1, 3; 60, 65; 221, Je 24; 276; Se 14; 371, 372, 377; 385, 386, 387; 427, 430
- Bore-stroke ratio trends 385, 386; De 18
- Compression ratio
  - Cylinder head metal effects 1, 2; 60
  - Fuel characteristic effects 36, 37
  - Fuel consumption affected by My 16; Ag 24
  - Power affected by Fe 42; My 16; 299


**Abbreviations Used:**

January, Jn — April, Ap — July, Jl — October, Oc
February, Fe — May, My — August, Ag — November, No
March, Mr — June, Je — September, Se — December, De

PAGE

**Engine Design and Construction (Continued)**

- Spark timing affected by — 90; 162
- Temperature affected by — My 16
- Trends — 1; My 16, My 33; 386; 430

Cooling
- Air supply, vapor lock affected by — 238, 245
- Distribution tubes, longitudinal — 4
- Fans
  - Blade spacing — 4
  - Progress — 4; 389
- Oil sludge formation affected by — 73, 74
- Progress — 4; 13; 385, 388
- Pumps
  - Progress — 4; 385, 388
  - Rubber used in — Fe 17
- Radiator, progress in — 5; 13; 389
- Temperature control — 4; Jn 12; 75, 76
- Wear affected by — Jn 12; 75, 76; 272, 274, 275; 430

Copper used in — 2

Cylinder types
- Horizontal — 429
- Number of cylinders
  - Combustion roughness affected by — 90
  - Four, usage extent — 429
  - Trends — My 15; 427

Exhaust system
- Manifold design — 238, 245; 390
- Muffler progress — 6

Flywheel, fluid — 435

Front-end drive
- Fan drive diameter — Mr 19
- Progress — 2; 387; 429

Fuel-supply systems
- Gasoline tank
  - Filler location — 6
  - Progress — 6; 390
- Progress — 5; 390; 430
- Pumps
  - Electric — 430
  - Progress — 390; 430
  - Vapor lock prevention through — Jl 58
- Tube fitting standardization — Mr 35
- Vapor-handling capacity, vapor lock affected by — 243; Jl 56, Jl 58; 312; 369

Fuel volatility, adaptation to — Jl 56, Jl 57; 307

Lubrication
- Oil groove design and location — 68; 377
- Progress — 4; 388
- Pump capacity increase — 4
- Splash design — 4
- Tube fitting standardization — Mr 35

Makes
- A. C. — 430
- Alfa Romeo — 427, 430
- Alvis — 427, 428
- Aston Martin — 428
- Auburn — 1, 4, 5, 6, 7; 390
- Austin — 3; 429
- Austro Daimler — 427
- Auto Union — 429
- Bentley — 428
- Bugatti — 427, 428
- Buick — 2, 3, 5, 6; 385, 386, 387, 388, 389, 390
- Cadillac — 2, 3; 386, 387, 388, 389, 390, 391
- Chevrolet — 2, 3, 4, 5, 6, 7; 92; 160; 385, 386, 387, 388, 389, 390
- Chrysler — 1, 3, 4, 5, 6; 386, 388, 389, 390
- Citroen — 429, 430
- Continental — 390
- Cross — 428
- D. K. W. — 429
- Daimler — 427, 428
- De Soto — 1, 3, 4, 5, 6; 389, 390
- Delage — 427
- Dodge — 2, 3, 4, 5, 6, 7
- Doman and Marks — 2
- Duesenberg — 6; 387
- Fiat — 429
- Ford — 2, 3, 4, 5, 6, 7; 388, 389; 427
- Fraser Nash — 428
- Graham — 3; 387, 390
- Hillman — 429
- Hispano Suiza — 427
- Hotchkiss — 428
- Hudson — 1, 2, 3, 4, 5, 6, 7; 386, 387, 388, 389, 390
- Humber — 430
- Hupmobile — 3, 6; 387, 389
- Jowett — 429

PAGE

**Engine Design and Construction (Concluded)**

- La Salle — 3; 388, 390
- Lafayette — 5, 6; 390
- Lanchester — Jn 11; 275; 427
- Lancia — 428
- Lycoming — 2; 386, 387, 389, 390
- M. G. — 428
- Mastra — 429
- Matford — 427
- Mercedes Benz — 427, 428
- Minerva — 427, 428
- Morris — 429
- Nash — 2, 3, 6, 7; 387, 388, 390, 391
- Oldsmobile — 1, 2, 3, 4, 5, 6, 7; 386, 387, 388, 389, 390, 391
- Packard — 1, 2, 3, 4, 5, 6; 386, 387, 388, 389, 390
- Panhard — 428
- Pierce Arrow — 3, 7
- Plymouth — 1, 2, 3, 4, 5, 6, 7; 386, 388
- Pontiac — 1, 2, 3, 4, 5, 6, 7; 386, 387, 388, 389, 390
- Renault — 427, 429
- Reo — 2, 5
- Riley — 427
- Rolls Royce — 427, 430
- S. S. — 428
- Siddeley — 430
- Standard — 428, 429
- Studebaker — 1, 2, 3, 4, 5, 6, 7; 386, 387, 388, 389, 390, 391
- Stutz — 387
- Tatra — 427
- Terraplane — 1, 2, 3, 4, 5, 6, 7; 386, 387, 388, 389, 390
- Trojan — 429
- Voisin — 428
- Willys — 5; 387
- Zoller — 429

Mounting
- Progress — 7; 391

Rear
- History — Jn 13
- Stability affected by — Mr 21; 190
- Streamlining affected by — Fe 35; Mr 21; 184, 187, 189, 190

Rubber
- Trends — 7; 429

Progress — 10

Racing influence on — 1, Jn 18; 385, 386, No 24; 426

Sport type — My 14

Size, trends — 428

Starters
- Automatic, usage extent — Jl 56; 308
- Controls, progress — Jl 56; 309
- Progress — 6
- Two-stroke cycle, usage extent — 6; 391

Weight, trends — 429

386

(See also Air Cleaners; Bearings; Camshafts; Carbureters and Carburetion; Connecting-rods; Crankcases; Crankshafts; Cylinders; Detonation; Engine Operation and Performance; Engines, Aircraft; Engines, Diesel; Engines, Marine; Engines, Motorcoach; Engines, Motor-truck; Engines, Railcar; Engines, Tractor; Foreign Design and Operation; Fuels; Gasoline; Generators; Governors; Ignition; Induction; Pistons; Springs, Valve; and Valves and Valve-gear)

**Engine Operation and Performance**

- FLAME MOVEMENT AND PRESSURE DEVELOPMENT IN GASOLINE ENGINES — Fe 29, Fe 38, 89; Mr 26; 159
- FLAME TEMPERATURES VARY WITH KNOCK AND COMBUSTION-CHAMBER POSITION — Fe 29, Fe 38; Mr 26; 125; 300; 383
- PERFORMANCE OF ENGINES AT LOW OPERATING TEMPERATURES — Jn 12, Jn 24; 70
- WHAT PRICE DYNAMITE — Jl 56; 365; 411

Blowby
- Factors affecting — 61
- Oil consumption affected by — Je 24; 373, 377; Oc 31, Oc 32
- Piston ring relation to — 373, 377
- Speed effects — 377

Carbon formation
- Oil deterioration affected by — Fe 42
- Oil effects on — Jn 18

Cold weather operation
- Oil affected by — Jn 24; 71
- Starting — Jn 24; 70, 76
- Wear — Jn 12, Jn 24; 74

Combustion
- After-burning — Fe 31; Mr 26; 131, 132, 134, 136
- Bomb experiments compared with — 131, 133
- Dissociation — Fe 21; Mr 22; 193, 198
- Efficiency — 324, 326, 327

PAGE

**Engine Operation and Performance (Continued)**

- Flame propagation
  - Combustion-chamber design effects Fe 30, Fe 38; 89, 91, Mr 27; 159, 164
  - Ignition effects
    - Multiple 92
    - Spark plug location 89, 91, 92; 160
  - Velocity Fe 30, Fe 38; 91, 92, 93, 94; 163, 164
  - Volume burned relation to 91, 92, 93, 94
- Gas luminosity
  - Pressure relation to 132, 146
  - Temperature relation to Fe 31; Mr 26; 132, 134, 135, 136; 200
- Improvements in My 21, My 33
- Internal energy
  - Dissociation effects Fe 21; Mr 22; 193, 198
  - Temperature effects 193
  - Testing Fe 35; Mr 21; 193, 198
- Polytropic curves as measurement of Fe 20, Fe 35; Mr 21; 191, 197
- Preignition, temperature effects 63
- Pressure
  - Combustion products relation to 91, 93, 94
  - Gas luminosity relation to 132, 146
  - Gradients in 135, 136
  - Roughness relation to Fe 30, Fe 38; 89; 92, Mr 27; 159, 163
- Pressure-time curves of 93; Mr 27; 127, 128, 159, 163; 383
- Roughness
  - Combustion-chamber design effects Fe 30, Fe 38; 89, 90, 92; 159
  - Cylinder number effects 90
  - Power relation to Fe 30; 162
  - Pressure effects Fe 30, Fe 38; 89, 92, Mr 27; 156, 163
  - Spark plug location effects 89, 92; 160
- Temperature
  - Bomb temperature compared with 131
  - Cylinder cracking caused by 63
  - Flame position effects Fe 38; Mr 26; 127, 128, 130, 135; 383
  - Gas luminosity relation to Fe 31; Mr 26; 132, 134, 135, 136; 200
  - Internal energy affected by 193
  - Preignition effects 63
  - Pressure-time relation to 127, 128; 383
  - Testing Fe 35; Mr 21, Mr 26; 125, 134, 135; 192, 198
- Cooling
  - Air, brake action affected by Mr 25
  - Fan
    - Belt life Mr 19
    - Noise, blade spacing effects 4
  - Temperature, cylinder temperature relation to 75
  - Water circulation rate 4
- Diesel engine compared with 211; 341
- Efficiency, cycle 211
- Efficiency, thermal 22
- Efficiency, volumetric 60
- Exhaust
  - CARBON MONOXIDE IN MOVING VEHICLES Ap 21; My 21; 322
  - Carbon monoxide
    - Accident factor 34
    - Content of 323, 326
    - Physiological effects of Ap 21; My 21; 322, 326, 327
  - Gas analysis, carbureter adjustment by 22; Fe 42; Ag 24
  - Leaks Ap 21; 324, 326, 327
- Friction
  - Oil effects, compound Fe 28, Fe 38
  - Piston ring effects 375
  - Starting affected by 411
- Fuel consumption
  - FUEL AND OIL ECONOMY FOR THE OPERATOR 22, Jn 20
  - Air temperature effects 22
  - Air-fuel mixture ratio effects 22; Ag 24
  - Air-fuel mixture temperature effects Jl 57
  - Butane 37; De 33
  - Compression ratio effects My 16; Ag 24
  - Factors affecting 22, Jn 20; Ag 24
  - Gasoline volatility effects Jl 57; 300; 367
  - Oil viscosity effects 22
  - Propane 37
  - Transmission, overdrive, effects My 28
  - Trends My 33; Jl 56; 308
  - Vapor lock effects 239, 243
- Fuel feeding
  - VAPOR-LOCK TRAITS OF CARS AND THEIR LIMITATIONS ON GASOLINE VOLATILITY 237, Jl 56; 365
  - Deposits in Oc 17

PAGE

**Engine Operation and Performance (Continued)**

- Gasoline tank temperatures 238
- Pump temperatures 238, 241, 242
- Temperature
  - Air temperature effects 241
  - Data on 241, 242, Jl 58
  - Gasoline deterioration caused by 243
  - Load effects 241
  - Testing 240, 246
  - Trends Jl 57, Jl 58; 312; 369
  - Vapor lock affected by 237, 238, Jl 56, Jl 58; 312; 369
  - Vehicle speed effects 241
- Vapor lock
  - Engine design effects 238, 245, Jl 58
  - Gasoline boiling as preventive 239
  - Idling effects 238, 241, 245; 369
  - Pump design and location effects **238, Jl 58**
  - Research Fe 46
  - Temperature effects 237, 238; Jl 56, Jl 58; 312; 369
  - Testing 242, 246
  - Vapor handling capacity relation to 243, Jl 56, Jl 58; 312; 369
  - Vapor pressure permissible Jl 57; 368, 369
- Idling
  - Gasoline volatility effects 300
  - Lubrication affected by Oc 32
  - Vapor lock affected by 238, 241, 245; 369
- Load
  - Air-fuel mixture ratio affected by 22
  - Cylinder head temperature affected by 75
  - Fuel-supply system temperature affected by 241
  - Oil consumption affected by 62
  - Warming up affected by 367
- Lubricants and Lubrication
  - Carbon formation affected by Jn 18
  - Data form, standard Mr 33
  - Friction affected by Fe 28, Fe 38
  - Graphite Fe 42
  - Gum formation effects **Fe 42**
  - Idling effects Oc 32
  - Oil circulation rate 4
  - Oil consumption
    - Blowby relation to Je 24; 373, 377, Oc 31, Oc 32
    - Cylinder distortion effects 106
    - Cylinder finish effects Jn 10; 100, 105
    - Factors affecting Jn 20
    - Load effects 63
    - Oil groove location effects 377
    - Piston ring effects 62; Je 24; 371, 372, 373, 374, Oc 31; 388, No 25
    - Speed effects 62, 63; 372, 373, 374, 375, 377
    - Transmission, overdrive, effects My 28
    - Valve-gear leakage effects 377
  - Oil deterioration
    - Carbon formation effects on Fe 42
    - Effects of **Fe 42**
    - Wear affected by 74
  - Oil groove design **68; 377**
  - Oil pressure 68
  - Oil properties
    - Compound Fe 28, Fe 37, Fe 38; Mr 24
    - Crude type effects Jn 17
    - Oiliness Fe 28, Fe 37, Fe 42; No 19
    - Oiliness additions, value of Ag 18
    - Pourpoint 71
    - Requirements Jn 17
    - Stability research Fe 42, Fe 46; Mr 35; Je 16; Ag 19; No 20
    - Viscosity
      - Fuel consumption affected by 22
      - Starting requirements Jn 12, Jn 24; 70, 76; 311; 411
      - Temperature effects on Jn 18; Fe 41
      - Wear affected by Jn 12; Fe 17, Fe 18; 74, 76; Mr 19, Mr 20
    - Volatility, carbon formation affected by Jn 18
  - Oil pump characteristics 68
  - Oil pumping
    - Piston ring effects Oc 33
    - Temperature effects Jn 24; 71
  - Production Jn 17
  - Sludge formation
    - Air-fuel mixture ratio effects 73
    - Engine factors Jn 12, Jn 24; 73, 76
    - Oil effects Jn 12; 73, 74, 76


**Abbreviations Used:**

January, Jn
February, Fe
March, Mr
April, Ap
May, My
June, Je
July, Jl
August, Ag
September, Se
October, Oc
November, No
December, De

PAGE

**Engine Operation and Performance (Concluded)**
- Temperature effects — Jn 24; 72
- Water, source of — 73
- Temperature
  - Control — 388
  - Trends — 388
- Testing, stability — Fe 42, Fe 46; Mr 35; Je 16; Ag 19; No 20
- Wear affected by — Jn 12; Fe 17, Fe 18, 74, 76; Mr 19, Mr 20, Mr 34
- Maintenance
  - Cylinder finishing — Jn 23; 107, 110; Oc 32
  - Oil sludge formation affected by — Jn 12, Jn 24; 73, 76
  - Valve reconditioning — Oc 35
- Makes, Graham — Fe 43
- Noise, fan — 4
- Power
  - Acceleration requirements — 294
  - Air-fuel mixture ratio effects — 22
  - Air-fuel mixture temperature effects — Fe 42; Jl 57; 296, 299, 311
  - Combustion roughness relation to — Fe 30; 162
  - Compression ratio effects — Fe 42; My 16; 299
  - Gasoline volatility effects — Jl 57
  - Grade climbing requirements — 294
  - Intake-manifold design effects — 59, 60
  - Losses — Jn 14
  - Streamlining effects — Fe 35; 188
  - Trends — Jn 18; 58; My 33; Jl 56; 308; 386, No 16
  - Valve temperature affected by — 269
  - Valve timing effects — 58
  - Vehicle rolling resistance effects — 181
  - Vehicle speed relation to — Fe 35; 181, 182, 183, 188
  - Wind resistance effects — 181, 182, 187
- Running in — Jn 10; Fe 28, Fe 38; 99
- Speed
  - Blowby relation to — 377
  - Efficiency, volumetric, relation to — 60
  - Oil consumption affected by — 62, 63; 372, 373, 374, 375, 377
  - Sparking voltage relation to — 61
  - Trends — 58; My 33; 386
  - Vehicle acceleration affected by — 60
- Starting
  - Choke usage — 74
  - Friction effects — 411
  - Gasoline volatility effects — Jl 57, Jl 58; 300, 310; 366
  - Intake-manifold design effects — 60
  - Oil viscosity requirements — Jn 12, Jn 24; 70, 76; 311; 411
  - Temperature effects, low — Jn 24; 70, 76
  - Torque requirements — 70; 119
  - Wear affected by — Jn 12; 74, 75, 76
- Temperature
  - Combustion — Fe 31, Fe 38, 63; Mr 26; 127, 128, 130, 131, 135; 193, 200; 383
  - Compression ratio effects — My 16
  - Cooling — 75
  - Fuel feeding — 241, 242; Jl 58; 312; 369
  - Lubricating — 388
- Testing
  - Combustion
    - Internal energy — Fe 35; Mr 21; 193, 198
    - Temperature — Fe 35; Mr 21, Mr 26; 125, 134, 135; 192, 198
  - Fuel-supply system temperature — 240, 246
  - Standard forms for — No 20
  - Vapor lock — 242, 246
- Torque, starting requirements — 70; 119
- Warming up
  - Factors affecting — Jl 57; 366
  - Rate — 75
  - Wear affected by — Jn 12; 75, 76
- Wear
  - Corrosion effects — Jn 9, Jn 10; 74, 76; 97
  - Lubricant effects — Jn 12; Fe 17, Fe 18, 74, 76; Mr 19, Mr 20, Mr 34
  - Temperature effects — Jn 12, Jn 24; 74; 97 430

(See also Air Cleaners; Camshafts; Carbureters and Carburetion; Connecting-rods; Crankcases; Crankshafts; Cylinders; Detonation; Engine Design and Construction; Engines, Aircraft; Engines, Diesel; Engines, Marine; Engines, Motorcoach; Engines, Motortruck; Engines, Railcars; Foreign Design and Operation; Fuels; Gasoline; Generators; Governors; Ignition; Induction; Oil Filters; Pistons; Springs, Valve; Supercharging, and Valves and Valve Gear)

**Engineers and Engineering**
- CHANCES FOR ENGINEERS BETTERED BY FAC AVIATION IDEAS — Mr 13
- Aircraft, opportunity for — Mr 13
- Inventions, relation to — Jl 17, Jl 30
- Qualifications for — Je 13
- Value — No 24; De 22, De 28

PAGE

**Engines, Aircraft**
- AIRCRAFT SPARK-IGNITION VERSUS COMPRESSION-IGNITION ENGINES — Jl 48, Jl 59; 342
- ANALYSIS OF CRITICAL STRESSES IN AIRCRAFT-ENGINE PARTS — Je 13; Ag 25; 412
- CURRENT PROBLEMS IN AIRLINE ENGINES — Jn 14, Jn 21; 50
- EVALUATION OF VARIABLES INFLUENCING AIR COOLING OF ENGINES — Jl 48; 401
- FURTHER PROGRESS IN CONTROLLED COOLING OF RADIAL AIRCRAFT ENGINES — Jl 47, Jl 48, Jl 59; 349
- INFLUENCE OF ENGINE OILS ON AIRCRAFT-ENGINE PERFORMANCE — Fe 17, Fe 34; Mr 19; 201
- N.A.C.A. STUDY OF RADIAL AIR-COOLED ENGINE COWLING AND COOLING — Jl 48, Jl 59; 441
- WINTER OPERATION OF AERO ENGINES — Fe 17, Fe 34; Mr 19; 137
- Aluminum used in — 417
- Altitude effects
  - Air-fuel mixture ratio — 301, 302
  - Cooling — 404, 405
  - Power — 51, 56; 303; 343; 404
  - Supercharging — 55
  - Testing — Fe 18; Jl 48, Jl 59
- Automobile engine compared with — My 33; 385
- Automobile engine influenced by — Jn 18
- Bronze used in — 417
- Cold weather operation
  - Oil viscosity requirements — Fe 17; Mr 19; 138, 139, 143, 144, 146
  - Warming up equipment — Fe 34; 138, 140, 146
- Combustion
  - Efficiency — 195, 196
  - Internal energy — 194, 195, 198
  - Pressure — 194, 195
  - Temperature — 194, 195, 198
- Commercial design requirements — Jn 14, Jn 21; 50; 225, 232
- Compression ratio
  - Commercial design requirements — 54
  - Direct injection effects — Fe 18; 88, Mr 20
  - Efficiency, thermal, affected by — 343, 344
  - Trends — 328
- Controls, commercial design requirements — 56
- Cooling, air
  - Air density effects — 401, 404, 405, 411; 443
  - Air flow — Jl 47, Jl 48, Jl 59; 349, 350, 351, 352, 354, 356; 410; 445
  - Air temperature effects — 52; 401, 403, 404, 405, 406, 411; 444
  - Air velocity effects — 401, 403, 411; 443
  - Altitude effects — 404, 405
  - Baffles — Jl 48; 349; 403
  - Cowling effects — Jl 47, Jl 48, Jl 59; 349, 350, 351, 352, 354, 356; 441, 446
  - Engine speed effects — 443
  - Factors affecting — 401, 411
  - Fin design — 411
  - Intake-air temperature effects — 401, 405, 407; 445
  - Intake pressure effects — 443
  - Nacelle diameter effects — 350
  - Power effects — 403
  - Propeller effects — Jl 47, Jl 48; 355; 448
  - Testing — 52; 401, 409; 441, 446
- Cowling
  - Air flow control — Jl 47, Jl 48, Jl 59; 349, 351, 352, 354, 356
  - Aircraft speed affected by — 352
  - Cooling affected by — Jl 47, Jl 48, Jl 59; 349, 350, 351, 352, 354, 356; 441, 446
  - Cylinder temperature affected by — 352
  - Drag affected by — Jl 47, Jl 59; 349, 350, 351, 354, 356; 441, 446
  - Efficiency — 354
  - Flaps, controllable — Jl 47, Jl 48, Jl 59; 349, 351
  - Frontal area — 350
  - Nacelle diameter relation to — 350
  - National Advisory Committee for Aeronautics type — Jl 47, Jl 48, Jl 59; 350, 352, 358, 360; 442
  - Pressure distribution on — Jl 48; 358
  - Ring type — 350, 351
  - Tail buffeting affected by — 354
  - Testing — Jl 47, Jl 48; 350, 352, 354; 441, 446
- Diesel
  - AIRCRAFT SPARK-IGNITION VERSUS COMPRESSION-IGNITION ENGINES — Jl 48, Jl 59; 342
  - HIGH-SPEED C-I ENGINE PERFORMANCE; THREE TYPES OF COMBUSTION CHAMBER — Jl 53, Jl 62; 328
  - Air velocities, combustion chamber type effect — 337
  - Altitude effects, power — 343, 347
  - Bibliography — 340
  - Brake mean effective pressure
    - Combustion chamber type effects — 330, 331, 333, 337, 338
    - Compression ratio effects — 331, 333
    - Cooling temperature effects — 336, 337, 339

PAGE

**Engines, Aircraft (Continued)**
- Fuel feeding effects 333
- Scavenging effects 333, 337
- Trends 329
- Combustion
  - Air, excess, required Jl 53, Jl 54; 329
  - Completeness 333
  - Ignition lag, factors affecting 341
  - Rate 338
- Combustion chamber types
  - Displacer-piston merits Jl 53; 337
  - Pre-chamber merits Jl 53; 329
  - Quiescent merits Jl 53; 332
- Compression ratio
  - Brake mean effective pressure affected by 331, 333
  - Combustion chamber types compared 331, 332, 333
  - Efficiency, thermal, affected by 343, 344
  - Friction affected by 331, 339
  - Fuel consumption affected by 333
- Cooling
  - Combustion chamber types compared 330, 336, 337
  - Liquid recommended 348
  - Wear affected by 341
- Cycle described 343
- Efficiency, thermal
  - Air-fuel mixture ratio effects 343, 345, 348
  - Compression ratio effects 343, 344
  - Gasoline engine compared with Jl 49; 343
- Friction
  - Combustion chamber types compared 330, 331, 332, 337
  - Compression ratio effects 331, 339
  - Two vs. four-stroke cycle Jl 54
- Fuel consumption
  - Combustion chamber types compared 330, 331, 333, 337, 338
  - Compression ratio effects **333**
  - Cooling temperature effects 336, 337, 339
  - Cost 328, 343, 348
  - Fuel feeding effects 333
  - Gasoline engine compared with Jl 54; 340
  - Scavenging effects 333
- Fuel feeding
  - Air, excess, requirements Jl 53, Jl 54; 329
  - Brake mean effective pressure affected by 333
  - Combustion chamber types compared Jl 53; 331, 332, 336, 338
  - Combustion completeness affected by 333
  - Efficiency, thermal, affected by 343, 345, 348
  - Fuel consumption affected by 333
  - Injection valve design Jl 53; 331, 332, 333, 337
  - Nozzle design Jl 53; 331, 332, 333, 337, 338
  - Pressures affected by 333
  - Time available 329
- Gasoline engine compared with Jl 49, Jl 54; 340, 343, 345, 346
- Heat transfer 330, 347
- Idling 330, 331
- Lubricating-oil consumption 348
- Makes
  - Deschamps 347
  - Junkers 343, 344, 347, 348
  - Packard 347
- Merits Jl 49, Jl 53; 328, 343
- Power
  - Altitude effects 343, 347
  - Data on 347
- Pressures
  - Combustion chamber types compared 330, 331, 333, 338
  - Data on Jl 49; 346
  - Fuel feeding effects 333
  - Scavenging effects 333
- Production cost 347
- Scavenging 333, 337
- Specifications Jl 49, Jl 59; 347, 348
- Starting, combustion chamber types compared 330, 331, 332, 337
- Two-stroke cycle merits Jl 49, Jl 54, Jl 59; 346, 348
- Wear, cooling effects 341
- Weight 345, 346, 347
- Drag
  - Cowling effects Jl 47, Jl 59; 349, 350, 351, 354, 356; 441, 446
  - Nacelle diameter effects Jl 48; 350
- Efficiency, combustion 195, 196
- Efficiency, mechanical 196

PAGE

**Engines, Aircraft (Continued)**
- Efficiency, thermal
  - Air-fuel mixture ratio effects 343, 344
  - Compression ratio effects 343, 344
  - Diesel and gasoline engine compared Jl 49, 343
  - Fuel feeding, direct injection, effects 84
- Exhaust
  - Gas analysis 56
  - Noise 227, 228
- Foreign and domestic compared Ap 21
- Fuel consumption
  - Air-fuel mixture ratio effects 56; 84
  - Commercial design requirements **Jn 21; 51, 54**
  - Cylinder temperature effects 344
  - Data on De 33
  - Diesel and gasoline engine compared Jl 54; 340
  - Flying boat requirements 247, 248
  - Fuel feeding, direct injection, effects Fe 18; 83, 84, 88; 345
  - Fuel type effects 88
  - Oil viscosity effects 139, 143
  - Spark plug effects 54
  - Trends Jl 48, Jl 49; 328, 342, 343, 344, 345
- Fuel feeding
  - FUEL INJECTION AS APPLIED TO AIRCRAFT ENGINES Fe 18, Fe 35; 77, Mr 20
  - Direct injection
    - Aircraft performance affected by 85
    - Carburetor performance compared with Fe 18; 77, 81, 85, 86, 87
    - Controls 77, 84, 86
    - Engine modification for Fe 18; 78, 85, 87, 88
    - Engine performance affected by Fe 18; 83, 84, 86, 88; 345
    - Fuel types used 88
    - History 77, Mr 20
    - Ice formation prevented by 87
    - Injector design and performance 77, 78, 79, 83, 85
    - Maintenance Fe 18; 80
    - Merits **Je 24**
    - Nozzle design and performance 77, 78, 80, 81, 85
    - Operating conditions 83, 84
    - Starting assisted by 141, 142
  - Gasoline tank design 230
  - Maintenance design requirements 230
  - Vapor lock, fuel characteristics affecting Fe 17; Mr 20; 142
- Heat balance 195, 196, 199
- Indicator study of 194, 198
- Lubricants and Lubrication
  - Maintenance design requirements 230, 231
  - Oil changing periods 146
  - Oil consumption
    - Data on De 33
    - Oil temperature effects 202
    - Oil viscosity effects 139, 143, 145; 202
  - Oil properties
    - Compound merits 53
    - Requirements 53; De 33
    - Stability 201, 204
    - Testing Fe 34; Mr 19; 201, 204
    - Viscosity Fe 17, Fe 18, Fe 34, 53; Mr 19, Mr 20; 138, 139, 143, 144, 145, 146; 202, 203
  - Oil temperature
    - Data on 202
    - Factors affecting Jl 48
    - Limits, permissible Fe 34; 201, 203
    - Oil consumption affected by 202
    - Oil viscosity relation to 139, 143, 144; 203
  - Sludge formation
    - Engine affected by 146
    - Oil stability effects 204
  - Starting effects, low-temperature 138, 139, 142, 145; 203
  - Temperature effects, low
    - Design requirements 139, 145
    - Oil viscosity requirements Fe 19; Mr 19; 138, 139, 143, 144, 146
    - Warming up equipment 141
  - Testing 52
  - Thermometer design and location 139
- Magnesium used in 417
- Maintenance
  - Design requirements 230
  - Importance of 57


**Abbreviations Used:**

January, Jn
February, Fe
March, Mr
April, Ap
May, My
June, Je
July, Jl
August, Ag
September, Se
October, Oc
November, No
December, De

PAGE

**Engines, Aircraft (Concluded)**
- Overhaul schedules 54, 55
- Unit replacement system 230
- Makes
  - Allison Fe 35
  - Armstrong Siddeley 139
  - Curtiss Fe 35; 78; 344
  - Fiat Fe 18; Jl 48, Jl 59
  - Hispano Suiza 194, 199
  - Isotta-Fraschini Fe 18
  - Liberty 138, 141
  - Pratt and Whitney Fe 35; 78, 81, 82, 83, 84, 85, 88; 139, 142; Je 20; 248; 352, 357, 358; 445, 446
  - Rolls Royce 139
  - Wright Fe 35; 78; 138, 139; 195; Jl 48; 344, 345; 401, 404, 407, 410
- Metals used in, endurance 414
- Mounting
  - Rear, Autogiro My 22
  - Rubber used in Mr 24; 226
- Nacelle diameter Jl 48; 350
- Noise reduction, necessity for 200
- Power
  - Air-cooling affected by 403
  - Air-fuel mixture ratio effects 84; 302
  - Aircraft speed relation to 181
  - Altitude effects 51, 56; 303, 343; 404
  - Commercial design requirements Jn 21; 50
  - Control, automatic Je 14, Je 20; 302
  - Flying boat requirements 247, 248
  - Fuel feeding, direct injection, effects Fe 18; 83, 84, 85, 86, 88
  - Fuel type effects 88
  - Spark plug effects 54
  - Trends 51; Mr 14
  - Water injection effects Fe 18; 88
  - Weight relation to 328
- Pressures, intake stroke 81
- Production inspection 57
- Progress 232; Je 24
- Size, commercial design requirements Jn 21; 50
- Speed
  - Air-fuel mixture ratio variation with 301, 302
  - Cooling affected by 443
  - Intake stroke 81
- Starting
  - Fuel feeding, direct injection, used 141, 142
  - Fuel, starting Fe 34; 141, 142
  - Inertia type 142
  - Lubrication affected by 138, 139, 142, 145; 203
  - Temperature, low, effects Fe 17, Fe 34; 138
  - Valve gear affected by Fe 17, Fe 34; Mr 20; 142
  - Warming up equipment Fe 34; 138, 140, 146
- Steam, merits 143
- Steels used in, endurance 414, 415
- Stresses
  - Analysis Je 14; Ag 24; 412
  - Testing 418
- Temperature
  - Aircraft speed relation to 352, 353
  - Combustion 194, 195, 198
- Testing
  - Altitude effects Fe 18; Jl 48, Jl 59
  - Cooling 52; 401, 409; 441, 446
  - Cowling Jl 47, Jl 48; 350, 352, 354; 441, 446
  - Endurance 55
  - Laboratory Jn 21; 52
  - Lubrication 52
  - Stresses 418
- Warming up equipment Fe 34; 138, 140, 146
- Weight
  - Diesel and gasoline engine compared Jl 49; 345, 346
  - Power relation to 328

(See also Carburetors and Carburetion, Aircraft; Cylinders; Detonation; Fuels, Aviation; Gasoline, Aviation; Induction, Aircraft; Oil Coolers; Oil Filters, and Supercharging, Aircraft)

**Engines, Diesel**
- RATIONAL BASIS FOR COMPARING DIESEL-ENGINE PERFORMANCE Fe 21, Fe 36; Mr 21; 210
- Cold weather operation 76
- Combustion
  - Flame propagation course Jn 24
  - Ignition lag reduction De 35
  - Internal energy 196
  - Temperature 196

PAGE

**Engines, Diesel (Concluded)**
- Compression ratio, fuel requirements affected by Fe 21; Mr 23
- Cooling, piston rings affected by Je 23
- Efficiency, cycle 211
- Efficiency, thermal
  - Engines compared 214
  - Factors affecting 214
- Friction, factors affecting 213
- Fuel feeding
  - Air injection, solid compared with Jn 24
  - Design requirements 341
  - Pressures in Jl 53, Jl 54, Jl 62
  - Pump design and performance Fe 21, Fe 36; Mr 23
  - Solid injection
    - Air injection compared with Jn 24
    - Wear 96
- Gasoline engine compared with 96; 211, 214; 341
- Heat balance 196
- Ignition fundamentals 341
- Indicators as means of study 192, 196
- Load, friction relation to 213
- Makes
  - Continental 16
  - Cummins 3
  - Hercules 16; 388
  - Hill 192
  - Lanova Jn 24; 346
  - McCormick-Deering 16
  - Murphy De 29
  - Waukesha 16
- Progress 16
- Rating
  - Engines compared 214
  - Fuel mean pressure as basis Fe 36; 210
- Running in time Jn 10; 99
- Size, thermal efficiency affected by 214
- Speed
  - Efficiency, thermal, affected by 214
  - Friction relation to 213
  - Trend De 35
- Starters
  - Progress 16
  - Temperature control 341
- Temperatures
  - Air 341
  - Combustion 196
  - Starting 341
- Usage extent Fe 43; Mr 14, Mr 37; Ap 22; Je 19; De 21
- Wear
  - Air cleaner effects Je 23
  - Data on 96
  - Fuel effects 76
  - Temperature effects 76

(See also Cylinders; Detonation; Engines, Aircraft; Engines, Motorcoach; Engines, Motor-truck; Fuels, Diesel; Oil Filters; Pistons; Production; and Superchargers and Supercharging, Diesel)

**Engines, Marine**
- Makes, Packard Fe 43
- Outboard mounting standardization Mr 34
- Supercharging Fe 43

**Engines, Motorcoach**
- Cold weather operation Jl 54; Se 16
- Cooling, rear mounting effects 4
- Cylinder types, horizontal 4
- Compression ratio, fuel characteristic effects 37
- Diesel
  - DIESEL ENGINES IN TRANSPORTATION Jl 49, Jl 60; 378
  - DIESELS ON CANADIAN ROADS 276, Jl 54, Jl 62; Se 13
  - HIGH-SPEED COMPRESSION-IGNITION ENGINES FOR MOTOR-VEHICLES 17
  - Aluminum used in 276; Se 14
  - Brake mean effective pressure Se 20
  - Combustion, combustion chamber design effects Jl 50; 380
  - Combustion chamber types
    - Divided, merits 18, 20, 21
    - Pre-combustion, merits Jl 50; Se 18
    - Single, merits 18, 20, 21
  - Control location Se 19
  - Cooling
    - Importance Jl 50
    - Temperature control Se 19
  - Efficiency, mechanical, data on Jl 50; 380
  - Exhaust, smoky 19; Jl 49; Se 17, Se 18, Se 19; 378; De 17
  - Foreign experience with 17; 276, Jl 50, Jl 54, Jl 62; Se 13

PAGE

**Engines, Motorcoach (Concluded)**
- Fuel consumption
  - Data on — Je 23; 380, 381
  - Gasoline engine compared with — 18, 19, 21; Je 23; Se 16
  - Speed relation to — 382
- Fuel feeding
  - Combustion chamber types compared — 21
  - Injection pump regulation — 19; Jl 54; Se 19
  - Maintenance requirements — Jl 54; Se 16, Se 17; 379
  - Nozzle design — 379
  - Speed relation to — 382
  - Temperature, low, effects — Se 16
- Gasoline engine chassis converted for — Jl 54; Se 13, Se 18
- Gasoline engine compared with — 18, 19, 21; Je 13; Se 16
- Heat transfer — Jl 50
- Lubrication
  - Combustion chamber type effects — 18
  - Gasoline engine compared with — Se 16
  - Maintenance affected by — 18
  - Oil consumption — 20; Je 23; Se 16; 381
  - Oil properties required — Se 17
- Maintenance
  - Combustion chamber types compared — 18, 20
  - Cost — 17, 18, 19, 20, 21; Je 23; Jl 49, Jl 54; Se 15, Se 17; 381
  - Experience cited — De 16, De 17
  - Expertness required — 17
  - Fuel feeding system — Jl 54; Se 16, Se 17; 379
  - Gasoline engine compared with — 19, 21; Jl 49, Jl 54; Se 16; 381
  - Lubricant effects — 18
  - Overhaul schedules — 19
- Makes
  - Associated Equipment Company — 18, 20
  - Gardner — 20
  - Leyland — 21; Se 15
  - Hercules — Jl 49; 378
- Merits — 276; Se 13
- Noise — Jl 49; 378
- Operating cost — 17, 18, 19, 20
- Power, data on — 20; 380
- Pressures in — Jl 50
- Production cost — 276, Jl 50; Se 14, Se 17; 381
- Reduction-gear ratio requirements — 381
- Speed — 382
- Starting — Jl 55; Se 17, Se 19
- Taxation — 20, 21
- Torque
  - Combustion chamber types compared — Se 18
  - Injection pump regulation effects — Jl 54; Se 19
- Usage extent — 17, 18, 20, 22, Jn 11; Jl 49; Se 14, Se 20; 382; De 16
- Weight — 20; Jl 49; Se 20; 378
- Fuel consumption
  - Butane — 37
  - Data on — My 19
  - Diesel engine compared with — 18, 19, 21; Je 23; Se 16
  - Factors affecting — Jn 20
  - Propane — 37
- Lubricating oil consumption
  - Data on — My 19
  - Factors affecting — Jn 20
- Maintenance
  - Cost — 19, 21; Jl 49, Jl 54; Se 16; 381
  - Diesel engine compared with — 19, 21; Jl 49, Jl 54; Se 16; 381
- Makes
  - A. C. F. — 4
  - Mack — 5
  - Twin Coach — 6
  - White — 4
- Mounting, rear
  - Axles affected by — 9
  - Cooling — 4
  - History — 1, 5
  - Transmission affected by — 9
- Power, fuel characteristic effects — 37
- Progress — 4, 5, 6

(See also Fuels)

**Engines, Motor-Truck**
- Cold weather operation — Fe 33; 119; Jl 54; Se 16
- Compression ratio, fuel characteristic effects — 37
- Cooling service point standardization — Oc 33
- Cylinder types, horizontal — 16

PAGE

**Engines, Motor-Truck (Continued)**
- Diesel
  - Diesel Engines in Transportation — Jl 49, Jl 60; 378
  - Diesels on Canadian Roads — 276, Jl 54, Jl 62; Se 13
  - High-Speed Diesel-Engine Application to Road Transport Vehicles — Je 19, Je 23; 341
- Aluminum used in — 276; Se 14
- Brake mean effective pressure — Se 20
- Combustion, combustion chamber design effects — Jl 50; 380
- Combustion chamber types
  - Lubricant requirements affected by — 18
  - Pre-combustion, merits — Jl 50; Se 18
- Control location — Se 19
- Cooling
  - Fan design — 5
  - Importance — Jl 50
  - Requirements — De 16
  - Temperature control — Se 19
- Efficiency, mechanical, data on — Jl 50; 380
- Exhaust, smoky — Jl 49; Se 17, Se 18, Se 19; 378; De 17, De 39
- Foreign experience with — 17; 276, Jl 54, Jl 62; Se 13
- Fuel consumption
  - Data on — 276; Se 15; 380, 381; De 16, De 34
  - Gasoline engine compared with — 18; De 34
  - Speed relation to — 382
- Fuel feeding
  - Injection pump regulation — Jl 54; Se 19
  - Maintenance requirements — Se 17; 379
  - Nozzle design — 379
  - Speed relation to — 382
  - Temperature, low, effects — Se 16
- Gasoline engine chassis converted for — Jl 54; Se 13, Se 18; De 16, De 17
- Gasoline engine compared with — 18; Jl 54; Se 15; 381; De 34
- Heat transfer — Jl 50
- Loads hauled — Se 15
- Lubrication
  - Combustion chamber types compared — 18
  - Maintenance costs affected by — 18
  - Oil changing periods — Jl 54; Se 15
  - Oil consumption — Se 15; 381; De 34
  - Oil properties required — Se 17
- Maintenance
  - Cost — 17, 18; 276, Jl 49, Jl 54; Se 14, Se 17; De 34
  - Expertness required — 17
  - Fuel characteristic effects — 18
  - Fuel feeding system — Se 17; 379
  - Gasoline engine compared with — Jl 54; Se 15; 381
  - Lubricant effects — 18
- Makes
  - Gardner — 276, Jl 54; Se 14
  - Hercules — Jl 49; 378
  - Leyland — 276; Se 13, Se 14, Se 15, Se 19
  - Waukesha — De 16, De 39
- Merits — My 18; Je 19; 276; Se 13
- Noise — Jl 49; 378
- Operating cost — 17, 18
- Power, data on — 380
- Pressures in — Jl 50
- Production cost — 276, Jl 50; Se 14, Se 17; 381
- Reduction-gear ratio requirements — 381
- Speed, fuel-feeding relation to — 382
- Starting — Jl 55; Se 17, Se 19
- Torque
  - Combustion chamber types compared — Se 18
  - Injection pump regulation effect — Jl 54; Se 19
- Usage extent — 17, 22, Jn 11; Jl 49; Se 14, Se 20; 382
- Vehicle speed attainable — Se 15
- Weight — Jl 49; Se 20; 378
- Failure causes, ignition — 121
- Fuel consumption
  - Butane — 37
  - Data on — De 34
  - Diesel engine compared with — 18; De 34
  - Factors affecting — Jn 20
  - Propane — 37
- Fuel feeding system service point standardization — Oc 33
- Lubricants and lubrication
  - Oil consumption — Jn 20; De 34
  - Oil viscosity, starting requirements — Fe 33; 119
  - Service point standardization — Oc 33


**Abbreviations Used:**

January, Jn — April, Ap — July, Jl — October, Oc
February, Fe — May, My — August, Ag — November, No
March, Mr — June, Je — September, Se — December, De

PAGE

**Engines, Motor-Truck (Concluded)**
- Maintenance
  - Cost — Jl 54; Se 15; De 34
  - Diesel engine compared with — Jl 54; Se 15; 381
- Makes
  - Autocar — 3
  - Ford — 5, 6; 389
  - General Motors — 3
  - Hercules — 2, 4
  - International — 3
  - Studebaker — 5
  - Waukesha — 3
  - White — 2, 3, 5
- Power, fuel characteristic effects — 37
- Progress — 2, 3, 4
- Size, data on — Mr 18; 121, 122
- Starting
  - Battery requirements — Fe 33; 118, 119
  - Engine requirements — 119
  - Temperature, low, effects — Fe 33; 119

(See also Fuels)

**Engines, Racing**
- Compression ratio trends — My 16
- Cylinder types, number of cylinders — My 15
- Development — My 14, My 15
- Fuel consumption — My 16
- Makes
  - Delage — My 15
  - Duesenberg — My 15
  - Frontenac — My 15
  - Marmon — My 15
  - Mercedes — My 15
  - Miller — My 15
  - Monroe — My 15
  - National — My 15
  - Peugeot — My 15
- Size trends — My 14, My 16
- Speed — My 14

**Engines, Railcar**
- Compression ratio, fuel characteristic effects — 40
- Diesel — Fe 43
- Power, fuel characteristic effects — 40

**F**

Federal Aviation Commission — Mr 13

**Finishes**
- Corrosion resistance — Se 36; Oc 23, Oc 36; 459
- Drying, induction heating in — Oc 15, Oc 23, Oc 36; 423
- Motor-truck
  - How to Finish a Truck — Fe 15, Fe 33; Mr 17
  - Repainting schedule — Mr 17, Mr 18
  - Requirements — Fe 15, Fe 33; Mr 17, Mr 18

**Fleet Operation**
- Principles of Fleet Operation — Ap 21; Je 18; 300
- Accounting — My 20; De 14, De 39
- Control methods — Je 18
- Failure sources — De 34
- Maintenance
  - Cost, decrease in — Jn 20
  - Equipment and methods — My 20; Je 18; De 14, De 29, De 34, De 39
  - Importance of — My 22
  - Owners' vs. commercial shop — De 34
  - Parts procurement — Fe 42
  - Unit replacement — De 14, De 39
- Manufacturers' cooperation with — My 19
- Personnel, executive's qualifications — Je 18; 300
- Sizes of — Jl 46; 279, 289
- Vehicle selection
  - Importance of — My 34
  - Standard models required for — Je 18

**Foreign Design and Operation**
- What European Car Designers Are Doing Today — 425
- Aviation
  - Canadian — Fe 17, Fe 34; 137
  - Domestic compared with — Mr 13
- Automobile
  - Production volume — 426
  - Progress — 425
- Bodies, domestic compared with — Mr 36
- Engines
  - Aircraft, domestic compared with — Ap 21
  - Motorcoach, Diesel — 17; 276, Jl 50, Jl 54, Jl 62; Se 13
  - Motor-truck, Diesel — 17; 276, Jl 54, Jl 62; Se 13
  - Progress — 426
- S.A.E. representation in — Jl 29, Jl 34; No 24, No 26, No 28
- Standardization, S.A.E. cooperation with — Fe 47

PAGE

**Frames**
- Motor-truck
  - Section modulus — 121, 122
  - Width — 124
- Progress — 12; 385, 397; 433
- Rigidity increase — 12; 397; 433
- Section modulus, motor-truck — 121, 122
- Springs, suspension, effects — Fe 20
- Tubular — Fe 20; 434
- Width, motor-truck — 124

**Fuels**
- Propane and Butane as Motor Fuels — 36
- Alcohol blends
  - Aviation use of — Fe 18; 88
  - Cylinder temperatures affected by — 88
  - Fuel consumption affected by — 88
  - Power affected by — Fe 18; 88
  - Wear affected by — 76
- Aviation
  - Alcohol blends — Fe 18; 88
  - Butane — Jl 49, Jl 59
  - Diesel requirements — Jl 49; 341
  - Ether, starting fuel — Fe 34; 141, 142
  - Hydrogen — Jl 49, Jl 59
- Butane
  - Air-fuel mixture ratio requirements — Je 20; De 32, De 33
  - Aviation use of — Jl 49, Jl 59
  - Compression ratio affected by — 36, 37
  - Cost — 39
  - Diesel fuel compared with — 36
  - Distribution problems — 36, 39
  - Fuel consumption with — 37; De 33
  - Gasoline compared with — 36, 37
  - Heat energy content — 36
  - Kerosene compared with — 36
  - Motorcoach use of — 37
  - Motor-truck use of — 37
  - Physical properties — 36, 39
  - Power affected by — 37
  - Propane compared with — 36, 37, 39
  - Railcar use of — 36, 40
  - Safety hazard — 40
  - Supply available — 36, 38
  - Taxation — 40
  - Usage extent — 36, 40; Je 22; De 32
- Diesel
  - Progress Report of Volunteer Group for C. I. Fuel Research — Fe 21, Fe 36; Mr 22; 206
  - Aviation requirements — Jl 49; 347
  - Butane compared with — 36
  - Cleanliness, importance of — Fe 21; Mr 23
  - Cost — Jl 50; 381
  - Heat energy content — 36
  - Ignition requirements — Fe 36, 76; Mr 23; 206; 341
  - Maintenance cost affected by — 18
  - Propane compared with — 36
  - Rating
    - Cetene number — Fe 36; Mr 23; 206; Se 17; De 36
    - Critical compression ratio — Fe 36; Mr 23; 206
    - Engine
      - Cooperative Fuel-Research — De 36
      - Factors affecting — 208
    - Ignition index — Fe 36; 206
    - Laboratory and service correlation — 209
  - Specifications — Fe 21, Fe 43; Mr 23; Jl 54; Se 16; De 16
  - Sulphur content — 76
  - Supply available — Fe 21; Mr 23
  - Taxation — Jl 50, Jl 60; Se 13, Se 14, Se 15, Se 16
  - Temperature effects on — Se 16
  - Viscosity — Fe 21; Mr 23; De 36
  - Water content — Se 16
  - Wax content — Se 16
  - Wear affected by — 18; 76
- Ether, aviation use of — Fe 34; 141, 142
- Fuel oil, possibilities of — Ap 22; My 21
- Heat energy contents of — 36
- Hydrogen, aviation use of — Jl 49, Jl 59
- Kerosene
  - Butane compared with — 36
  - Heat energy content of — 36
  - Propane compared with — 36
- Motorcoach, butane and propane — 37
- Motor-truck, butane and propane — 37
- Propane
  - Butane compared with — 36, 37, 39
  - Compression ratio affected by — 36, 37
  - Cost — 39

PAGE

**Fuels (Concluded)**
- Diesel fuel compared with 36
- Distribution problems 36, 39
- Fuel consumption with 37
- Gasoline compared with 36, 37
- Heat energy content 36
- Kerosene compared with 36
- Lubricant production use of 4, Jn 17
- Motorcoach use of 37
- Motor-truck use of 37
- Physical properties 36, 39
- Power affected by 37
- Railcar use of 36, 40
- Safety hazard 40
- Supply available 36, 38
- Taxation 40
- Usage extent 36, 40
- Railcar
  - Butane 36, 40
  - Propane 36, 40
- Vapor-to-liquid volume ratio 239

(See also Detonation, Fuel Factors and Gasoline)

G

**Gasoline**
- ECONOMICS OF GASOLINE VOLATILITY FROM THE REFINERY VIEWPOINT Jl 55; 361
- FORGOTTEN PROPERTY OF GASOLINE Jl 55; 293; 365
- TRENDS IN ENGINE DESIGN AS INFLUENCED BY FUEL VOLATILITY Jl 56; 307; 365
- Aviation
  - Commercial requirements 55
  - Octane numbers Jl 49; 344, 345
  - Heat energy content of 36
  - Specifications De 33
  - Vapor-locking tendencies, volatility effects Fe 17; Mr 20; 142
  - Volatility, vapor-locking tendencies affected by Fe 17; Mr 20; 142
- Butane compared with 36, 37
- Casinghead, supply available Jl 56; 362
- Cost 39
- Cracking
  - Production cost Jl 56; 364
  - Volatility affected by 293; 363
- Heat energy content of 36
- Natural, usage extent 369
- Octane numbers 6
- Production
  - Cost 39; Jl 56; 363, 369
  - Cracking effects Jl 56; 364
  - Crude yield 362
  - Volatility effects Jl 55; 362
- Propane compared with 36, 37
- Racing requirements My 16
- Seasonal 293
- Specific gravity, significance of 365
- Sulphur content 76
- Taxation 22, Jn 20
- Testing, vapor locking tendencies 239, 245; No 20
- Vapor locking tendencies
  - Gasolines compared 240
  - Testing 239, 245; No 20
  - Vapor pressure as measure 239, 243, 245; Jl 57; 368, 369
  - Vapor-to-liquid volume ratio as measure 239, 243, 245; Jl 56, Jl 57
  - Volatility relation to Fe 17; Mr 20; 142
- Vapor pressure
  - Trends Jl 57; 368
  - Vapor locking tendencies affected by 239, 243, 245; Jl 57; 368, 369
  - Volatility relation to Jl 56, Jl 57; 368
- Vapor-to-liquid volume ratio, vapor lock affected by 239, 243, 245, Jl 56, Jl 57
- Volatility
  - Acceleration affected by Jl 57; 297
  - Choke, automatic, affected by Jl 57, Jl 58; 309; 368
  - Control needed Jl 56, Jl 57; 310; 369
  - Cracking effects 293; 363
  - Engine design affected by Jl 56, Jl 57; 307
  - Engine performance correlation with Jl 57; 365
  - Fuel consumption affected by Jl 57; 300; 367
  - Idling affected by 300
  - Importance of Jl 57, Jl 58, Jl 64; 365

PAGE

**Gasoline (Concluded)**
- Induction affected by Jl 55; 311
- Power affected by Jl 57
- Production affected by
  - Cost Jl 56; 363, 369
  - Cracking 363
  - Crude yield 362
  - Methods Jl 55; 362
- Requirements Fe 42
- Seasonal gasoline effects 293
- Starting requirements Jl 57, Jl 58; 300, 310; 366
- Trends Jl 55, Jl 56, Jl 57, Jl 58, Jl 64; 293, 295; 361, 365, 368, 369
- Vapor locking tendencies affected by Fe 17; Mr 20; 142
- Vapor pressure relation to Jl 56, Jl 57; 368
- Warming up requirements Jl 57; 366
- Wear affected by 76

(See also Detonation, Fuel Factors and Fuels)

**Gears**
- Corrosion
  - Lubricant effects 147, 148, 157
  - Testing 153
- Fatigue
  - Lubricant effects 148
  - Testing 154
- Finishing Oc 15, Oc 36
- Helical, transmission use of De 40
- Load carrying ability, lubricant effects 147, 148, 152
- Lubrication
  - LUBRICATION REQUIREMENTS OF AUTOMOTIVE WORM GEARING Fe 28, Fe 39; Mr 27; 147
  - Channeling tendency, testing 149
  - Compound lubricant merits Fe 28; 147, 148, 150, 152, 156, 157, 158
  - Extreme-pressure lubricant merits Fe 29; Mr 27; 147, 148, 150, 155, 156, 157, 158
  - Fatigue affected by 148
  - Greases, merits of 147, 148, 150, 158
  - Load carrying ability affected by 147, 148, 152
  - Oil types compared Fe 28; 147, 148, 149, 152, 155, 156, 157
  - Stability, lubricant types compared Fe 29; 147, 148, 149, 157, 158
  - Power loss affected by 152
  - Temperature, power loss affected by 152
  - Testing Fe 29; 147, 149, 151, 158
  - Viscosity requirements 149, 152
  - Worm gear requirements Fe 28, Fe 29; 147, 149
- Power loss
  - Lubricant effects Mr 27; 147, 148, 152, 158
  - Testing 151
- Progress 8
- Steels No 16
- Testing
  - Corrosion 153
  - Fatigue 154
  - Lubrication Fe 29; 147, 149, 151, 158
  - Wear 152, 158
- Transmission
  - Failure causes De 40
  - Helical De 40
  - Progress 8
  - Steels No 16
- Wear
  - Lubricant type effects 147, 148, 156
  - Testing 152, 158
- Worm
  - Corrosion 147, 158, 153, 157
  - Fatigue 148, 154, 155
  - Load carrying ability 147, 148, 152
  - Lubricant requirements Fe 28, Fe 39; 147, 149
  - Power losses Mr 27; 147, 148, 152, 158
  - Testing Fe 29; 147, 149, 151, 152, 153, 154, 158
  - Wear 147, 148, 152, 156, 158

**Generators**
- Capacity requirements, motor-truck Fe 33; 119
- Motorcoach, progress 6
- Motor-truck, capacity requirements Fe 33; 119
- Progress 6; 390; 440
- Voltage control 6; My 36

Governors, Diesel engine requirements Se 19


**Abbreviations Used:**

January, Jn
February, Fe
March, Mr
April, Ap
May, My
June, Je
July, Jl
August, Ag
September, Se
October, Oc
November, No
December, De

PAGE

H

**Headlighting**
- Asymmetric, usage extent 13
- Beam pattern
  - Asymmetric, usage extent 13
  - Standard, legal Ag 18
- Lamps, progress 13; 398
- Progress 13; 398; 440
- Research Mr 32
- Testing, standard code for No 19

**Heat Treatment**
- Atmospheric control Je 16
- Cast iron, electric furnace type Oc 35
- Gases used in Je 19
- Induction heating 423
- Steel, terms defined No 19

**Highways**
(See Roads and Streets)

I

**Ignition**
- Failures in, motor-truck 121
- Motor-truck, failures in 121
- Multiple, flame propagation affected by 92
- Progress 6; 390; 430
- Spark plugs
  - Aircraft
    - Cylinder head temperatures affected by 54
    - Electrode failures 54
    - Finned type 54
    - Fuel consumption affected by 54
    - Power affected by 54
    - Research Fe 46
    - Temperatures required in Fe 18
  - Location, flame propagation affected by 89, 91, 92; 160
  - Testing Fe 18, Fe 46; Mr 32; Je 17; Ag 17
- Sparking, induced 61
- Switch progress 6
- Testing Fe 18, Fe 46; Mr 32; Je 17; Ag 17
- Timing
  - Compression ratio effects 90; 162
  - Control, vacuum, usage extent 6
- Voltage, speed relation to 61
- Wiring, spacing of 61

Illuminating Engineering Society Ag 19

**Indicators, Engine**
- CYLINDER EVENTS STUDIED IN THE LOGARITHMIC DIAGRAM Fe 20, Fe 35; Mr 21; 191
- Aircraft engine use of 194, 198
- Diagram analysis Fe 20, Fe 35; Mr 21; 191, 197
- Diesel engine use of 192, 196
- Logarithmic diagram applied to Fe 20, Fe 35; Mr 21; 191, 197

**Induction**
- Aircraft
  - Ice formation, direct injection effects 87
  - Direct injection effects 83
  - Velocities in 81
- Butane effects 36, 39
- Direct injection effects 83
- Gasoline volatility effects Jl 55; 311
- Manifolds
  - Airflow type 428
  - Downdraft merits 60
  - Duplex, power affected by 59
  - Gasoline volatility effects 311
  - Progress 385
- Progress 5; 385, 390
- Propane effects 36, 39
- Pulsations in, power affected by 59
- Temperatures in
  - Acceleration affected by Jl 57; 297
  - Efficiency, volumetric affected by 60
  - Fuel consumption affected by Jl 57
  - Power affected by 59; Fe 42; Jl 57; 296, 299, 311
  - Testing 294
  - Trends Jl 56, Jl 64; 311
- Temperature control
  - Automatic, usage extent Jl 56; 309
  - Cold, value of Jn 18
  - Difficulty Jl 57; 300
  - Fuel characteristic effects 37, 39
- Testing, manifold temperature 294
- Velocities in 81; 311

PAGE

**Instruments**
- CRITERIA ARE SET FOR RIDING COMFORT RESEARCH; NEW INSTRUMENTS MADE Ag 18, Ag 20
- Aircraft
  - Flight control, number of 229
  - List of Jn 16
  - Oil thermometer 139
- Cylinder distortion measurement 105
- Exhaust gas analyzers 22
- Gages, gear-tooth 152
- Gages, precision Fe 43
- Lubarometer My 20
- Profilograph Jn 23; Fe 31, Fe 39; 98, 112, Mr 28
- Ride-meter Ag 22
- Ride-o-graph De 17, De 18, De 39
- Riding-qualities measurement Mr 35; Ag 18, Ag 20; De 17, De 18, De 39
- Surface roughness measurement Jn 23; Fe 31, Fe 39; 98, 112, Mr 28
- Thermometer, oil 139
- Wabblemeter Mr 35

Interstate Commerce Commission Jl 46; 278, 280, 281, 282, 287, 289, 290

K

**Knock**
(See Detonation)

L

**Laws**
(See Legislation)

**Legislation**
- WHAT IS THE DESTINATION FOR MOTOR TRANSPORTATION? Jl 28, Jl 32, 249, Jl 46; 277
- Accident prevention 25, 30; De 13, De 15, De 39
- Aircraft, Bureau of Air Commerce Jn 23
- Associations for study of Jl 47
- Automobile operation and performance
  - Drivers' license laws 25, 30
  - Glass, safety Ap 21
  - Inspection Fe 41; My 21; Ag 18, Ag 19; 327; No 24; De 13, De 15, De 39
  - License plates 284
  - Speed 277
  - Uniform Motor Vehicle Act 288
- Manufacturers' interest in Jn 22
- Motor Carrier Act De 13, De 14
- Motorcoach design, uniformity desired 288
- Motorcoach operation and performance
  - Extent 249, Jl 46, Jl 47; 283
  - Merits Jl 28, Jl 32, Jl 46; 277, 281, 289
  - Personnel 284
  - Port of entry 249; 283
  - Speed 249; 283
- Motor-truck design and construction
  - Length Jn 22
  - Uniformity desired Jl 46; 288
  - Weight Jn 22
- Motor-truck operation and performance
  - Extent Jl 32, 249, Jl 46, Jl 47; 283
  - Merits Jl 28, Jl 32, Jl 46; 277, 281, 289
  - Motor Carrier Act De 13, De 14
  - Permits to operate 249; 278, 283, 290
  - Personnel 284
  - Port of entry 249; 283
  - Railroad relation to Jl 46, Jl 47; 279, 280, 285
  - Rates 249, Jl 47; 278, 279, 282, 283, 289, 290, 291
  - Speed Fe 15; Mr 17, Mr 18; 249; Ag 17, 283; No 14
- S.A.E. relation to Ag 27; No 26; De 13, De 15, De 30
- Taxation
  - MOTOR-VEHICLE TAXATION CONTINUES TO INCREASE 35, Jn 21
  - Amount paid 22, 35, Jn 20, Jn 21
  - Butane 40
  - Diesel engine 20, 21
  - Diesel fuel Jl 50, Jl 60; Se 13, Se 14, Se 15, Se 16
  - Motorcoach 249; 283
  - Motor-truck 249; 283
  - Propane 40
  - Railroad 287
  - Road construction cost paid by Jn 22; Jl 46, Jl 47, Jl 50; 286, 287
  - Trends 287
- Uniform Motor Vehicle Act 288

**Lighting**
- Tail light location 398
- Turning signals
  - Progress 440
  - Standard specifications for Fe 46

(See also Headlighting)

PAGE

**Lubricants and Lubrication**
- Channeling tendency, testing 149
- Compound
  - Engine affected by Fe 28; Mr 24
  - Engine, aircraft, use of 53
  - Gear use Fe 28; 147, 148, 150, 152, 156, 157, 158
  - Physical properties 157, 158
  - Stability Mr 24; 146, 157, 158
  - Oiliness Fe 28, Fe 37
  - Temperature effects on Fe 28
- Crudes, oiliness affected by Fe 37
- Extreme-pressure
  - Gear usage Fe 29; Mr 27; 147, 148, 150, 155, 156, 157, 158; No 18
  - Load carrying capacity, testing machine for
    - Bureau of Standards development Jn 19
    - Development of Fe 46; Mr 34; Je 16
    - Importance of Fe 42
    - S.A.E. Research type Ag 18; No 20; De 37
  - Physical properties 157, 158
  - Progress Jn 19
  - Stability 148, 157, 158; De 37
  - Testing load carrying capacity, machines for
    - Bureau of Standards development Jn 19
    - Development of Fe 46; Mr 34; Je 16
    - Importance of Fe 42
    - S.A.E. Research type Ag 18; No 20; De 37
- Greases, stability 147, 148, 158
- Oil properties required My 19
- Oil reclamation, oil quality affected by Fe 41
- Oil types compared
  - Animal
    - Gear usage 147, 148
    - Stability 147, 148
  - Mineral
    - Gear usage Fe 28; 147, 148, 149, 152, 155, 156, 157, 158
    - Physical properties 157, 158
    - Stability 147, 148, 157, 158
  - Vegetable
    - Gear usage Fe 28; 147, 148, 152, 156, 157, 158
    - Physical properties 157
    - Stability 147, 148, 157
- Oiliness
  - Compound addition effects Fe 28, Fe 37
  - Crude type effects Fe 37
  - Testing Fe 28, Fe 37; Mr 25, Mr 34; Ag 18; No 20
- Production, solvents used in 4; Jn 17
- Stability
  - Compound oils Mr 24; 146, 157, 158
  - Oil types compared Fe 29; 147, 148, 149, 157, 158; De 37
  - Testing Fe 29, Fe 34, Fe 46; Mr 19, Mr 35, 149 158; Je 16, 201, 204; No 20
- Testing
  - Channeling tendency 149
  - Extreme-pressure Jn 19; Fe 42, Fe 46; Mr 34; Je 16; Ag 18; No 20; De 37
  - Lubricating ability My 20
  - Oiliness Fe 28, Fe 37; Mr 25, Mr 34; Ag 18; No 20
  - Stability Fe 29, Fe 46; Mr 19, Mr 35, 149, 158; Je 16; 201, 204; No 20
  - Viscosity Fe 41
- Viscosity
  - Pressure relation to Fe 41
  - Temperature relation to Jn 18; Fe 41; Mr 32
  - Testing Fe 41

(See also Automobile Design and Construction, Lubricating System; Automobile Operation and Performance, Lubrication; Axles, Rear, Lubricants and Lubrication; Bearings, Lubrication; Engine Design and Construction, Lubrication; Engine Operation and Performance, Lubricants and Lubrication; Engines, Aircraft, Lubricants and Lubrication; Engines, Motorcoach, Lubrication; Engines, Motor-truck, Lubricants and Lubrication; Gears, Lubrication; Oil Cleaners; Oil Filters and Transmissions, Lubrication)

**M**

**Materials**
- Glass, safety
  - Legal requirement for Ap 21
  - Testing Mr 30; Ap 21; No 19

PAGE

**Materials (Concluded)**
- Insulation, automobile body 15
- Upholstery, testing Jn 17

(See also Metals and Rubber)

**Metals**
- Brass standardization Se 21, Se 22
- Bronze
  - Endurance 415, 417
  - Standardization Se 21, Se 22
- Cast iron
  - ELECTRIC CAST IRON Je 22; 360
  - Brake drum material 262, 263, 264, 265; 420; 438
  - Camshaft material 2
  - Cylinder material
    - Hardness, wear factor 95
    - Heads, compression ratio affected by 1
  - Electric furnace type
    - Physical properties My 29; Jl 67; 360, Oc 35
    - Production My 29; Jl 67; Oc 35
  - Endurance 415
  - Hardness 95; Jl 67; Oc 35
  - Physical properties 95; My 29; Jl 67; 360, Oc 35; 415
  - Piston material Jn 10, Jn 23; 371
  - Production My 29; Jl 67; Oc 35
  - Standardization Mr 35; Ap 14, Ap 18; Se 22
  - Valve material 271, 273; Se 22
- Chromium effects 269, 270, 275
- Copper
  - Cylinder heads 2
  - Standardization Se 21, Se 22
- Endurance, finish and shape effects Fe 31, Fe 39; Mr 28; 415
- Finish
  - Strength affected by Fe 31, Fe 39; Mr 28; 415
  - Testing Fe 31, Fe 39; 112
- Magnesium, physical properties 417
- Melting, induction heating used in 423
- Silicon effects 269, 275
- Standardization Mr 35; Ap 14, Ap 18; Se 21
- Strength
  - Finish effects on Fe 31, Fe 39; Mr 28
  - Testing Fe 31, Fe 39; Mr 28
- Testing
  - Finish Fe 31, Fe 39; Mr 28; 112
  - Strength Fe 31, Fe 39; Mr 28
- Wire and rod standardization Se 21, Se 22
- Zinc standardization Se 21, Se 22

(See also Aluminum and Aluminum Alloys; Heat Treatment and Steels)

**Motor**

(See Engine)

Motorboat Propeller Shaft Standardization Mr 32; No 20

**Motorcoach Design and Construction**
- Aircraft influence on Jn 18
- City type Je 19
- Engine mounting, rear
  - Axles affected by 9
  - History 1, 5
  - Transmission affected by 8
- Makes
  - A.C.F. 16; Je 19
  - General Motors 8, 9; Je 19
  - Mack 8, 9, 16; Je 19
  - Twin Coach 8, 9, 16; Je 19
  - White 16
- Progress 5, 8, 16; Je 26
- Springs, suspension, deflection rate 124
- Weight
  - Brake relation to 419
  - Data on 19
  - Trends 16

(See also Bodies, Motorcoach; Brakes, Motorcoach; Engines, Motorcoach; Legislation, Motorcoach Design; Motorcoach Operation and Performance; Transmissions, Motorcoach; and Transportation)

**Motorcoach Operation and Performance**
- Interstate 249, Jl 46; 277, 281, 283, 289, 290
- Lubrication equipment and methods My 35
- Maintenance
  - Cost Ap 22; My 19


**Abbreviations Used:**

January, Jn — April, Ap — July, Jl — October, Oc
February, Fe — May, My — August, Ag — November, No
March, Mr — June, Je — September, Se — December, De

PAGE

**Motorcoach Operation and Performance (Concluded)**
- Equipment and methods — My 35
- Inspection schedules — My 35
- Makes, Twin Coach — 155
- Mileage — My 19; Je 19; 281
- National Recovery Administration — My 19
- Personnel
  - Driver selection and training — 30; My 35
  - Legal requirements — 284
- Public's reaction toward — Jn 21
- Railroad use of — 285
- Railroad, competition with — 278
- Speed, legal restrictions on — 249; 283

(See also Accidents and Accident Prevention, Motorcoach; Bodies, Motorcoach; Brakes, Motorcoach; Engines, Motorcoach; Legislation, Motorcoach Operation and Performance, and Taxation; Motorcoach Design and Construction; Transmissions, Motorcoach: and Transportation)

**Motor-Truck Design and Construction**
- VEHICLE DESIGN FROM A MAINTENANCE AND OPERATING STANDPOINT — Fe 16, Fe 33; Mr 18; 117
- Army, progress — Jn 16; No 24
- Cost — 121, 122, 123
- Design requirements — Ap 21
- Exhibit — Oc 22
- Length, legal restrictions on — Jn 22
- Makes
  - Chevrolet — 393
  - Dodge — 392
  - F.W.D. — 16
  - Ford — 7, 10; 392, 393, 395
  - Latil — 436
  - White — 8, 16
- Manufacturers' and operators' cooperation — Fe 15, Fe 16; Mr 17, Mr 18; My 19, 179
- Progress — 16; My 18
- Specifications suggested — 124
- Tanks
  - Army — Jn 16; No 24
  - Standardization — Mr 34
- Tractor use — 124
- Weight
  - Brake relation to — 419
  - Data on — Mr 18; 121, 124
  - Legal restrictions on — Jn 22
  - Payload relation to — 121
  - Standard vs. special chassis — Mr 18
- Wheelbase, data on — 124

(See also Axles, Motor-Truck; Brakes, Motor-Truck; Clutches, Motor-Truck; Engines, Motor-Truck; Frames, Motor-Truck; Legislation, Motor-Truck Design and Construction; Motor-Truck Operation and Performance; Tires, Motor-Truck; Transmissions, Motor-Truck; and Transportation)

**Motor-Truck Operation and Performance**
- Agricultural service — 278, 289, 290, 291
- Cost — My 21; 285
- Carbon monoxide effects — 326, 327
- Factors affecting — Jn 22
- Fleet size — Jl 46; 279, 289
- Flexibility — 278, 280, 289, 290
- Freight statistics — 280
- Grade climbing ability — 121, 122
- Interstate
  - Amount — 280, 281
  - Legal restrictions on — 249, Jl 46; 277, 281, 283, 289, 290
- Maintenance
  - Operating cost affected by — My 21
  - Painting — Mr 17, Mr 18
- Makes
  - Chevrolet — Se 14
  - Ford — Se 14
  - Opel — Se 14
- Manufacturers' and operators' cooperation — Fe 15, Fe 33; Mr 17; 179
- National Recovery Administration — Jn 21; Jl 46; 279, 284
- Obsolescence — Mr 37
- Overloading
  - Disadvantages — De 40
  - Extent — No 14
  - Tires affected by — No 13
- Ownership distribution — Jl 46; 279, 289
- Payload, weight relation to — 121
- Permits to operate — 249; 278, 283, 290
- Personnel, legal requirements — 284
- Public's reaction toward — Jn 21

PAGE

**Motor-Truck Operation and Performance (Concluded)**
- Railroad use of — Jl 46; 285, 287, 292
- Railroad, competition with — Jl 46; 278, 280
- Rates
  - Basis for — Jn 22
  - Legal restrictions on 249, Jl 47; 278, 279, 282, 283, 289, 290, 291
- Railroad compared with — 278
- Rating
  - Criteria recommended — Fe 16, Fe 34; Mr 18; 121
  - Standard proposed — Ag 17; No 14
- Speed
  - Accident factor — 34
  - Legal restrictions on Fe 15; Mr 17, Mr 18; 249; Ag17, 283; No 14
- Store-door delivery — 285, 292
- Tires, overloading — No 13; De 40
- Vehicle selection
  - CHOOSING MAKE OF TRUCK — Fe 15, Fe 33; Mr 17; 179
  - Diversified vs. unified fleet — Fe 15; Mr 17
  - Factors affecting — Fe 15, Fe 33; Mr 17, Mr 18; 179; De 40
  - Importance of — Ap 21

(See also Accidents and Accident Prevention, Motor-Truck; Axles, Motor-Truck; Brakes, Motor-Truck; Clutches, Motor-Truck; Engines, Motor-Truck; Legislation, Motor-Truck Operation and Performance; Motor-Truck Design and Construction; Tires, Motor-Truck; Transmissions, Motor-Truck and Transportation)

N

**National Advisory Committee for Aeronautics**
- Aircraft research
  - Flying boat hull testing — Jl 51, Jl 60
  - Value of — Mr 13, Mr 16
- Annual Aircraft Engineering Research Conference — Jl 67
- Engine, aircraft, research
  - Cooling — Jl 48, Jl 59; 402; 441
  - Cowling — Jl 47, Jl 48, Jl 59; 350, 352, 358, 360; 441
  - Diesel — Jl 49, Jl 53, Jl 62; 329

National Conference on Street and Highway Safety Mr 18; Ag 17, 288
National Machine Tool Builders Association — Ag 27; Oc 13
National Highway Users Conference — Jn 21

O

**Oil**
(See Lubricants and Lubrication)

**Oil Coolers**
- Aircraft engine use of
  - Design requirements — 139, 146
  - Merits — Fe 34; 138, 139, 146; 201
- Progress — 4; 387

**Oil Filters**
- Aircraft engine use of — 139
- Diesel engine use of — Jl 54; Se 16
- Engine wear reduced by — 76; Je 20; 376
- Progress — 4
- Sludge formation affected by — 74

**Omnibus**
(See Motorcoach)

P

**Paint**
(See Finishes)

**Passenger-Car**
(See Automobile)

**Patents, Aircraft** — Mr 15

**Pistons**
- FACTORS CONTROLLING THE PERFORMANCE OF PISTONS AND PISTON-RINGS — Je 20, Je 24; 370
- Aircraft, temperatures in — 202
- Aluminum
  - Alumiliting — 371
  - Merits — 65; Je 24; 372, 377
  - Progress — 3; 371, 385, 387
- Cast iron — Jn 10, Jn 23; 371
- Clearance, oil consumption affected by — Je 24; 371
- Design requirements — My 22, My 28
- Diesel
  - Rings — Jn 10; Je 22
  - Wear — Jl 54
- Production, turning — Fe 31, Fe 39; Mr 28
- Progress — 3; Je 20, Je 24; 371, 387
- Ringless — Oc 32
- Rings
  - Blowby relation to — 61, 62; 373, 377
  - Cast iron — Jn 10, Jn 23
  - Clearance, side — Je 24; 371
  - Cylinder wear affected by — 97

PAGE

**Pistons (Concluded)**
- Design factors affecting — My 22, My 28; No 25
- Diesel engine requirements — Jn 10; Je 22
- Drilling vs. slotting — Oc 32
- Expander type — 372, 374, 375
- Flutter causes — My 28
- Grooves, undercut — Je 24; 372
- Holes vs. slotting — Je 24; 373
- Number of — 3
- Oil consumption affected by — 62; Je 24; 371, 372, 373, 374, Oc 31; 388, No 25
- Pressure — 372, Oc 31, Oc 33
- Progress — 3; 388
- Replacement type — Oc 32
- Ringless piston — Oc 32
- Scuffing causes — My 28
- Slotted — Je 24; 373, Oc 32
- Sticking causes — 377
- Wear
  - Data on — 375
  - Factors affecting — Jn 23; 65
  - S.A.E. research suggested — Jn 10
  - Width — Oc 33
- Scoring causes — 65
- Speed trends — 386
- Temperatures, aircraft — 202
- Tinplating — 3; 371
- Wear
  - Causes — Je 20; 377
  - Diesel and gasoline engine compared — Jl 54

**Production**
- APPLICATION OF INDUCTION HEATING IN AUTOMOTIVE PRODUCTION — Se 15, Se 36; 422
- HOW TO CUT COSTS, IMPROVE QUALITY SHOWN AT PRODUCTION MEETING — Oc 13
- Aircraft
  - Cost — Jn 16; Fe 22; Mr 22; 199
  - Metal
    - Assembly — 234
    - Riveting — 230, 232, 234
    - Welding — 234
- Bearing, ball and roller — Ag 24
- Broaching, surface, field for — Oc 14
- Brake drum — 263
- Camshaft grinding — Fe 31, Fe 39; Mr 28
- Cast iron, electric furnace type — My 29; Jl 67; Oc 35
- Cylinder
  - Assembly — Jn 23; 105, 108; 272, 273, 274
  - Cleaning — 272, 273, 274
  - Finishing
    - Boring — Fe 31, Fe 39; 111
    - Honing — Jn 10; 98, 99, 100, 101, 106, 111
    - Oil consumption affected by — Jn 10; 100
    - Reaming — Jn 10; 99, 100, 106, 111
    - Testing — Jn 23; 98; 111, 112
- Engines, aircraft
  - Diesel, cost — 347
  - Inspection — 57
- Engines, Diesel — 103, 110
- Engines, Motorcoach, Diesel cost — 276, Jl 50; Se 14, Se 17; 381
- Engines, Motor-Truck, Diesel cost — 276, Jl 50; Se 14, Se 17; 381
- Finish
  - SURFACE FINISH, AND HOW IT CAN BE MEASURED AND SPECIFIED — Fe 31, Fe 39; 112, Mr 28
  - Boring — Fe 31, Fe 39; 112
  - Honing — Jn 10; 99, 100, 101, 106, 111, 112
  - Oil consumption affected by — Jn 10; 100
  - Reaming — Jn 10; 99, 100, 106, 111
  - Strength affected by — Fe 31, Fe 39; Mr 28; 415
  - Testing — Jn 23; Fe 31, Fe 39; 98, 111, 112, Mr 28
  - Wear affected by — Jn 10, Jn 23; Fe 31, 65; 98, Mr 28
- Gasoline
  - Cost — 39; Jl 56; 363, 369
  - Cracking effects — Jl 56; 364
  - Crude yield — 362
  - Volatility effects — Jl 55; 362
- Gear finishing — Oc 15, Oc 36
- Induction heating used in — Oc 15, Oc 23, Oc 36; 422
- Labor problem
  - Employee duties — Fe 41
  - Management functions — Fe 41; Je 13; No 16

PAGE

**Production—Concluded)**
- Lubricating oil, solvents used in — 4; Jn 17
- Obsolescence, growing importance of — Oc 13
- Piston turning, diamond — Fe 31, Fe 39; Mr 28
- Rubber, cellular — 267, Jl 55, Jl 62
- Speed — Je 13
- Stamping progress — Jn 15
- Tractors, farm — Ag 16
- Volume, foreign — 426

(See also Tools and Welding)

**R**

**Racing, Automobile**
- AUTOMOBILE RACING HISTORY MARKS DESIGN AND FUEL PROGRESS — My 13
- Car design development — My 14
- Fuels — My 16
- Makes
  - Benz — My 14
  - Fiat — My 14
  - Ford — My 14
- Passenger-car influenced by — Jn 20; My 13, My 16
- Reliability runs — Jl 17, Jl 30
- Rules — My 14, My 15, My 16
- Speed — Mr 36; My 13, My 14
- Tires — My 14
- Wind resistance — Ap 21; My 15

(See also Engines, Racing; and Superchargers and Supercharging)

**Railcars**
- Design requirements — Jl 64
- Makes, Stout — Jl 65
- Operating cost — Jl 65
- Streamlining — Fe 43
- Usage extent — Mr 36

(See also Engines, Railcar)

**Railroads**

(See Transportation)

Research, Value of — No 15, No 24; De 40

Riding-Qualities
- CRITERIA ARE SET FOR RIDING COMFORT RESEARCH; NEW INSTRUMENTS MADE — Ag 20
- Research — Fe 46; Mr 35; Je 16; No 20
- Testing
  - Instruments for — Ag 18, Ag 20; De 17; De 18, De 39
  - Body motions — 319
- Tire effects
  - Design factors — De 17
  - Pressure — 47
  - Rim widths — 47
- Vehicle design effects
  - Cars compared — Jl 52; Ag 23; 319, 320
  - Seats
    - Cushions — Jl 55
    - Location — 320
  - Shock absorbers — Jl 53; 320
  - Springs, suspension
    - Deflection rate — 321
    - Independent wheel — 320
- Vehicle movements affecting
  - Body — Jl 52; 313
  - Testing — 319

**Rims**

(See Tires and Rims)

Roads and Streets
- Banking — Jn 17
- Construction costs, taxation as source of — Jn 22; Jl 46, Jl 47, Jl 50; 286, 287
- High-speed — Jn 20
- Thickness requirements — 286
- Value of — 286
- Width requirements — 286

**Rubber**
- ENGINEERING USES OF RUBBER — Fe 16, Fe 34; Mr 19; 164
- Automotive use of — Fe 16, Fe 34; My 21; 399
- Body use of
  - Insulation — 164
  - Fenders — Fe 16; 164
  - Running boards — 164
  - Seat cushions — 164; 267, Jl 55, Jl 62


**Abbreviations Used:**

January, Jn — April, Ap — July, Jl — October, Oc
February, Fe — May, My — August, Ag — November, No
March, Mr — June, Je — September, Se — December, De

PAGE

**Rubber (Concluded)**
- Cellular, production 267, Jl 55, Jl 62
- Engine mounting 7; Mr 24; 226; 429
- Fan belts Mr 19
- Physical properties My 19, My 21
- Springs, suspension Fe 16, Fe 34; Mr 19
- Temperature effects Fe 16; Mr 19
- Tire usage My 21
- Water pump usage Fe 17

**S**

**S.A.E.**
- S.A.E. FOREIGN PROGRESS DRAMATIZED IN 30TH ANNIVERSARY EXHIBIT Jl 34
- 10 S.A.E. ACTIVITIES—WHERE THEY STARTED AND HOW THEY GREW My 33; Jl 18
- Accident prevention Ap 22; My 34
- Anniversary Jl 17, Jl 34, Jl 65
- Committees
  - Administrative
    - Constitution Fe 49
    - Finance Fe 49
    - House Fe 49
    - Meetings Fe 45, Fe 49
    - Membership Fe 45, Fe 49
    - Publication Fe 45, Fe 49
    - Sections Fe 46, Fe 49; Se 25
  - Brake Fe 52; No 19
  - Engineering Relations Ag 27; No 26
  - Institutional History and Museums Fe 52
  - Manly Memorial Board of Award Fe 52
  - Motorcoach and Motor-Truck Rating Ag 17
  - National Tractor and Industrial Power Equipment Jn 9
  - Nominating Fe 13, Fe 14, Fe 26; Mr 16; Ap 27; Ag 19
  - Ordnance Advisory Fe 52; Jl 17, Jl 30; No 29
  - Past-Presidents' Advisory Fe 14
  - Placement Fe 52
  - Professional Activities Fe 49
  - Representation on other organizations and committees Fe 50, Fe 51, Fe 52
  - Research Fe 46, Fe 50; Se 29
  - Wright Brothers Medal Board of Award Fe 52
- Constitution, amendments to Fe 13, Fe 14, Fe 44; Ap 27; Ag 16; Se 30
- Council
  - Membership Fe 23, Fe 24; Oc 16
  - Meeting Fe 26
- Employment service Fe 52
- Finances Jn 13; No 26
- Foreign activities Ap 24; Jl 29, Jl 34; No 24, No 26, No 28
- History My 33; Jl 18
- Legislative activities Ag 27; No 26; De 13, De 15, De 30
- Marine engineering Jl 25
- Meetings
  - American Society of Agricultural Engineers cooperation Jn 9
  - Annual Jn 26; Fe 13, Fe 33, Fe 45; Mr 17; My 33; Jl 74; Ag 19; Se 20; Oc 34; No 32; De 31
  - Annual Business Session Fe 13
  - Annual Dinner Jn 26; Fe 32, Fe 45; Jl 74; Se 20; Oc 34; No 22, No 32; De 22
  - Attendance Fe 45
  - Engineering displays at Jn 26; Fe 13, Fe 45; Je 23; Jl 29, Jl 34; De 13
  - National Machine Tool Builders Association cooperation Ag 27; Oc 13
  - Production Fe 45; Je 20; Jl 74; Ag 27; Se 20, Se 28; Oc 13, Oc 36
  - Professional Activities cooperation Fe 45
  - Report on Fe 45
  - Regional
    - Baltimore Jl 68
    - Development of Fe 45, Fe 47
    - Hartford Jn 13; My 36; Je 13, Je 20; Ag 27; Se 25
    - Metropolitan Jn 21
    - Oshawa My 36
    - Pacific Coast Ag 26; Se 25; Oc 23, Oc 34; No 21, No 32; De 32
    - South Bend Jn 17; My 36; Ag 23
    - Statistics of Se 25
    - Syracuse My 35
    - Transportation and Maintenance Oc 22, Oc 34; De 13
  - Sections cooperation Fe 14, Fe 45, Fe 47; Ag 27; Se 25, Se 28; Oc 13; No 14; De 13, De 32
  - Sports events Jl 29, Jl 63, Jl 66
  - Summer Fe 29, Fe 44, Fe 45; Mr 35; Ap 24; My 17, My 27; Je 12, Je 19, Je 24; Jl 28, Jl 46, Jl 74
  - Tractor and Industrial Power Jn 9, Jn 23; Fe 45; Ap 23; Jl 74; Ag 19; Se 20; Oc 24, Oc 34; No 15
  - Transportation Jl 74; Ag 18, Ag 19; Se 20; Oc 24, Oc 34; No 13

PAGE

**S.A.E. (Continued)**
- Membership
  - Applicants for membership Jn 27; Fe 54; My 29; Ap 28; My 26; Je 28; Jl 70; Ag 30; Se 32; Oc 28; No 30; De 24
  - Applicants qualified Jn 27; Fe 54; Mr 29; Ap 28; My 26; Je 27; Jl 70; Ag 29; Se 32; Oc 28; No 30; De 24
  - Foreign No 24, No 26, No 28
  - Increase My 35
  - Life, award of to presidents Fe 14, Fe 44; Ap 27; Se 30
  - Obituaries Jn 26; Fe 40; Mr 40; Ap 26; My 24; Ag 25; Oc 27; No 29; De 27
  - Personal notes Jn 25; Fe 40; Mr 40; Ap 26; My 23; Je 15; Jl 68; Ag 25; Se 24; Oc 26; No 28; De 26
  - Report on Fe 45
- Notes and Reviews Jn 30; Fe 56; Mr 42; Ap 30; My 38; Je 30; Jl 76; Ag 32; Se 34; Oc 38; No 34; De 42
- Officers
  - Election Fe 23, Fe 26; Ag 16
  - Nomination Ag 16; Oc 16
  - President Fe 14, Fe 23, Fe 44; Ap 27; My 30; Jl 17, Jl 20; Se 30; Oc 16
  - Treasurer Oc 16
  - Vice-Presidents Fe 13, Fe 25, Fe 26; Mr 16; Ap 23; My 24; Jl 20; Oc 16
- Professional Activities
  - Aircraft Fe 49; Jl 21; Oc 16
  - Aircraft-engine Fe 49; Jl 21; Oc 16
  - Diesel engine Fe 49; Jl 22; Oc 16
  - Fuels and Lubricants Fe 49; Jl 23; Oc 16
  - History My 33; Jl 18
  - Meetings assisted by Fe 45
  - Passenger-car Fe 49; Jl 26; Oc 16
  - Passenger-car body Fe 49; Jl 25; Oc 16
  - Production Fe 50; Jl 22; Ag 27; Oc 16
  - Tractor and Industrial Power Equipment Fe 50; Ap 23; Jl 24; Ag 16, Ag 19; Oc 16; No 15
  - Transportation and Maintenance Fe 16, Fe 26, Fe 33, Fe 50; Mr 16, Mr 18; 117; My 24; Je 14; Jl 19; Ag 18, Ag 19; Oc 16, Oc 33; No 13
  - Truck, Bus and Railcar Fe 50; Jl 18; Ag 18, Ag 19; Oc 16
- Publications
  - Bulletin Jl 27
  - History Jl 27
  - Journal Jl 27
  - Paper selection Fe 45
  - Roster Fe 45; Jl 27
  - Transactions Fe 45; Jl 27
- Research
  - RESEARCH COMMITTEE REGULATIONS APPROVED Se 29
  - Aims and scope Se 29
  - Air cleaner, suggestion for Jn 11
  - American Society of Mechanical Engineers Cooperation Fe 36; Mr 23; 206
  - Compression-ignition Fe 21, Fe 36; Mr 22; Je 16; 206
  - Cooperation in No 25
  - Development of De 37
  - Fuels Oc 17
  - Headlighting Mr 32
  - Highways Fe 46; Je 16; Ag 18, Ag 19; No 19, No 20, No 21; De 13, De 15
  - Ignition Fe 46; Mr 32; Je 17; Ag 17
  - Lubricants
    - Extreme-pressure Fe 46; Mr 34; Je 16; Ag 18; No 20; De 37
    - Oil stability Fe 46; Mr 35; Je 16; Ag 19; No 20
    - Oiliness Fe 28, Fe 37; Mr 34; Ag 18; No 19
  - Piston ring wear, suggestion for Jn 10
  - Procedure Mr 32; Ag 19; Se 29
  - Riding-qualities Fe 46; Mr 35; Je 16; Ag 18, Ag 20; No 20
  - Wheel alignment Fe 46; Mr 31; Je 16; Se 26; No 20
- Show week activities Oc 25
- Sections
  - Baltimore Jn 14, Jn 19, Jn 26; Fe 41, Fe 44; Mr 35; Ap 22, Ap 24; My 27, My 34; Je 23; Jl 68; Oc 30, Oc 34; No 26, No 32; De 29, De 38
  - Buffalo Jn 14; Fe 43, Fe 44; Mr 35, Mr 36; Ap 24; My 27, My 35; Je 18, Je 24; Oc 30, Oc 34; No 25, No 32; De 28, De 38
  - Canadian Jn 17, Jn 26; Fe 44; Mr 35; Ap 24; My 27, My 36; Je 19, Je 23; Oc 30, Oc 34; No 26, No 32; De 38
  - Chicago Jn 17, Jn 26; Fe 43, Fe 45, Fe 47; Mr 35, Mr 37; Ap 21, Ap 24; My 27, My 34, My 36; Je 26; Oc 30, Oc 34; No 14; No 32; De 38
  - Cleveland Jn 16; Fe 44; Mr 35; Ap 21, Ap 24; Je 26; Jl 68; Ag 27; Se 28; Oc 13, Oc 30, Oc 32, Oc 34; No 26, No 32; De 38
  - Dayton Jn 16, Jn 26; Fe 43, Fe 44, Fe 47; Mr 35; Ap 22, Ap 24; My 27, My 35; Je 24; Oc 30; No 32

PAGE

**S.A.E. (Concluded)**
Denver club Jn 17; Fe 47; Ap 24; My 30; De 30
Detroit Jn 15, Jn 26; Fe 14, Fe 44, Fe 45, Fe 47; Mr 35; Ap 24; My 27, My 28; Je 13, Je 19; Oc 30, Oc 34; No 24, No 26, No 32; De 28, De 38
Employment service Fe 47
Indiana Jn 17; Fe 44, Fe 47; Mr 35, Mr 36; Ap 24; My 29; Je 22; Jl 68; Oc 30, Oc 34; No 24, No 32; De 30, De 38
Kansas City Fe 44, Fe 47; Mr 35; My 30
Legislative activities Ag 27
Meetings assisted by Fe 14, Fe 45, Fe 47; Ag 27; Se 25, Se 28; Oc 13; No 14; De 13, De 32
Metropolitan Jn 14, Jn 21, Jn 26; Fe 44, Fe 45, Fe 47; Mr 35, Mr 36; Ap 21, Ap 24; My 27, My 29; Je 18, Je 20, Je 23, Je 26; Jl 61; Se 20; Oc 22, Oc 30, Oc 32, Oc 34; No 24, No 32; De 13, De 38
Milwaukee Jn 20; Fe 43, Fe 44, Fe 47; Mr 35; Ap 21, Ap 24; My 27; Je 22; Jl 67; Ag 26; Oc 31, Oc 34, Oc 35; No 25, No 32; De 29, De 38
New England Jn 16, Jn 20, Jn 26; Fe 44, Fe 47; Mr 35; My 27, My 34; Jl 68; Oc 31, Oc 34; No 26, No 32; De 29, De 38
Northern California Jn 13, Jn 26; Fe 44; Mr 35; Ap 24; My 27, My 29, My 30; Je 19, Je 22; Ag 24, Ag 26; Se 20; Oc 31, Oc 32, Oc 33, Oc 34; No 25, No 32; De 38
Northwest Jn 16, Jn 26; Fe 41, Fe 44; Mr 35; Ap 24; My 27, My 32, My 33, My 35; Je 22; Oc 31; No 24; De 28, De 38
Officers Jl 68; Oc 30, Oc 32, Oc 33; De 29
Oregon Jn 14, Jn 26; Fe 41, Fe 44, Fe 47; Mr 35, Mr 37; Ap 24; My 32, My 36; Je 20, Je 22; Jl 68; Ag 26, Ag 27; Oc 31, Oc 32, Oc 34, Oc 35; No 26, No 32; De 29, De 30, De 38
Philadelphia Jn 16, Jn 20; Fe 44; Mr 35, Mr 36; Ap 22, Ap 24; My 27, My 34; Je 18, Je 20, Je 24; Oc 31, Oc 34; No 26, No 32; De 29, De 38
Pittsburgh Jn 19, Jn 26; Fe 42, Fe 44; Mr 35, Mr 37; Ap 24; My 27, My 29; Oc 31, Oc 34; No 25, No 29, No 32; De 38
Report on Fe 46
St. Louis Jn 26; Fe 47; Ap 24; Jl 68; Oc 31; No 25, No 32; De 38
Southern California Jn 14, Jn 20, Jn 26; Fe 41; Mr 35; Ap 22, Ap 24; My 27, My 29, My 30; Jl 67; Se 20; Oc 31, Oc 32, Oc 34; No 26, No 32; De 38
Southern New England Ag 27; Se 25
Syracuse Fe 44; Ap 22; My 35; Oc 31, Oc 34; No 32
Washington Jn 16, Jn 26; Fe 43, Fe 44; Mr 35, Mr 37; Ap 21, Ap 24; My 27, My 36; Je 20, Je 22; Oc 31, Oc 34; No 24, No 32; De 30, De 38
Student activities
Annual meeting session Fe 14
Detroit Fe 44; Oc 34; No 26; De 28
Massachusetts Institute of Technology My 34; De 30
New York University My 35; No 24; De 28
Ohio State University My 35; Je 24
Oregon State College Ag 26, Ag 27; Oc 32, Oc 34, Oc 35; No 26; De 29
Paper competition No 24; De 29
Report on Fe 47
Value of Jn 13; Fe 53; Mr 39; Ap 25; My 25, My 34, My 35; Je 13, Je 21; Jl 17, Jl 33; Ag 31; Se 31; Oc 29; No 27; De 25
(See also Standardization Activities, S.A.E.)
Screw Thread Standardization Mr 30; Jl 58

**Shock Absorbers**
Hydraulic, ride control progress 13; 431, 432, 433
Progress 13; 398; 431, 432, 433
Riding-qualities affected by Jl 53; 320
Speedometer Standardization No 20

**Springs, Suspension**
"SKY-HOOKS" FOR AUTOMOBILES Jl 52, Jl 61; 313
Bearings, needle 12
Body motion affected by
Analysis of 313
Cars compared 319
Gyration radius 315
Inertia moment determination 315, 321
Testing 319

PAGE

**Springs, Suspension (Concluded)**
Deflection rate
Independent wheel 319
Motor-truck 124
Riding-qualities affected by 321
Trends 395, 396, 397; De 28
Frequencies 10; De 28
Friction, static 319
Independent wheel
Axle, rear, requirements Jn 19
Frame requirements Fe 20
Merits Fe 35; Je 23
Progress 396
Riding-qualities affected by 320
Springs
Deflection rate 319
Friction, static 319
Leaf springs Jn 19; Fe 20, Fe 35; 430, 431, 432
Weight Jn 19
Steering affected by 44, 46
Tires affected by Fe 35, 48
Types described 11; 430
Universal-joints affected by 8
Usage extent Mr 36, Mr 37; 425, 430
Weight, unsprung, affected by Fe 20, Fe 35
Wheel alignment affected by Se 26
Leaf
Independent-wheel usage Jn 19; Fe 20, Fe 35; 430, 431, 432
Number of 10, 11
Makes, Dubonnet Se 26
Motor-truck deflection 124
Progress 10, Jn 18; 395; 430, De 28
Rubber used in Fe 16, Fe 34; Mr 19
Shackles, progress in 396
Side sway control 11; 395
Tire effects on Jl 52; 315
Weight
Independent wheel Jn 19
Rubber effects on Fe 17; Mr 19

**Springs, Valve**
Load increase recommended Jn 14; My 18
Progress 2
Racing engine developments My 14
Retainers Jn 11, Jn 24; 271, 276
Tension requirements 64, 65
(See also Valves and Valve Gear)

**Standardization Activities, S.A.E.**
EXECUTIVES LAUD NEW S.A.E. STANDARDS Ap 16
LEADING ENGINEERS PRAISE REVISIONS PRESERVING VITALITY OF S.A.E. STANDARDS Se 23
NEW S.A.E. STEEL DATA EMBODY WIDE ENGINEERING SIGNIFICANCE Ap 13
NEW STEEL DATA IN SPECIAL PAMPHLET AS WELL AS IN S.A.E. HANDBOOK Ap 18
NON-FERROUS METAL SPECIFICATIONS GET THOROUGH REVISION Se 21
American Standards Association cooperation Fe 47, Fe 52; Mr 30, Mr 31; Ag 18; No 19
Ball and roller bearing No 20
Committee
Membership Fe 51; No 29
Report Fe 47
Division reports approved Fe 14, Fe 47; Ag 17
Electrical equipment
Battery rating 117
Fuses No 20
Engine
Outboard mounting Mr 34
Testing forms No 20
Valve, requirement for Jn 12
Glass, safety Mr 30; No 19
Handbook Fe 45, Fe 48; Je 17; Jl 27; Ag 17; Se 22
International Fe 47
Iron and steel Mr 35; Ap 13, Ap 16, Ap 18
Lighting
Headlighting adjustment inspection code No 19
Revision of Ag 17
Turning signals Fe 46
Lubricant
Compound Fe 28, Fe 38
Data forms Mr 33
Oil viscosity, low temperature Mr 32


**Abbreviations Used:**

| | | | |
|---|---|---|---|
| January, Jn | April, Ap | July, Jl | October, Oc |
| February, Fe | May, My | August, Ag | November, No |
| March, Mr | June, Je | September, Se | December, De |

PAGE

**Standardization Activities, S.A.E. (Concluded)**
- Machine tool — Mr 31
- Motorboat propeller shaft — Mr 32; No 20
- Motorcoach, recommendations for — Oc 33
- Motor-truck
  - Recommendations for — Oc 33
  - Tank — Mr 34
- Non-ferrous metal — Se 21, Se 23
- Parts and fittings
  - Fuel and lubrication tube fittings — Mr 35
  - Revision of — Ag 17
  - Speedometer — No 20
- Production — Ag 17
- Screw thread — Mr 30; Jl 58
- Tire and rim — Mr 34
- Value of — Jn 13, Jn 14; Ap 16, Ap 17; Se 23, Se 31; No 25; De 38

**Steam Propulsion**
- Aircraft engine — 143
- Interest in — Jl 17, Jl 31

**Steels**
- Aluminum compared with — 417
- Austenitic, valve usage of — Jn 11, Jn 24; 269, 270, 271, 276
- Brake drum — 9; 262, 263, 265; 438
- Carbon type, endurance — 417
- Chemical composition — Ap 20
- Chromium, valve usage of — 269, 270, 275
- Cyanided, gear usage of — No 16, No 17
- Gear — No 16
- Grain size standardization — Ap 14, Ap 17
- Physical properties — Ap 18; 415
- Progress — Ap 13, Ap 16, Ap 21, Ap 22
- Silicon, valve usage of — 269, 275
- Standardization — Mr 35; Ap 13, Ap 16, Ap 18
- Stellite, valve seat usage — Jn 11, Jn 24; 270, 271, 275, 276
- Valve — Jn 11, Jn 14, Jn 24; My 18; 268, 271, 272, 275, 276; 387

(See also Heat Treatment)

**Steering Systems**
- Bearings, needle — 12
- Column, adjustable — 434
- Design requirements — My 18
- Gear efficiency — My 19
- Geometry analysis — No 26
- Makes
  - Gemmer — 13
  - Lavine — 12
- Progress — 12; 385, 397; 434
- Speed effects — 44, 47
- Spring, suspension, independent-wheel, effects — 44, 46
- Tire effects — Fe 35, 41; Mr 20
- Weight distribution effects — Mr 36
- Wheel alignment effects — 44, 46
- Wheels
  - Progress — 397
  - Pull, tire effects — 46

**Streets**

(See Roads and Streets)

**Superchargers and Supercharging**
- Aircraft
  - Brake mean effective pressure affected by — 332, 333, 338
  - Commercial requirements — 55
  - Cooling affected by — 443
  - Diesel
    - Brake mean effective pressure affected by — 332, 333, 338
    - Combustion chamber types compared — 332, 333, 337, 338
    - Friction affected by — 332
    - Fuel consumption affected by — 332, 333, 338
    - Gasoline engine compared with — Jl 49
  - Direct injection effects — 85
  - Friction affected by — 332
  - Fuel consumption affected by — 332, 333, 338
  - Indicator study of — 195
  - Power affected by — 56; 232
  - Regulator, requirement for — 345
  - Usage extent — Mr 14
- Automobile
  - Backfiring effects — Fe 43
  - Example given — Fe 43
  - Failure effects — Fe 43
  - Fuel consumption affected by — My 19
  - Induction pressure maintained by — My 15, My 19
  - Power affected by — Fe 43; My 19
  - Progress — 390
  - Racing engine use of — Mr 36; My 15
  - Speed — My 15, My 16
  - Sport type — 428
  - Usage extent — 6

PAGE

**Superchargers and Supercharging (Concluded)**
- Diesel, efficiency, thermal, affected by — 214
- Marine engine, example given — Fe 43
- Motorcoach engine, power affected by — 390

**T**

- Tanks, Army — Jn 16; No 24
- Temperature
  - Brake drum — 264
  - Carburetor — 241, 242
  - Engine
    - Combustion — 127
    - Fuel supply system — 241, 242, Jl 58; 312
  - Engine, aircraft, air-cooled
    - Combustion — 194, 195, 198
    - Cylinder — 88; 139, 143, 144; 202; 352; 404, 405, 406, 407; 444
  - Engine, Diesel
    - Air — 341
    - Combustion — 196
    - Cylinder — 192, 196
  - Piston, aircraft — 202
- **Testing**
  - Aircraft
    - Flying boat hull — Jl 51, Jl 60
    - Speed, landing — Jn 16; 205
    - Wind tunnel — 225
  - Automobile
    - Acceleration — 293
    - Body motions — Ag 20; 319
    - Inertia moment — Jl 52; 315, 321
    - Streamlining, wind tunnel — Mr 21; 185, 189, 190
  - Axles, rear
    - Corrosion — 153
    - Fatigue — 154
    - Power losses — 151
    - Wear — 152, 158
  - Bearings, wear — 153, 158
  - Body upholstery fabrics — Jn 17
  - Brakes
    - Dragging — 259
    - Drums — Fe 38; 254, 259
    - Durability — 260, 262
    - Fading — 259, 260, 261, 262
    - Lining — Fe 38; 250, 256, 262, 266
    - Pedal pressure — 259, 261, 262
    - Road testing — 255, 260
    - Stopping distance — 258, 259, 261, 262
    - Temperature effects — 259, 260, 261, 262
    - Water effects — 261, 262
  - Carburetors, aircraft, air-fuel mixture ratios — 56
  - Connecting-rod stresses — Jl 51, Jl 60
  - Cylinders
    - Distortion — 105
    - Finish — Jn 23; 98, 111, 112
    - Temperatures — Fe 35; Mr 21; 192, 198
  - Drivers — 25, 27, 30
  - Engines
    - Bomb use — 131, 133
    - Combustion
      - Internal energy — Fe 35; Mr 21; 193, 198
      - Temperatures — Fe 35; Mr 21, Mr 26; 125, 134, 135; 192, 198
    - Fuel feeding
      - Temperatures — 240, 246
      - Vapor lock — 242, 246
    - Standard forms for — No 20
  - Engines, aircraft
    - Altitude effects — Fe 18; Jl 48, Jl 59
    - Cooling, air — 52; 401, 409; 441, 446
    - Cowling — Jl 47, Jl 48; 350, 352, 354; 441, 446
    - Endurance — 55
    - Laboratory for — Jn 21; 52
    - Lubrication — 52
    - Stresses — 418
  - Fuels, Diesel — Fe 36; Mr 23; 206; Se 17; De 36
  - Gasoline, vapor locking tendencies — 239, 245; No 20
  - Gears
    - Corrosion — 153
    - Fatigue — 154
    - Wear — 152, 158
  - Glass, safety — Mr 30; Ap 21; No 19
  - Headlighting, standard code for — No 19
  - Induction temperatures — 294
  - Lubricants
    - Channeling tendency — 149
    - Extreme-pressure, load-carrying ability, machines for
      - Bureau of Standards development — Jn 19

PAGE

**Testing (Concluded)**
- Development of — Fe 46; Mr 34; Je 16
- Importance of — Fe 42
- S.A.E. Research type — Ag 18; No 20; De 37
- Gear — 147, 149, 151, 158
- Lubricating value — My 20
- Oiliness — Fe 28, Fe 37; Mr 25, Mr 34; Ag 18; No 20
- Stability — Fe 29, Fe 34, Fe 46; Mr 19, Mr 35; 149, 158; Je 16, 201, 204; No 20
- Viscosity — Fe 41

Metals
- SURFACE FINISH, AND HOW IT CAN BE MEASURED AND SPECIFIED — Fe 31, Fe 39; 112, Mr 28
- Strength — Fe 39, Fe 31
- Surface finish — Jn 23; Fe 31, Fe 39; 98, 111, 112, Mr 28

Riding qualities
- CRITERIA ARE SET FOR RIDING COMFORT RESEARCH; NEW INSTRUMENTS MADE — Ag 20
- Instruments for — Ag 18, Ag 20; De 17, De 18, De 39
- Research — Fe 46; Mr 35; Je 16; No 20

Spark plugs — Fe 18, Fe 46; Mr 32; Je 17; Ag 17

(See also Detonation, Testing and Instruments)

**Tires and Rims**
- PROPERTIES OF TIRES AFFECTING RIDING, STEERING AND HANDLING — Fe 19, Fe 35, 41; Mr 20
- Balance — 10
- Changing — 10
- Cornering ability — Fe 35, 43
- Cushioning ability — 47
- Dual, steering affected by — 45
- Failure causes — 33
- Forces acting on — 42, 46
- Functions of — Fe 35, 41
- Load-deflection curves — 319
- Loading, steering affected by — 44, 46; Mr 20
- Noise, tread design effects — 10; 395
- Pneumatic
  - Balloon, motor-truck use — No 13, No 14
  - Carcass, cord angle
    - Cornering ability affected by — 45
    - Wear affected by — Mr 20
  - Inflation pressure
    - Cornering ability affected by — Fe 35, 44, 47; Mr 20
    - Cushioning affected by — 47
    - Static torque affected by — 46
    - Trends — 10
    - Wear affected by — 48
  - Motor-truck
    - Balloon — No 13, No 14
    - Overloading effects — No 13; De 40
    - Progress — 395
    - Size — 395, No 14
  - Retreading economy — Jn 14
  - Tubes, progress — 385, 395
- Precession torque — 46
- Progress — 10; 395
- Racing developments — My 14
- Radial loads on — 44, 46
- Radio interference by — 395
- Repaired, quality of — Jn 14; No 14
- Riding qualities affected by — 47; De 17
- Rim width
  - Cornering ability affected by — Fe 35, 44, 47
  - Cushioning ability affected by — 47
  - Wear affected by — 45
- Rubber used in — My 21
- Size
  - Cornering ability affected by — 45
  - Standardization — Fe 47; Mr 34
  - Trends — 10; 395, No 14; 440
- Slip angle — Fe 35, 43, 46; Mr 20
- Spare rack location — 15
- Springs, suspension, affected by — Jl 52; 315
- Static torque — 46; Mr 20
- Steering affected by — 44, 46; Mr 20
- Tread design
  - Noise affected by — 10; 395
  - Skidding affected by — 10
- Wear
  - Brake application effects — 48
  - Carcass cord angle effects — Mr 20

PAGE

**Tires and Rims (Concluded)**
- Data on — 48
- Factors affecting — Fe 35, 47
- Inflation pressure effects — 48
- Location on vehicle, effects — Fe 35, 48, 49; Mr 20
- Rim width effects — 45
- Speed effects — 49
- Spring, suspension, independent wheel, effects — Fe 35, 48
- Trends — 10; 395
- Vehicle design effects — 48, 49

**Tools**
- Carbide, dressing — Oc 14
- Drill jig bushing standardization — Mr 31
- Machine
  - Boring, progress — Fe 31, Fe 39; Mr 28
  - Grinding, progress — Fe 31, Fe 39; Mr 28
  - Honing, progress — 101, 110
  - Power units for — Oc 14
  - Progress — Fe 31, Fe 39; 101, 110, Mr 28; Oc 13
  - Welding — Oc 23, Oc 36
- Service — Jn 23; 107

**Tractors, Farm**
- AUTOMOTIVE DEVELOPMENT CHANGES AGRICULTURAL PICTURE — Jl 28, 246, Jl 54, Jl 62; Ag 13
- Budget, average family, affected by — Jl 28, 246, Jl 54; Ag 13
- Design requirements — 124
- Employment affected by — Jl 28, 246, Jl 54; Ag 13
- Production cost — Ag 16
- Profits, farm, affected by — Ag 14
- Progress — Ag 15
- Size trends — Ag 15
- Usage extent — Ag 14, Ag 15, Ag 16
- Weight reduction needed — De 40

(See also Transmissions, Tractor)

Traffic, Safety Relation to — Fe 41

**Transmissions**

Automatic
- MECHANICAL MIND READING (TRANSMISSIONS) — Jl 52, Jl 61; 449
- Control means
  - Manual, merits — Jl 52, Jl 61; 451, 458
  - Speed — 451, 458
  - Torque — 451, 458
- Design described — 452
- Design requirements — 449
- Hydraulic — 437
- Mechanical — 452
- Stepped ratio type — 449, 458

Electrical, railcar, merits — Mr 36

Free wheeling
- Progress — De 18
- Usage extent — 437

Front wheel drive
- Progress — 385, 392
- Usage extent — 431, 438

Gear reduction ratios
- Diesel engine effects — 381
- Motor-truck — Mr 18; 381

Gearshifting
- Automatic, merits — Jl 52, Jl 61; 436
- Electric — 7; 425, 436
- Pneumatic — 8
- Progress — 392
- Preselection — 435, 436
- Remote control for — 8

Lubrication
- Extreme-pressure lubricant used — No 18
- Overdrive — My 28

Makes
- Cotal — 425, 436
- De Normanville — 436
- Hudson — 7
- Sneed — Jl 52; 449
- Wilson — 435

Motorcoach
- Diesel engine effects — 381
- Gear reduction ratios — 381
- Rear engine effects — 8

Motor-truck
- Diesel engine effects — 381
- Five-speed — 8; Mr 18


**Abbreviations Used:**

January, Jn — April, Ap — July, Jl — October, Oc
February, Fe — May, My — August, Ag — November, No
March, Mr — June, Je — September, Se — December, De

PAGE

**Transmissions (Concluded)**
Gear reduction ratios Mr 18; 381
Service point standardization Oc 33
Multiple-speed
Five-speed, motor-truck 8; Mr 18
Four-speed My 28
Overdrive
Axle type My 22, My 28
Automatic transmission provision for 456, 458
Efficiency My 22, My 28
Fuel consumption affected by My 28
Lubrication My 28
Oil consumption affected by My 28
Progress Jn 18; 392; De 18
Transmission type My 22, My 28
Usage extent **8; 436**
Planetary 425, 435
Progress 7, Jn 18; 385, 391, No 18; 435, De 18, De 40
Railcar, mechanical vs. electrical Mr 36
Rear engine effects on 8
Synchromesh, progress 392; 436
Torque requirements 453
Tractor
Progress No 18; De 40
Steels No 16
(See also Gears)

**Transportation**
Electric street railway, passenger-mileage 281
Legislative control of 277
Passenger-mileage 281
Railroad
EASTMAN PROPOSES CENTRAL RESEARCH ORGANIZATIONS FOR RAILROADS Jl 64
Automobile competition with Jl 46; 281
Costs, motor-truck compared with 285
Earning loss analyzed Jl 46; 277, 280
Government contribution to 288
History **277, 281**
Improvement desired Jl 64; De 14
Legislation influenced by Jn 21; Jl 46, Jl 47; 279, 280, 285
Motorcoach competition with 278
Motorcoach used by 285
Motor-truck competition with Jl 46; 278, 280
Motor-truck used by Jl 46; 285, 287, 292
Passenger-mileage 281
Rates, motor-truck compared with 278
Research organization proposed Jl 64
Rate fixing basis Jn 21

**Trucks**
(See Motor-Truck)

**Tubes**
(See Tires and Rims)

U

**Universal Joints**
Angles, spring, suspension, effects 8
Progress 8, 392

V

**Valves and Valve Gear**
DESIGNING VALVES AND RELATED PARTS FOR MAXIMUM SERVICE Jn 11, Jn 24; 268
ELECTROLYTIC CLEANING OF EXHAUST VALVES De 19
Aircraft
Cooling, sodium 275
Head shape 270
Lubrication Fe 17, Fe 34; Mr 20; 142
Seat angles 271
Steels 268, 271
Burning, design factors affecting 64
Cast iron 271, 273; Se 22
Cleaning, electrolytic De 19
Cooling, sodium Jn 11, Jn 24; 275, 276
Cover vents **377**

PAGE

**Valves and Valve Gear (Concluded)**
Design factors affecting 64; **272**
Design requirements Jn 11, Jn 24; 268, 276
Exhaust
Design requirements Jn 11, Jn 24; 268, **276**
Head shape 270
Steels Jn 11, Jn 24; 268, 271, 272, 275, 276
Failure causes 64; **272**
Guides
Oil consumption affected by 377
Projecting Jn 11, Jn 24; 274, 276
Head shape 270
Life of Jn 11; 268
Lifters Jn 11, Jn 24; 272, 274, 276
Lubrication Fe 17, Fe 34; Mr 20; 142
Progress 2; My 18; 387
Reconditioning Jl 68; Oc 35
Rotary, merits Jn 14; My 18; 428
Rotation, requirement for Jn 11; 272, 274
Seats
Angle 2; 271; 387
Cooling requirements 272, 274, 275
Inserts
Cast iron 271, 273
Design requirements 271
Steels Jn 11, Jn 24; 271, 275, 276
Steels Jn 11, Jn 14, Jn 24; 270, 271, 275, 276
Width 272, 275
Sleeve
Merits Jn 14; 74; My 18
Usage extent 428
Standardization required Jn 12
Steels Jn 11, Jn 14, Jn 24; My 18; 268, 271, 272, 275, 276; 387
Stems
Design requirements 270, 274
Diameter clearance 270
Sticking, design factors 64
Tappets
Clearance 270, 274
No-lash type Jn 11, Jn 24; 271, 275, 276
Temperature
Control of 385, 387
Factors affecting 269, 272, 273, 274, 275
Failure cause 272, 273
Timing, power affected by 58
(See also Springs, Valve)

W

**Welding**
MODERN RESISTANCE WELDING Fe 31, Fe 39, 69; Mr 28
Aluminum 234
Automotive use of Fe 39, 69
Cooling Oc 36
Die material Oc 23, Oc 36
Equipment and methods Jn 15; Fe 31, Fe 39, 69; Mr 28; Oc 23, Oc 36
Power requirements for Fe 31, Fe 39; Mr 28
Pressure Oc 23
Progress Jn 15; Oc 23, Oc 36
Speed Oc 23, Oc 36

**Wheels**
Alignment
WHEEL ALIGNMENT ELEMENTS DEFINED BY RESEARCH SUBCOMMITTEE Se 26
Camber, tire performance affected by 44, 46; Mr 20
Definitions Se 26
Instruction code Fe 46; Mr 31; Je 16; Se 26
Specification data Je 16; Se 27
Spring, suspension, effects **Se 26**
Balance **10; My 14; 395**
Brakes affected by **Mr 26**
Progress 10; 395
Wire, usage extent 385, 395; 440

**Wrecks**
(See Accidents and Accident Prevention)

AGE
272
276
276
270
276
272
377
276
270
268
276
142
387
35
428
274
387
275
273
271
276
276
275
18
428
12
387
274
270
64
274
276
387
275
273
58
r 28
234
, 69
c 36
c 36
c 36
r 28
c 23
c 36
c 36
e 26
r 20
e 26
e 26
e 27
e 26
395
r 26
395
440